USERS MANUAL FOR ANNIE, A COMPUTER PROGRAM FOR INTERACTIVE HYDROLOGIC ANALYSES AND DATA MANAGEMENT

By Alan M. Lumb, U.S. Geological Survey,
John L. Kittle, Jr., Aqua Terra Consultants, and
Kathleen M. Flynn, U.S. Geological Survey



Reston, Virginia

DEPARTMENT OF THE INTERIOR MANUEL LUJAN, JR., Secretary

U.S. GEOLOGICAL SURVEY

Dallas L. Peck, Director

For additional information write to:

Chief, Office of Surface Water U.S. Geological Survey 415 National Center 12201 Sunrise Valley Drive Reston, Virginia 22092

Copies of this report can be purchased from:

U.S. Geological Survey, Books and Open-File Reports Section Box 25425, Federal Center Building 810 Denver, Colorado 80225

CONTENTS

	Page
Abstract	. 1
OverviewWhat ANNIE can do	. 1
Introduction	. 1
Manage data	. 2
List or table data	. 2
Plot data	. 4
Analyze data	. 4
Prepare data for models	. 4
Acknowledgments	. 5
How ANNIE works	. 5
Menus	. 5
Mechanics of menu responses	. 6
Option tree	
Log files and command files	
The WDM (Watershed Data Management) file	
File structure and maintenance	
Types of data	
Time-series data sets	
Time-series data compression	
Data-set attributes	
Special time-series attributes	-
Selecting data sets	
Steps to use ANNIE on a project	
Are ANNIE and the WDM file needed	
Retrieve data and convert formats if needed	
Create WDM file	
Create data sets and add data	
Verify data	
Correct or update data	
Use data	
Archive the WDM file	
ANNIE options and examples	
Organization	
ADD attributes	
ADD data set, time series	
ADD time-series data	
COPY time-series data	
CREATE WDM file	
DELETE attributes	
DELETE data sets	
DELETE time-series data	-
EXPORT data sets	
GENERATE time-series, math function	
GENERATE time change, shift	
GENERATE time change, transform	
GRAPHICS	
PLTGEN time plot	
terminal, constant time step	
terminal, variable time step	
terminal, x-y plot	
WDM, attribute plot	68
WDM, time plot	74
WDM, x-y time-series plot	
UPID attributoe	QΩ

CONTENTS (continued)

	Page
IMPORT data sets	90
LIST attributes	92
LIST time-series data (list)	94
LIST time-series data (screen)	
MODIFY attributes	101
MODIFY time-series data	102
RENUMBER data sets	104
SELECT	104
ADD	104
CLEAR	106
FIND	107
LIST	110
REMOVE	111
SORT	
STATISTICS	
compare time series	
duration analysis	
flood-frequency, Bulletin 17B	
frequency, Log-Pearson Type III	
n-day high and low	
trend analysis	152
SUMMARIZE WDM file	
TABLE attributes	
TABLE time-series data	
TABLE Cline-Series data	130
References	162
Appendix AIOWDM	163
Appendix BANNIE Attributes	212
Appendix CUser system specifications file	231
Appendix DGlossary of terms	236
••	
ILLUSTRATIONS	
Figure 1. ANNIE and WDM system interactions and functions	3
2. Upper-level branches of the ANNIE option tree	9
A.1. Upper-level branches of the IOWDM option tree	163
TABLES	
Table 1. Recommended values for TGROUP for time series of a given time	
step and record length	10
2. Mathematical functions available in GENERATE option	33
A.1. Allowable input and output formats for IOWDM	
A.2. References for input and output formats for IOWDM	
A.3. The relationship between WATSTORE basin streamflow	
characteristics and WDM attributes	171
C.1. TERM.DAT parameters	
C.2. Example TERM.DAT	

USERS MANUAL FOR ANNIE, A COMPUTER PROGRAM FOR INTERACTIVE HYDROLOGIC ANALYSES AND DATA MANAGEMENT

By Alan M. Lumb¹, John L. Kittle, Jr.², and Kathleen M. Flynn¹

ABSTRACT

ANNIE is an interactive computer program written in Fortran and designed for portability to mainframe computers, minicomputers, and microcomputers. ANNIE helps users interactively store, retrieve, list, plot, check, and update spatial, parametric, and time-series data for hydrologic models and analyses. A binary, direct-access file is used to store data in a logical, well-defined structure and is called a Watershed Data Management (WDM) file. Many hydrologic and water-quality models and analyses developed by the U.S. Geological Survey and the U.S. Environmental Protection Agency currently use either the WDM file or ANNIE or both. The WDM file provides the user with a common data base for many applications, thus eliminating the need to reformat data from one application to another. Furthermore, the ANNIE and WDM file system offers its users and application programmers an expanding library of subroutines for graphics, user interaction, and data storage and retrieval. library helps programmers to efficiently create software for highly specialized applications.

This document is the users guide for the February 1990 version of ANNIE. It describes what ANNIE can do and how to use ANNIE and the WDM file. Detailed examples of many ANNIE options show what the user will see on the screen, the responses to be entered, and the results produced.

OVERVIEW

WHAT ANNIE CAN DO

INTRODUCTION

ANNIE contains a set of procedures to organize, manipulate, and analyze data needed for hydrologic modeling and analysis. You can interactively perform tasks related to data management, tabular and graphical presentation, statistical analysis, and input preparation for hydrologic models. The relation of ANNIE to other files and systems is shown in figure 1.

¹U.S. Geological Survey

²Aqua Terra Consultants

MANAGE DATA

The data-management functions are the most extensively developed component of the ANNIE system. The focal point of data-management activities is the Watershed Data Management (WDM) file, a direct-access data library designed to allow efficient storage and retrieval of data needed by hydrologic models that continuously simulate water quantity and quality and by hydrologic analyses such as generalized least squares. ANNIE enables the user to interactively perform the following data-management operations:

- · Create a WDM file on the disk.
- Add, modify, or delete attributes defining the data to be stored in each data set in the WDM file.
- · Add, modify, or delete time-series data for data sets.
- Copy all or part of the data in one data set to another data set within the same WDM file.
- Update the WDM file by deleting or renumbering data sets.
- Export data sets from a WDM file to an ASCII file.
- Import data sets from an ASCII file to a WDM file.
- Input time series in U.S. Geological Survey WATSTORE (Hutchinson, 1975) and Hydrological Simulation Program-Fortran (HSPF) (Johanson, 1984) sequential file formats into WDM files.
- Perform selected numerical transformations on one or two time series to produce a new time series.
- · Adjust the time coordinates of time-series data.

LIST or TABLE DATA

As an aid to both data management and data analysis, ANNIE allows the user to display selected information from the WDM file in list or tabular format. Display capabilities include:

- Display a summary of data sets in a WDM file.
- Display user-selected data-set attributes in list or tabular format.
- List values in a time-series data set that are within a specified time span and value range. Annual, monthly, or daily totals are optional as appropriate for the time step of the data.
- List values in a time-series data set that are within a specified time span but outside of a value range.
- · List data sets that exhibit user-specified attributes.
- Table a year of time-series data by month and day, includes monthly total, mean, minimum, and maximum for each month.




Figure 1.--ANNIE and WDM system interactions and functions.

PLOT DATA

Graphics capabilities in ANNIE include time plots, x-y plots, and probability plots; and these plots can meet Geological Survey publication standards. Graphics routines use the American National Standards Institute, Graphical Kernel System (GKS) (ANSI, 1985). Thus, the number and type of output devices depend on only the implementation of GKS on the users system. The following options are available:

- Plot one or more time series over a specified time span, from a WDM file, a formatted file, or the terminal.
- Produce x-y plots for time-matched values from two data sets in a WDM file, a formatted file, or the terminal.
- Produce x-y plots of attribute pairs for all data sets or a selected subset of the data sets in a WDM file.
- Produce probability plots from ANNIE frequency analysis or flow-duration analysis.

ANALYZE DATA

ANNIE contains the following statistical capabilities to support water-quantity and water-quality modeling:

- Perform flow-duration analysis using values from a time-series data set.
- Compute absolute errors, standard errors, and an error matrix for two time-series data sets.
- Compute an n-day high or low annual time series from a daily time series.
- Perform frequency analysis of peak flows according to generalized procedures of Water Resources Council (WRC) Bulletin 17B (U.S. Geological Survey, 1982).
- Perform frequency analysis of any annual time series using the Log-Pearson Type III distribution.
- Perform Kendall Tau analysis for trend in annual time series.

PREPARE DATA FOR MODELS

ANNIE was designed and developed to assist the user in all aspects of watershed model application. quently, the system's capabilities are not restricted to time-series data management and analysis. The ANNIE library of routines has also been used to create custom programs to aid the modeler in developing input files for watershed parameter information needed by specific hydrologic, hydraulic, or water-quality models. Some custom applications programs are available, or a modeler can write their own program. For each custom program developed, the user is prompted for parameter values and options. The custom programs provide default values and check each of the users entries against an acceptable range. Contact one of the authors for a list of the available custom programs.

ACKNOWLEDGMENTS

The ANNIE user interaction and utilities and the file structure WDM have been developed, used, and modified over the past 6 years. During that time many users, agencies, and developers have made significant contributions.

Paul Hummel, Aqua Terra Consultants, is acknowledged for providing several new routines and modifications to many more. John Imhoff, Aqua Terra Consultants is acknowledged for his efforts to rewrite earlier drafts of this manual into the current format.

The Environmental Protection Agency, Environmental Research Lab, Athens, Georgia, has provided some of the funding for the development of ANNIE. Tom Barnwell is acknowledged for his continued support throughout the project. The excellent cooperation between the Environmental Protection Agency and the Geological Survey is attributable to Tom. Larry Burns, Environmental Protection Agency, has provided ideas and assisted with the coordination between the two agencies.

The U.S. Soil Conservation Service provided some of the funding for the initial design of the WDM file. Roger Cronshey is acknowledged for his ideas and support.

HOW ANNIE WORKS

MENUS

ANNIE uses menus to prompt you for a response to select the data and processing to be done. Each menu has associated help information and, where applicable, default values and a range of acceptable values. Decimal or integer input are checked against the acceptable range.

ANNIE is organized as a set of options or menus in a tree structure. Each selection moves you further down the tree structure. On any particular branch ANNIE may issue prompts in one of three formats: (1) a question requiring a single response; (2) a multiple-responses format in which a heading is written across the screen and responses are made at locations beneath the heading; or (3) a table format with use of the full screen to input or update values in rows and columns. When updating existing information, ANNIE may display the heading and the previous or default values, and you enter only items in the set that need to be changed. Although there are hundreds of options in ANNIE, you usually choose from fewer than seven options, and only those menus needed to accomplish the function of a branch are presented. processing on a particular branch is complete, you usually enter "DONE" and are returned to the menu one level up. One or more "DONE" responses are entered until you reach the desired level to specify another ANNIE operation.

MECHANICS of MENU RESPONSES

The mechanics of responding to a menu are slightly different for each of the three menu types. In all cases a question mark, "?", can be entered for help information. For alphanumeric responses that are used to select options, only sufficient characters are needed to distinguish that option from the other options. For example, questions that require a "LIST" or "LINE" response can be answered with a "LIS", "LIST", or "LIN", "LINE".

single

For the single response, you enter the response on the line below the question and then press the return key. A question mark followed by pressing the return key displays the help information.

multiple

For the multiple response, you press the space bar until the field that requires a response is reached. The tab key and arrow keys cannot be used. Responses must be under or between the less than (<) and greater than (>) characters for the respective fields. An alternate approach is to enter all responses in order and separated by commas. When commas are used, the responses do not need to be within the designated fields. To proceed to the next menu, you must press the return key with the cursor in column 1.

table

For the table response, a table is placed on the screen with the following command line at the bottom:

Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM

VIEW can be used to scroll the table up and down if there are more lines in the table than can be displayed on the screen. The usual response is EDIT or E, which changes the command line to the following:

Commands: DONE, RIGHT, LEFT, TOP, BOTTOM, GO

RIGHT, LEFT, TOP, and BOTTOM define a window for editing which may be useful if only a few rows or a few fields are to be modified. The default window includes all rows and columns. To begin editing, GO must be entered followed by pressing the return key. For most small tables, you can enter EG, for EDIT and GO, and press the return key. The cursor is then moved to the first field of the first row. You then press the return key until the field and row that needs changing is reached. Pressing the return key at the last field of the last row returns the cursor to the command line. At any location in the table you can enter ">", "<", or "%" followed by pressing the return key to move to the next field, last field, or command line, respectively. When on the command line, DONE (or D. DO, DON) must be entered followed by pressing the return key to go to the next menu. If the table heading gets shifted off the screen, enter VIEW followed by REFRESH on the command line to realign the table on the screen.

OPTION TREE

LOG FILES and COMMAND FILES

The option tree for the current version of ANNIE is illustrated in figure 2. Initially, you may find the option tree figure a useful tool for guiding your interactive sessions.

A file named ANNIE.LOG is automatically created at the start of each ANNIE session to store all your responses for the session. The last prompt of a session will ask you if you want to save the ANNIE.LOG file with another file name. If the file is not saved, it will be overwritten when you begin the next ANNIE session. Part or all of the saved log file may then become a command file used as responses for subsequent ANNIE sessions. Command files are usually created by editing a saved log file.

To use the command file in an ANNIE session, enter "@" followed on the same line by the name of the command file. Use of command files offers several advantages. Responses from an incomplete or interrupted session are saved and can be reused, so you are not required to repeat those responses already given to the system. Command files can also be utilized as "templates" for repeating ANNIE sessions where only one or two responses differ from session to session (for example, annual hydrograph plots where only the data-set number and station number change).

When ANNIE is instructed to use the contents of a command file, all responses will automatically come from the command file until the end of the command file is reached. At that point you can respond with either an answer or the name of another command file. For the careful and experienced user, a command file may contain the name of another command file.

Occasionally, a command file being read by ANNIE will get out of sync. When this happens, the session should be terminated and the command file should be edited to correctly order the responses. Most often the cause for a command file out of sync is the opening of an output file. The second time the output file name is read, the output file exists so an additional question is asked "Do you want to write over the file?". This question puts the rest of the responses out of sync.

THE WDM FILE

FILE STRUCTURE and MAINTENANCE

The Watershed Data Management (WDM) file is a binary, direct-access file used by ANNIE to store hydrologic, hydraulic, meteorologic, water-quality, and physiographic data. The WDM file is organized into data sets. Each data set contains a specific type of data such as streamflow at a specific site or air temperature at a weather station. Each data set contains attributes that describe the data, such as station identification number, time step of data, latitude, and longitude. The WDM file can contain up to 32,000 data sets. Each data set may be

described by either a few attributes or by hundreds of attributes. The WDM file may contain data for all data-collection stations for a basin, for a State, or for any other grouping selected by the user.

Disk space for the WDM file is allocated as needed in 40,960-byte increments (20 2,048-byte records). Data can be added, deleted, and modified without restructuring the data in the file. Space from deleted data sets within a WDM file is reused. Thus, the WDM file requires no special maintenance processing.

TYPES OF DATA

The current release of ANNIE fully supports WDM time-series data sets. Four additional data-set types (table, space time, schematic, and raster) are being tested for future releases. These data sets will allow storage, manipulation, and retrieval of data, such as channel cross sections and flow properties, channel profiles, channel and watershed boundary coordinates, digital elevation grids, upstream-downstream connection of watershed components, and time series for one-dimensional and two-dimensional flow models. Table data sets are used in the current release only for the WATSTORE peakflow file and Bulletin 17B flood-frequency analysis.

TIME-SERIES DATA SETS

Time-series data can have time steps from 1 second to 1 year and can be grouped in periods of 1 hour to 1 century. Data are grouped for more rapid access. Data may be tagged with a quality flag to indicate missing records, estimated data, historic flood, and so forth.

TIME-SERIES DATA COMPRESSION

Time-series data are stored in a data set in one of two forms: compressed or uncompressed. The uncompressed form stores a value for every time step. The compressed form stores a value for every time step only when adjacent values are not the same or differ by more than a preset tolerance (see attribute TOLR). For adjacent values that are the same or less than the tolerance, the value and the number of time steps with that value are stored.

DATA-SET ATTRIBUTES

Before data are added to a WDM file, you must assign a unique data-set number (DSN) and values for required attributes that describe how the data are stored. Once data have been added, the required attributes can no longer be modified. An extensive list of optional attributes is available for further characterization of data contained in a WDM data set. The current list of required and optional data-set attributes is provided in Appendix B of this document. Optional attributes can be added to a data set at any time, but it is good practice to add them when the data set is created.




Figure 2. -- Upper-level branches of the ANNIE option tree.

SPECIAL TIME-SERIES ATTRIBUTES COMPFG TOLR VBTIME TCODE TSSTEP TGROUP TSBYR TSBMO

Time-series data may be stored in several different patterns that affect the efficiency of data storage and retrieval. To minimize storage requirements, the attribute COMPFG should be set to 1 for data compression. If only strings of identical values are to be compressed, the attribute TOLR is not needed, otherwise a small, nonzero value for TOLR should be stored.

If the data has a constant time step, the attribute VBTIME should be set to 1 and TSSTEP and TCODE set to the time step and units, respectively. This can reduce data retrieval time by a factor of 3 or more. However, if the time step changes one or more times for a data set, VBTIME must be set to 2.

The attribute TGROUP can be used to minimize retrieval times. TGROUP establishes how the data are grouped in a data set. The ANNIE software can readily locate the beginning of a group but must read sequentially within a group for the values to be retrieved. An additional consideration is there can be only 100 groups in a data set (although this can be increased with ANNIE when a data set is created). With the above considerations, table 1 has been constructed as a guide to select a value for TGROUP.

For data with daily or shorter time steps and a period of record in excess of 100 years but less than 200 years, it would be better to reset the number of groups than use centuries for groups. Attributes for the beginning year and month of the data, TSBYR and TSBMO, default to 1900 and 1, respectively. They may need to be defined if the record will contain data before 1900 or months or days is used for the TGROUP attribute.

Table 1.--Recommended values for TGROUP for time series of a given time step and record length

Time step	Length of record	recommended TGROUP		
daily	<=100 years	6 (years)		
5 minute - daily	<=8 years	5 (months)		
5 minute - daily	>8 years	6 (years)		
monthly	<=100 years	6 (years)		
monthly	>100 years	7 (centuries)		
annual	<=10,000 years	7 (centuries		
1 second-1 minute	<=100 days	4 (days)		

SELECTING DATA SETS

ANNIE uses data-set numbers to identify data sets to be processed. Depending on the process, you may select data sets by number or by using the SELECT option to identify data sets with attribute values that meet selected search criteria. Search criteria include: equal to, less than, greater than, not, and, and or. Each time a data set is found that has attributes satisfying the search criteria, the data-set number is added to a buffer. The buffer is simply a list of data-set numbers. As data-set numbers are found, they are continually added to the buffer until the entire buffer is full. Most implementations of ANNIE set the buffer capacity at 300. During the selection process, you can delete, list, or numerically sort data sets in the buffer.

Processing options in ANNIE such as LIST, MODIFY, TABLE, and STATISTICS look in the buffer for data sets to be used. When data-set numbers are present in the buffer, you will be asked if they should be used or the buffer cleared. If no data-set numbers are found in the buffer, you are asked to select them. If you know which data-set numbers you wish to use for an analysis, use the ADD option to put the numbers in the buffer; if not, you should use the FIND option to use search criteria to locate and enter the data-set numbers. Further details on the use of search criteria for selecting data sets based on attribute values are provided in the description of the SELECT-FIND option later in this document.

In conjunction with subsequent instructions, the above discussions should provide the user with sufficient understanding of the WDM file structure and operation. A more detailed discussion is presented in the paper entitled "Data Management for Water-Quality Modeling" (Lumb, 1988).

STEPS TO USE ANNIE ON A PROJECT

STEP 1.
Are ANNIE and the WDM file needed?

If a hydrologic or water-quality model or statistical analysis that reads data from or writes data to a WDM file is to be used on the project, ANNIE is required. If large volumes of time-series data are to be managed for the project, ANNIE and the WDM file might be appropriate. WDM files have been used on projects to store over 60 megabytes of data in a single file. Smaller volumes of data can often be managed more effectively with spread sheets, relational data bases, or the data management functions associated with statistical packages. ANNIE might also be used in a project to produce graphics that meet Geological Survey publication standards.

STEP 2. Retrieve data and convert formats if needed

Review the program IOWDM in Appendix A for the available formats. Some user-defined format capabilities are available. If data exists in another WDM file, use ANNIE to EXPORT data sets from other WDM files and IMPORT data sets to your project WDM file. ANNIE can be used to input data from the terminal, but that is the hard way, unless command files of the data have been created. Hydrologic and meteorologic data retrieved from a CD-ROM can be put in formats that IOWDM can read. Special programs are available to read files from some data loggers.

STEP 3. Create WDM file

The shell of a WDM file must be created before data can be added. WDM files can be created with ANNIE or IOWDM.

STEP 4. Create data sets and add data

Data sets must be created with a unique data-set number before data can be added. The IMPORT option of ANNIE and the input formats for IOWDM create data sets automatically. If they are not created automatically, you must create them with ANNIE. When creating time-series data sets, it is very important to correctly set the attributes TGROUP, COMPFG, VBTIME, TSSTEP, TCODE, and TSBYR (see sections SPECIAL TIME-SERIES ATTRIBUTES, ADD data sets, IOWDM). Data in WATSTORE and HSPF formats can be added with the program IOWDM. Data from another WDM file can be added with ANNIE using the EXPORT and IMPORT options. Data in a free field format might be added using the ADD time series option in ANNIE.

STEP 5. Verify data

Listing, tabling, and plotting can be used to view and verify the data added to your project WDM file. The LIST option for time series can be used to find and list time-series values that do not meet selected criteria. Plotting data is always a good way to quickly check for bad values. When plotting, do not pick the option to ignore values off the scale. Numeric attributes of the data, such as drainage area, station elevation, latitude, and longitude can be plotted one against another for all stations to identify possible erroneous values.

STEP 6. Correct or update data

The MODIFY option for data-set attributes and time series can be used to correct the data. If, however, time-series data are compressed (COMPFG = 1), then you must use the COPY/UPDATE option to correct the compressed portions of the data. The add time series option in ANNIE should only be used to add data to the end of existing data, since any subsequent data in the data set is deleted.

STEP 7. Use data

Data in a WDM file can be used with several hydrologic models and analyses. Most of the models are run separate from ANNIE and several can put computed time series on the WDM file. These computed time series can be tabled, listed, plotted, and analyzed with ANNIE as a model post-processing tool. For most of the models, you must create data sets with ANNIE before the model can put time series on the WDM file. Some projects may use only the statistical analyses available in ANNIE.

STEP 8. Archive the WDM file

The EXPORT option can be used to put all or part of a WDM file on a formatted ASCII file or set of files for archiving. Such files can be read by editors and printed using operating system commands and should be independent of operation systems and computers. These files are often quite long and generally should not be modified.

ANNIE OPTIONS AND EXAMPLES

ORGANIZATION

The following section provides a reference guide for using individual ANNIE data management and analysis options. ANNIE options are organized in alphabetical order according to the actual menu keywords used in interactive sessions. The guidance provided for each option is contained in two parts, a description of the option and a sample session.

The description contains a discussion of the capabilities of the option, steps to follow, and a discussion of the sample session. All pages for an option contain a header consisting of a large print keyword and a qualifier within a double line box. Since several keywords are used in more than one menu, the qualifier is used to differentiate (for example, ADD Attributes, ADD Data sets, and ADD Time-series data). In the extreme left column of the first part, a "response branch" is provided. This contains the most direct sequence of menu responses that the user can select to progress from the initial ANNIE menu to the point in the option tree where the selected option may be performed.

The examples contain a portion of an ANNIE session beginning after the last keyword in the "response branch." Each sample session illustrates a successful application of an ANNIE option. It should be noted that ANNIE offers additional capabilities for some options, which are not illustrated in the sample sessions. When the option includes a table menu, the initial table and the final table are shown. All table menus are contained within Actual use of the table menus cannot be illustrated effectively on printed media. If an option includes print files or graphics, they are included after the interactive session. A pointing finger (10) has been used in the examples to indicate the user's responses to single and multiple type questions.

DATA-SET MGT ATTRIBUTES ADD

The ADD option in the menu below ATTRIBUTES is used to add additional attributes to existing WDM data sets. You are prompted for the name of each attribute to be added. Valid names are listed in Appendix B. Within ANNIE you can enter HELP after the prompt to get a list of valid attribute names. See HELP attribute section for more information. After a valid attribute has been entered, you are prompted for the value of the attribute for each data-set number in the buffer. Note that once data have been added to a data set, attributes describing how the data is stored cannot be modified or added.

- 1 Select data sets to be used.
- 2 Select an attribute to be added or modified.
- 3 Enter the value of the attribute for each data set when prompted.
- 4 Repeat steps 2 and 3 for additional attributes.

The example added the attributes STANAM, station name, and DAREA, drainage area, to the four data sets in the buffer, 68, 69, 70, and 71.

```
Enter ADD, MODIFY, DELETE, LIST, or TABLE.
     (Use return for DONE)
ADD
       4 data sets are currently in the buffer.
       You are now in the SELECT option
     FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
LIST
       4 data sets are currently in the buffer.
       You are now in the SELECT option
          68
                  69
                         70
                                 71
     FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
DONE
     Which attribute (or DONE)?
STANAM
     ADD/MODIFY attribute for DSN, 68
     Enter STANAM, Station name (48 characters).
Sanderson Gulch Tributary at Lakewood, CO
     ADD/MODIFY attribute for DSN. 69
     Enter STANAM, Station name (48 characters).
Cherry Creek Lake, CO
     ADD/MODIFY attribute for DSN. 70
     Enter STANAM, Station name (48 characters).
Sanderson Gulch Tributary at Lakewood, CO
     ADD/MODIFY attribute for DSN. 71
     Enter STANAM, Station name (48 characters).
Sanderson Gulch Tributary at Lakewood, CO
     Which attribute (or DONE)?
DAREA
     ADD/MODIFY attribute for DSN. 68
     Enter DAREA, Drainage area.
     (Use return for 0.)
    .377
ADD/MODIFY attribute for DSN. 69
     Enter DAREA, Drainage area.
     (Use return for 0.)
    .377
     ADD/MODIFY attribute for DSN. 70
     Enter DAREA, Drainage area.
     (Use return for 0.)
    .377
     ADD/MODIFY attribute for DSN. 71
    Enter DAREA, Drainage area.
     (Use return for 0.)
    .377
    Which attribute (or DONE)?
DONE
```

DATA-SET MGT

The ADD option in the menu below DATASET MGT is used to create a new data set and specify initial attributes. the new data set has many of the same attribute values as an existing data set, the attributes of an existing data set can be used to make the new data set. If the new data set is not similar to an existing data set, you must enter values for the required attributes. Included in this category are TSTYPE, ISTAID or STAID, STANAM, TCODE, TSBYR, TSSTEP, TGROUP, TSFORM, VBTIME, and COMPFG. must be familiar with these attributes as discussed in the section at the beginning of this report on SPECIAL TIME-SERIES ATTRIBUTES. After these attributes have been entered, you may enter any optional attributes (see Appendix B for a complete list of required and optional attributes). Note that once data have been added to the data set, the required attributes that define data storage cannot be modified. All others can be modified at any time.

- 1 Enter a unique data-set number.
- 2 Select a similar data set by number or enter the required attributes.
- 3 Enter optional attributes or modify required attributes.

In the example two data sets were added to the WDM file. The first data set, number 400, was added using the same attributes as data-set number 4. The second data set, number 500, was not like an existing data set, so the required attributes were entered. Note that no time-series data have actually been entered into the data sets at this point. In the example, no optional attributes were added. See the ADD attributes option for an example of the addition of optional attributes.

```
ATTRIBUTES, DATA, SELECT, ADD, DELETE, or RENUMBER.
     (Use return for DONE)
ADD
    WDM file data-set number?
400
    Is new data set like any OLD data sets?
     (Use return for NO)
Y
    Old data-set number?
    COPY complete, entering MODIFY mode for the new data set.
    Which attribute for processing (or DONE)?
ATTRIBUTES, DATA, SELECT, ADD, DELETE, or RENUMBER.
     (Use return for DONE)
ADD
    WDM file data-set number?
    Is new data set like any old data sets?
    (Use return for NO)
NO NO
    What type is the new data set?
    (Use return for TIME SERIES)
   TIME SERIES
    Use default dataset space allocations?
    (Use return for YES)
YES
    General description attributes for data set
     TS- station id
     TYPE (ISTAID/STAID) station name and/or location (STANAM)
     <--><-----><---->
                                                                  CURRENT
CLDC, DAVID CREEK, DAVID'S LITTLE CREEK IN OAKTON VA
     CLDC DAVID CREEK DAVID'S LITTLE CREEK IN OAKTON VA
                                                                  CURRENT
Modify time specification attributes as needed.
    time
          time group base form of time step compression
    step units pointer year data option flag
    <--><----><---->
      1 none
                none 1
                            none
                                     none
                                               none MINIMUM
                 none 2000
    1440 none
                                               none MAXIMUM
                             none
                                      none
                 YEAR 1900
                             MEAN
           DAY
                                   VARIABLE
                                                YES DEFAULT
       1 MONTH
               YEAR 1900
                             MEAN
                                                YES CURRENT
                                  CONSTANT
1 DAY
                YEAR 1890
                                   CONSTANT
                             MEAN CONSTANT
       1
         DAY
               YEAR 1890
                                                YES CURRENT
Which attribute for processing (or DONE)?
    Are modifications required?
    (Use return for NO)
NO S
```

DATA-SET MGT DATA TIME SERIES ADD

The ADD option in the menu below TIME SERIES is used to add data in "free field" format to a WDM data set by either manual entry or from a command file. Before adding the data, you will select a data-set number and starting date. If data exists in the data set, the starting date must be at or after the end of the existing data. If data are to be added before the end of the existing data, the MODIFY or COPY option should be used.

Specification for the quality code, time step, and time units are needed to properly store the data. Quality codes are usually set to zero unless you want to flag the data for a specific application. If the data are in a file without any extra alphanumeric characters, the data can be entered as a command file (type "@" followed by the name of the file). Data must be separated by commas or blanks. The notation "n*" can be used for repeating a value "n" times. You will be prompted until the number of requested values have been entered.

- 1 Enter the data-set number, starting date, number of values, quality code, time step, and time units.
- 2 Enter the values to be added from the terminal or by using a command file. You will be prompted until you have entered the specified number of values.
- 3 Enter NO if you are finished adding data for the specified data set, otherwise you will loop back to enter a new starting date.

In the example, streamflow data was added to data set number 700. The starting date of the new data was January 1, 1978. Twenty-four daily values were added from the terminal, each with the quality code of 1. Twenty values were entered, counting the five values of 10.5 entered using the "n*" notation. The program prompted for the remaining 4 values which were entered. Additional data were not added.

```
ADD
```

time-series data

ADD

```
Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
     (Use return for DONE)
    ADD
     Which WDM data-set number?
700
     Attributes of data-set 700
     ISTAID :
                11520500
     TSTYPE :
                     FLOW
     TCODE :
     TSSTEP :
                       1
     STANAM:
                     Klamath River near Seiad Valley, CA.
       Data available between the following dates:
     1912 OCT 1 - 1977 DEC 31 24:00:00
     Enter starting date
     <= STARTING DATE =>
     year mo dy hr mi sc
     <--><-><-><->
     1492 1 1 0 0 0 MINIMUM
     2020 12 31 24 59 59 MAXIMUM
     none 1 1 0 0 0 DEFAULT
     1978 1 1 0 0 0 CURRENT
    1978 1 1 0 0 0
     1978 1 1 0 0 0 CURRENT
For the time-series data to be added:
     number of quality
     values to of new time time
      be added data step units
     <----><---->
                    0 1 none MINIMUM
            1
                    30 1440 none MAXIMUM
           366
            24
                             DAY DEFAULT
                    0 1
            24
                     0
                              DAY CURRENT
                         1
24
                     1
            24
                     1
                          1
                              DAY CURRENT
Enter data values.
     (Separate by blank or comma, max 132 char/line.)
    23 45 67.8 23 54 12 23 45 96 34.9 12.8 5*10.5 43.9 24.8 45 34
     4 more.
    23 87 45.9 32.0
    Input complete.
    More input for this dataset?
    (Use return for YES)
N 😭
    Finished adding data.
```

DATA-SET MGT DATA TIME SERIES COPY

The COPY option in the menu below TIME SERIES is used to make a copy of an already existing WDM data set. The number of the source data set and the target data set are required. If the target data set does not exist, it will be added as part of the copy operation. Beginning and ending dates can be selected to copy all or a portion of the source data set. As part of the COPY operation, an update may be performed using either data stored in an external file or data entered from the terminal. The format for the file is:

Column	Item
1-6	year
7-9	month
10-12	day
13-15	hour
16-18	minute
19-21	second
22-27	time steps
28-34	time units (1-sec, 2-min, 3-hr,
	4-day, 5-mo, 6-yr)
35-45	value (decimal number)
46-52	quality flag (0-30)

After all the new values are entered or read, ANNIE merges data from the source data set and update file and writes to the target data set. The COPY operation is commonly used to retain the raw data as well as the corrected data. The COPY operation is the only way to update data stored with data compression. Because data used to modify the original data set may be of a different quality, all data updates may set the quality flag to a value different from the original data.

- 1 Enter the source and target data-set number and whether updates are to be read from a file or terminal.
- 2 If the target data set does not exist, either select option to copy attributes from the source data set or enter the attributes requested.
- 3 Use the CURRENT time span from the source data set or subset the time span by entering a later starting date, earlier ending date, or both.
- If updates are to be read from a file, enter the name of the file. If updates are to be entered from the terminal, enter the value, quality code, date, time step, and time units for each value.

The example illustrates the copying of all available streamflow data in data-set number 2 to data-set numbers 700 and 800. The attributes for the target data set were the same as the source data set. The data were copied to data-set number 700 with no updates. The data were copied to data-set number 800 with three values updated. The update consists of the daily streamflow values for June 10-12, 1970. The input values were 2070, 3000, and 3654, and the data quality was rated as "1" on a scale of 0 to 30. After giving the update information on the final day, a "0" was entered for the year and the COPY option was performed.

```
Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
    (Use return for DONE)
COPY
    For the TIME SERIES COPY-UPDATE operation:
                  enter
     source target updates
       dsn dsn from
     <---->
        0 0
                    none MINIMUM
      32000 32000
                     none MAXIMUM
         0 0
                    NONE DEFAULT
         0
                     NONE CURRENT
               n
    2,700,NONE
         2
              700
                    NONE CURRENT
TP
    Target data set does not exist, copy source attributes?
    (Use return for YES)
YES
    Enter beginning and ending dates
    <= STARTING DATE =>
                      <= ENDING DATE =>
    year mo dy hr mi sc
                       year mo dy hr mi sc
    1492 1 1 0 0 0
                       1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                       2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                       none 12 31 0 0 0 DEFAULT
    1912 10 1 0 0 0
                       1982 9 30 24 0 0 CURRENT
Starting copy.
      Copy complete, return code: 0
    Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
    (Use return for DONE)
   COPY
```

```
source target updates
     dsn dsn from
     <----><---->
       0 0
                 none MINIMUM
     32000 32000
                  none MAXIMUM
                   NONE DEFAULT
        0
           ۵
        0
              Ω
                   NONE CURRENT
   2,800,TERMINAL
            800 TERMINAL CURRENT
        2
Target data set does not exist, copy source attributes?
    (Use return for YES)
YES
    Enter beginning and ending dates
    <= STARTING DATE => <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
    1492 1 1 0 0 0
                     1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                     2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                     none 12 31 0 0 0 DEFAULT
    1912 10 1 0 0 0
                     1982 9 30 24 0 0 CURRENT
To end input of UPDATEs, enter a 0 for the year.
      updated quality < start of time step><--- time -->
       value code year mo dy hr mi sc steps units
     <----><---->
                                       1 none MINIMUM
                  0 0 1 1 0 0 0
         none
                 30 2020 12 31 24 59 59
                                       60 none MAXIMUM
         none
                    0 1 1 0 0 0
                                           DAY DEFAULT
           ٥.
                  Ω
                                       1
           ٥.
                  0 1912 10 1 0 0 0
                                        1 DAY CURRENT
F
   2070,1,1970,6,10
                  1 1970 6 10 0 0 0
         2070.
                                       1
                                            DAY CURRENT
To end input of UPDATEs, enter a 0 for the year.
      updated quality < start of time step><--- time -->
       value code
                   year mo dy hr mi sc steps units
     <----><---><--->
                0 0 1 1 0 0 0
                                      1 none MINIMUM
         none
                                          none MAXIMUM
         none
                 30 2020 12 31 24 59 59
                                       60
                    0 1 1 0 0 0
                                       1
                                           DAY DEFAULT
         Ο.
                 0
                  1 1970 6 11 0 0 0
        2070.
                                           DAY CURRENT
                                        1
   3000
        3000.
             1 1970 6 11 0 0 0 1 DAY CURRENT
F
```

For the TIME SERIES COPY-UPDATE operation:

```
To end input of UPDATEs, enter a 0 for the year.
      updated quality < start of time step><--- time -->
       value code year mo dy hr mi sc steps units
    <----><--->
                 0 0 1 1 0 0 0
                                     1 none MINIMUM
         none
                 30 2020 12 31 24 59 59
         none
                                      60 none MAXIMUM
                                           DAY DEFAULT
          0.
                  0
                    0 1 1 0 0 0
                                       1
        3000.
                  1 1970 6 12 0 0 0
                                           DAY CURRENT
                                       1
3654
        3654.
                  1 1970 6 12 0 0 0
                                       1
                                           DAY CURRENT
To end input of UPDATEs, enter a 0 for the year.
      updated quality < start of time step><--- time -->
             code
                  year mo dy hr mi sc steps units
    <----><---><---->
                 0 0 1 1 0 0 0
                                      1 none MINIMUM
                 30 2020 12 31 24 59 59
                                         none MAXIMUM
                                       60
         none
                    0 1 1 0 0 0
          Ο.
                                          DAY DEFAULT
                 0
                                      1
                  1 1970 6 13 0 0 0
        3654.
                                           DAY CURRENT
                                       1
3654.
                     0 6 13 0 0 0 1 DAY CURRENT
```

Starting copy.
Copy complete, retu

Copy complete, return code: 0

CREATE WDM file CREATE

FILE MGT CREATE

Use the CREATE option in the menu below the FILE MGT keyword to create the WDM file. Once created, the WDM file will automatically be enlarged as its original space allocation is filled. Hence, you are not expected to understand or specify data storage requirements. There are no restrictions on WDM file names. Any name that is valid on the computer being used is acceptable. However, the suffix WDM is suggested to make the files easy to identify by all users.

1 Enter the name for your WDM file.

As indicated by the example, the only input needed to create a WDM file is the file name. Once the WDM file has been created, it is ready for use.

Enter CREATE, SUMMARIZE, IMPORT, EXPORT, or DUMP.
(Use return for DONE)

CREATE

Name for your WDM file?

TESTO2.WDM

Your WDM file has been created and is ready for use.

DELETE

attributes

DELETE

DATA-SET MGT ATTRIBUTES DELETE

The DELETE option in the menu below ATTRIBUTES is used to eliminate one or more of the optional attribute values assigned to a data set. Note that only "optional" attributes can be deleted. (See Appendix B to determine whether the attribute that you wish to delete is optional or required.) Only two pieces of information are needed by ANNIE to perform an attribute delete: the data-set number and the attribute name.

- 1 Select the data sets for this operation.
- 2 Select the attribute to be deleted for all selected data sets.

In this session the optional attribute drainage area (DAREA) was deleted for the data set in the buffer. ANNIE indicates that the DELETE operation was successful.

Enter ADD, MODIFY, DELETE, LIST, or TABLE.
(Use return for DONE)

DELETE

1 data set is currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

- DO DO
- Which attribute for processing (or DONE)?
- DAREA

Attribute successfully deleted from data-set number 69. Which attribute for processing (or DONE)?

DONE

DATA-SET MGT DELETE

The DELETE option in the menu below DATA-SET MGT is used to delete an entire data set including data and attributes. Once a data set has been deleted, it cannot be recovered. Space used by the deleted data set becomes available for additional data sets. The only input needed is the data-set number to be deleted. Because the data set cannot be recovered, ANNIE provides an "Are you sure?" prompt and awaits an affirmative response before the delete is actually performed.

- 1 Select data sets to be deleted.
- 2 Respond with YES to confirm the deletion of each data set selected.

In the example, data-set numbers 400 and 500 were added to the data-set buffer. Data-set number 400 was deleted, but data-set number 500 was not.

ATTRIBUTES, DATA, SELECT, ADD, DELETE, or RENUMBER. (Use return for DONE)

DELETE

NO datasets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

400

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

500

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DONE

Attributes of data-set 400:

ISTAID : 11519500
TSTYPE : FLOW
TCODE : 4
TSSTEP : 1

STANAM : Scott River near Fort Jones, CA.

Are you sure you want to delete this data set? (Use return for NO)

YES

Delete complete.

Attributes of data-set 500:

TSTYPE : CLDC

STAID : DAVID CREEK

STANAM : DAVID'S LITTLE CREEK IN OAKTON VA

TCODE : 4 TSSTEP : 1

Are you sure you want to delete this data set?

(Use return for NO)

NO

Delete not done.

DATA-SET MGT DATA TIME SERIES DELETE

The DELETE option in the menu below TIME SERIES is used to delete all or part of the time-series data in a data set. Input required is a data-set number and a date after which all data are to be deleted. The end date of the existing data is provided as the CURRENT date in the menu. Because the data cannot be recovered, ANNIE provides an "Are you sure you want to delete the specified data?" prompt. After an affirmative response the delete is performed.

- 1 Select time-series data set.
- 2 Select the date to begin the deletion of data.
- Respond with YES to confirm the deletion of data in each data set selected.
- 4 Enter another time-series data-set number or 0 to end the DELETE option.

The example illustrates the deletion of all values from data-set number 700 after January 1, 1978. YES was entered to confirm the deletion of the data. The return code of "0" on the last line indicates that the delete operation was successful.

```
Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
     (Use return for DONE)
    DELETE
     Delete data from which data set (0 to stop)?
     (Use return for 0)
    700
     Delete all data after what date?
    Enter date
     <== DATE/TIME ==>
    year mo dy hr mi sc
     <--><-><-><->
    1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0 DEFAULT
    1982
          9 30 24 0 0 CURRENT
    1978
          1 1 0 0 0
1978 1 1 0 0 0 CURRENT
    Are you sure you want to delete the specified data?
     (Use return for NO)
YES
    Delete complete, return code: 0
    Delete data from which data set (0 to stop)?
     (Use return for 0)
0
```

EXPORT data sets EXPORT

FILE MGT EXPORT

The EXPORT option is used to export WDM data sets to ASCII files so that the data may be subsequently imported This is the easiest way to into a second WDM file. transfer WDM files between different types of computers or data sets from one WDM file to another. The name of the WDM file that contains the data sets to be exported and the name of the file to be produced are the basic One or more lines of comments may be entered to more fully document the output file. All of the data sets in the WDM file or selected data sets may be exported. Attributes, data, or both may be exported for each data set. Required attributes are always exported. For time-series data sets, a common time period may be specified for the export of data. If not, all data are exported.

- 1 Enter names of your WDM file and output file.
- 2 Enter comment lines.
- 3 Select data sets.
- 4 Select the parts of the data set to export and the time period for time-series data sets.

The example illustrates the export of one data set from a WDM file named DAVID.WDM to a file named TEST02.EXP. A comment was added for the output file, and both the attributes and the time-series data were selected for export. Since changes were not made to the line indicating the starting and ending dates of the data in data set 68, all time-series data were exported. A listing of the output file is found following the example of the user interaction.

Enter CREATE, SUMMARIZE, IMPORT, EXPORT, or DUMP.

(Use return for DONE)

EXPORT

Name of your WDM file?

DAVID.WDM

Name of output file?

TEST02.EXP

Comment line for export file (cr to end)?

- DAILY PRECIPITATION FOR SANDERSON GULCH TRIBUTARY AT LAKEWOOD, CO Comment line for export file (cr to end)?
- Archive SELECTED or ALL data sets in the WDM?
 (Use return for SELECTED)

SELECTED

```
NO data sets are currently in the buffer.
      You are now in the SELECT option.
    FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
    (Use return for DONE)
    ADD
    WDM file data-set number?
    FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
    (Use return for DONE)
DONE
    Export what parts of the data set?
     attributes data
     <---->
          none none MINIMUM
          none none MAXIMUM
           YES YES DEFAULT
           YES YES CURRENT
YES, YES
           YES YES CURRENT
Export same time period for all datasets?
    (Use return for YES)
YES
    Enter beginning and ending dates
    <= STARTING DATE =>
                       <= ENDING DATE =>
    year mo dy hr mi sc
                       year mo dy hr mi sc
    1492 1 1 0 0 0
                        1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                        2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                        none 12 31 0 0 0 DEFAULT
    1973 5 1 0 0 0
                        1974 7 31 24 0 0 CURRENT
Completed export of DSN no. 68
```

```
Listing of output file TEST02.EXP:
DATE
WDMSFL
SYSTEM
COMMENT
 DAILY PRECIPITATION FOR SANDERSON GULCH TRIBUTARY AT LAKEWOOD, CO
END COMMENT
DSN
              68
                    TYPE TIME
                                NDN
                                      1
                                          NUP
                                                1
                                                    NSA 35
                                                              NSP 70
                                                                        NDP 100
 LABEL
   ISTAID
             6714310
   TSTYPE PREC
   TCODE
   TSSTEP
                  1
   TSFILL
                 ٥.
   TGROUP
                   6
   TSFORM
                  1
   VBTIME
                  2
                  1
   COMPFG
   TSBYR
               1973
 END LABEL
 DATA
            STARTS: 1973 5 1 0 0 0 ENDS: 1974 7 31 24 0 0
```

EXPORT			da	ıta	sets		EXPORT
1973 4 30 24 0 0	4 1	0	2	0	0.0000	6.0000E-02	
	4 1	ō	2	1	0.0000	3.0000	
	4 1	0	3	0	0.3900	4.000	
1.0000E-02							
1973 5 7 24 0 0	4 1	0	12	1	0.0000		
1973 5 19 24 0 0	4 1	0	5	0	1.0000E-02	0.1200	
0.2900 0.0000	5.00	00E-	02				
	4 1	0	4	1	0.0000		
	4 1	0	2	0	1.0000E-02	0.7900	
	4 1	0	3	1	0.0000		
	4 1	0	3	0	6.0000E-02	7.0000E-02	
1.0000E-02			_	-	0.0000		
	4 1	0	2	1	0.0000		
	4 1	0	1	0	1.0000E-02		
	4 1	0	5	1	0.0000		
	4 1	0	1	0	2.0000E-02		
	4 1	0	29	1	0.0000		
-	4 1	0	2	0	3.0000E-02	1.0000E-02	
	4 1	0	2	1	0.0000		
	4 1	0	4	0	1.0000E-02	0.0000	
0.1200 3.0000E-02		_	_	_			
	4 1	0	3	1	0.0000		
	4 1	0	1	0	1.0000E-02		
	4 1	0	3	1	0.0000		
	4 1	0	1	0	1.0000E-02		
	4 1	0	6	1	0.0000		
· ·	4 1	0	1	0	1.0000E-02		
·-	4 1	0	148	1	0.0000		
	4 1	0	123	1	0.0000		
	4 1	0	1	0	1.0000E-02		
	4 1	0	32	1	0.0000		
	4 1	0	4	0	1.0000E-02	2.0000E-02	
0.8900 1.0000E-02		^	2	1	0.0000		
	4 1	0	3	1	0.0000		
	4 1	0	1	0	1.0000E-02		
	4 1	0	27	1	0.0000	. 1600	
	4 1	0	2	0	0.1500	0.1600	
•	4 1	0	2	1	0.0000		
	4 1	0	1	0	4.0000E-02		
	4 1	0	9	1	0.0000		
	4 1	0	2	1	1.0000E-02		
	4 1	0	5	1	0.0000		
END DATA							

END DSN

GENERATE time series, math function GENERATE

DATA-SET MGT DATA TIME SERIES GENERATE MATH

The GENERATE option is used to generate one time series based on one or two other time series. Over 20 different types of transformations are available. For all GENERATE options, a data-set number for the output time series and at least one data-set number for input time series is required. Two input data sets are required for some transformations. Table 2 contains a list of the available mathematical transformations and their required inputs.

- 1 Select the math function, target and input data-set numbers, and any constants needed for the selected math function.
- 2 Create the output time-series data set if it does not exist.
- 3 Select the period of record for the generate operation.

In the example, data from data-set number 6 were multiplied by the constant 0.0555 and placed in data-set number 200. The attributes from data-set number 6 were used for the new data set. The entire period of record was transformed.

```
Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
     (Use return for DONE)
    GENERATE
    What type of time-series generation?
    (Use return for DONE)
MATH
    What math function do you want?
    (Use return for DONE)
   *C
    You are using the following equation:
      T = T1 * C
                             C can be any non-zero number
    Enter the data-set numbers:
     data-set numbers
     ______
      target input constant
        Т
             T1 C1
     <---->
              1
          1
                      none MINIMUM
        32000 32000
                        none MAXIMUM
        none none
                         O. DEFAULT

    CURRENT

        none
               none
    200,6,0.0555
              6
                    0.0555 CURRENT
         200
```

GENERATE time series, math function GENERATE

```
Output data-set number 200 does not exist.
    Copy attributes from input time series?
    (Use return for YES)
YES
    Enter beginning and ending dates
    <= STARTING DATE =>
                     <= ENDING DATE =>
                      year mo dy hr mi sc
    year mo dy hr mi sc
    1492 1 1 0 0 0 1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                      2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                      none 12 31 0 0 0 DEFAULT
                      1957 12 31 24 0 0 CURRENT
    1956 1 1 0 0 0
Generate completed.
```

Table 2--Mathematical functions available in GENERATE option

Name	Description	Comments
	T = T1 + C	
+C		C can be any number
*C	T = T1 * C	C can be any non-zero number
ADD	T = T1 + T2	
SUB	T = T1 - T2	
MULT	T = T1 * T2	
DIV	T = T1 / T2	if $T2 = 0$, $T = 10.0E35$
MEAN	T = (T1 + T2) / 2	
WGHT	T = C1 * T1 + C2 * T2	must have $C1 + C2 = 1.0$
LINE	T = C1 * T1 + C2	C1 and C2 can be any number
**C	T = T1 ** C	C may be any non-zero number
C**	T = C ** T1	C may be any non-zero number
POW	T = T1 ** T2	if $T1 = 0$ and $T2 < 0$, then $T = 0$
E**	T = e ** T1	if $T1 > 80.5$, then $T = 10.0E35$
LG10	T = log(T1)	IF T1 \leq 0, then T = 10.0e35
LGE	T = ln(T1)	IF T1 \leq 0, then T = 10.0e35
ABS	T = abs(T1)	
z -	T = T1 if T1 >= C1	
	T = C2 if T1 < C1	
Z+	T = T1 IF T1 <= C1	
	T = C2 if T1 > C1	
MIN	$T = \min(T1, T2)$	
MAX	$T = \max(T1, T2)$	
SUM	$T_n = T1_1 + T1_2 + \ldots + T1_n$	
SIGF	T = C significant digits	
- -	of T1	
TABL	T = table look-up	
-		

DATA-SET MGT DATA TIME SERIES GENERATE TIME CHANGE SHIFT The shift option under generate is used to create a new time-series data set from an existing data set and a time shift. Shifts may be needed to correct for errors in recording clocks, daylight savings time, or time zone. Besides the number of the new and existing data sets, the starting time for the existing data set and equivalent starting time for the new data set are required.

- Select the new (target) and existing (input) data set numbers.
- 2 Create the new data set and modify attributes as needed. If the data set has been created, this step is not needed.
- 3 Enter the time period on the existing data set for generation and the starting time to use on the new data set.

In the example, the data contained in data-set number 6 were shifted in time and added to data-set number 275. The attributes from data-set number 6 were used for the new data set, with the attribute STANAM modified to describe the changes made to the data. The entire period of record was shifted by 3 days.

```
What type of time-series generation?
     (Use return for DONE)
    TIME CHANGE
    What type of time change?
     (Use return for DONE)
SHIFT
    Enter the data-set numbers:
     data-set numbers
      target
             input
        Т
                Т1
      <---->
            1
                   1 MINIMUM
        32000
               32000 MAXIMUM
         none
                none DEFAULT
         none
                none CURRENT
275,6
          275
                   6 CURRENT
```

```
Output data-set number 275 does not exist. Copy attributes from input time series? (Use return for YES)
```

YES

Attributes successfully copied. Modify as required. You may want to change TSSTEP, TCODE, TGROUP and/or STANAM. Which attribute for processing (or DONE)?

STANAM

ADD/MODIFY attribute for DSN. 275

Enter STANAM, Station name (48 characters).

- CANE BRANCH FLOW TIME SHIFT 3 DAYS
- Which attribute for processing (or DONE)?
- DONE

Shifted start time

Enter starting date
<= STARTING DATE =>
year mo dy hr mi sc
<--><-><-><-><->
1492 1 1 0 0 0 MINIMUM
2020 12 31 24 59 59 MAXIMUM
none 1 1 0 0 0 DEFAULT
1957 4 1 0 0 0 CURRENT
1956,1,4
1956 1 4 0 0 0 CURRENT

Generate completed.

GENERATE

time change, transform

GENERATE

DATA-SET MGT DATA TIME SERIES GENERATE TIME CHANGE TRANSFORM The TIME CHANGE option can be used for simple aggregation and disaggregation of time-series data. The time change is based on the time interval attributes of the existing (input) data set and new (target) data set. When the time interval of the input data is larger, the transformations DIVIDE or SAME may be selected. When the time interval of the input data is smaller, the transformations SUM or AVERAGE may be selected. In either case, the larger time interval must be an even multiple of the smaller time interval.

- 1 Select the new (target) and existing (input) data-set numbers.
- 2 Create the new data set and modify attributes as needed.
- 3 Select the transformation function.

For the example, data from data-set number 10, at a 15-minute time step, were transformed to a 1-day time step and added to data-set number 250. Since that data set did not previously exist, it was added using the attributes from data-set number 10, with the time step changed appropriately (TSSTEP=1, TCODE=4). For the transformation SUM was chosen to sum the data over the time step. Note that the default period of record started at 1:30 am and ended at 4:30 pm. This is incompatible with the 1-day time step selected for the output data set. The example was then repeated, entering the first and last full days for the period of record, and the transformation was successful.

GENERATE time change, transform

GENERATE

```
What type of time series generation?
     (Use return for DONE)
     TIME CHANGE
What type of time change?
     (Use return for DONE)
TRANSFORM
     Enter the data-set numbers:
      data-set numbers
      -----
       target input
        Т
                T1
      <---->
           1
                    1 MINIMUM
         32000
               32000 MAXIMUM
               none DEFAULT
         none
                 none CURRENT
          none
     250,10
          250
                   10 CURRENT
Output data-set number 250 does not exist.
     Copy attributes from input time series?
     (Use return for YES)
YES
      Attributes successfully copied. Modify as required. You
      may want to change TSSTEP, TCODE, TGROUP and/or STANAM.
     Which attribute for processing (or DONE)?
TSSTEP
     ADD/MODIFY attribute for DSN. 250
     Enter TSSTEP, Primary time step, in TCODE units.
     (Use return for 15)
(F) 1
     Which attribute for processing (or DONE)?
     ADD/MODIFY attribute for DSN. 250
     Enter TCODE, Time units code.
     (Use return for 2)
4
     Which attribute for processing (or DONE)?
     ADD/MODIFY attribute for DSN. 250
     Enter TGROUP, Unit for group pointers.
     (Use return for 5)
    Which attribute for processing (or DONE)?
     What aggregate transformation
     (Use return for AVERAGE)
SUM
```

GENERATE time change, transform GENERATE

```
Enter beginning and ending dates
                     <= ENDING DATE =>
    <= STARTING DATE =>
    year mo dy hr mi sc
                      year mo dy hr mi sc
    1492 1 1 0 0 0
                      1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                      2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                      none 12 31 0 0 0 DEFAULT
    1956 2 17 1 30 0
                      1957 4 8 16 30 0 CURRENT
Start date is incompatible with the requested output
     time step.
    What type of time change?
    (Use return for DONE)
TRANSFORM
    Enter the data-set numbers:
     data-set numbers
     _____
     target input
       т
             T1
     <---->
         1 1 MINIMUM
       32000
             32000 MAXIMUM
             none DEFAULT
        none
        none
              none CURRENT
    250,10
         250
                10 CURRENT
What aggregate transformation
    (Use return for AVERAGE)
SUM
    Enter beginning and ending dates
    <= STARTING DATE => <= ENDING DATE =>
                     year mo dy hr mi sc
    year mo dy hr mi sc
    1492 1 1 0 0 0
                     1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                      2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                      none 12 31 0 0 0 DEFAULT
                      1957 4 8 16 30 0 CURRENT
    1956 2 17 1 30 0
          18 0 0 0
                             7 0 0
1956 2 18 0 0 0
                      1957 4 7 0 0 0 CURRENT
```

Generate completed.

GRAPHICS

PLTGEN time plot

GRAPHICS

GRAPHICS PLTGEN

PLTGEN files are formatted, sequential, ASCII files produced by the watershed models PRMS, DR3M, and HSPF. The files contain time series, usually observed data and simulated data, at a given time interval. The file is documented in the HSPF users manual. The first 26 records of the file contain information descriptive of the contents of the remaining records. Starting with record 27, succeeding records should have a date and time followed by values for up to 10 time series. ANNIE reads the 26 header records and asks you which time series to plot. Either time plots or x-y plots can be selected.

- 1 Enter the name of the PLTGEN file and select time series (columns) in the file to be plotted.
- 2 Enter the starting and ending date and time step for the plot.
- 3 Select the axes types and titles.
- 4 Select the characteristics of each line and location of the legend if more than one curve.
- 5 Select the scale for the axes and action to take if any points are located outside the plot area.
- 6 Modify values for the size and location of the plot if needed.
- Make selection to plot or to revise items previously selected in steps 3 to 6.

The example illustrates a time plot where all four time series in the PLTGEN file named IOWA.PLT are used. Time conventions for PLTGEN records are end of time-step for sums or averages over the time step. The graph and a partial listing of the IOWA.PLTGEN file follow the example.

Enter file type? (WDM, TSS, PLTGEN, META, TERMINAL)
(Use return for WDM)

PLTGEN

Name of input PLTGEN file?

IOWA.PLT

```
CES
     Press return if Y-axis OK or enter new title. (max 80 char)
Variable is :SIM GROUNDWATER
     Do you want to plot the above time series?
     (Use return for NO)
     SIM GROUNDWATER
     Press return if label OK or enter new label. (max 20 char)
     Variable is :SIM INTERFLOW
     Do you want to plot the above time series?
     (Use return for NO)
    SIM INTERFLOW
    Press return if label OK or enter new label. (max 20 char)
Variable is :SIM TOTAL RUNOFF
     Do you want to plot the above time series?
     (Use return for NO)
SIM TOTAL RUNOFF
    Press return if label OK or enter new label. (max 20 char)
Variable is :OBS TOTAL RUNOFF
    Do you want to plot the above time series?
     (Use return for NO)
Y
    OBS TOTAL RUNOFF
    Press return if label OK or enter new label. (max 20 char)
Enter beginning and ending dates
     <= STARTING DATE => <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
     1492 1 1 0 0 0 1492 1 1 0 0 0 MINIMUM
     2020 12 31 24 59 59
                         2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                        none 12 31 0 0 0 DEFAULT
    1975 12 31 24 0 0
                         none 12 31 0 0 0 CURRENT
1976,1,1,0,0,0,1976,12,31,24,0,0
    1976 1 1 0 0 0 1976 12 31 24 0 0 CURRENT
    Plot at a DAILY or MONTHLY time step?
     (Use return for DAILY)
DAILY
    366 Points are to be retrieved.
    Data file being read.
     Still reading PLTGEN file. 1976 APR 8 24:00:00
     Still reading PLTGEN file. 1976 JUL 17 24:00:00
     Still reading PLTGEN file. 1976 OCT 25 24:00:00
    Output device (SCREEN, PRINTER, PLOTTER, GKS META, DIS META)?
     (Use return for SCREEN)
SCREEN
```

GRAPHICS PLTGEN time plot

GRAPHICS

```
Enter or modify as needed.
                   right
             left
                           aux
     x-axis y-axis y-axis
                           axis
    <----><---->
        none
             none
                      none
                             none MINIMUM
                             none MAXIMUM
        none
               none
                      none
                              NO DEFAULT
        TIME
             ARITH
                      NONE
                      NONE
                               NO CURRENT
        TIME
             ARITH
   TIME, LOG
        TIME
                LOG
                      NONE
                              NO CURRENT
SIMULATED FLOW
    Do you want to replace the above title?
    (Use return for NO)
NO CO
     CFS
    Do you want to replace the above title for the y-axis?
    (Use return for NO)
```

Enter of	modily	specific	ations i	MEAN	line.			
line			shade	or	which			
type	color	symbol	pattern	POINT	axis	label for legend		
<1>	<2>	<3>	<4>	<5>	<6>	<>	FIELD	
SOLID	BLACK	NONE	NONE	MEAN	LEFT	SIM GROUNDWATER	CURV	1
SOLID	BLACK	NONE	NONE	MEAN	LEFT	SIM INTERFLOW	CURV	2
SOLID	BLACK	NONE	NONE	MEAN	LEFT	SIM TOTAL RUNOFF	CURV	3
SOLID	BLACK	NONE	NONE	MEAN	LEFT	OBS TOTAL RUNOFF	CURV	4
none	none	none	none	none	лоле		MINIM	UM.
none	none	none	none	none	none		MAXIM	JM
SOLID	BLACK	NONE	NONE	MEAN	LEFT		DEFAU	LT
Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM command? EG								

Enter or	modify	specific	ations :	for each	line.			
				MEAN				
line			shade	or	which			
type	color	symbol	patter	n POINT	axis	label for legend		
<1>	<2>	<3>	<4>	<5>	<6>	<>	FIELD	
MIXED	BLACK	NONE	NONE	MEAN	LEFT	SIM GROUNDWATER	CURV	1
DASH	GREEN	NONE	NONE	MEAN	LEFT	SIM INTERFLOW	CURV	2
SOLID	RED	NONE	NONE	MEAN	LEFT	SIM TOTAL RUNOFF	CURV	3
DOT	BLUE	NONE	NONE	MEAN	LEFT	OBS TOTAL RUNOFF	CURV	4
none	поле	none	none	none	none		MINIM	UM
none	none	none	none	none	none		MAXIM	UM
SOLID	BLACK	NONE	NONE	MEAN	LEFT		DEFAU	LT
Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM								
command?	DONE							

GRAPHICS

PLTGEN time plot

GRAPHICS

```
Change transformations if needed.
                          Axis
                                                          trans-
                         type minimum maximum formation
  Variable name
SIM GROUNDWATER left Y 0. 998.11 LOG VAR SIM INTERFLOW left Y 0. 1347.9 LOG VAR SIM TOTAL RUNOFF left Y 0. 1354.6 LOG VAR OBS TOTAL RUNOFF left Y 0. 810. LOG VAR
                                                                       1
                                                                         3
                                                             none MINIMUM
                                                             none MAXIMUM
                                                            ARITH DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

Should legend location be DEFAULT, SPECIFIED or NONE? (Use return for DEFAULT)

SPECIFIED

Location of upper left hand corner of legend?

X	Y	
COORDINATE	COORDINATE	
<>	<>	
0.	0.	MINIMUM
1.	1.	MUMIXAM
0.1	0.8	DEFAULT
-1.	-1.	CURRENT
.6,.9		
0.6	0.9	CURRENT

(P

	Variable	Minimum	Maximum		
SIM	GROUNDWATER	0.	998.11	LEFT	Y-AXIS
SIM	INTERFLOW	0.	1347.9	LEFT	Y-AXIS
SIM	TOTAL RUNOFF	0.	1354.6	LEFT	Y-AXIS
OBS	TOTAL RUNOFF	0.	810.	LEFT	Y-AXIS


Enter values for scale. MINIMUM MAXIMUM <----> -10.E+9 -10.E+9 MINIMUM 10.E+9 10.E+9 MAXIMUM Ο. O. DEFAULT 0.001 10000. CURRENT 10,10000 10. 10000. CURRENT

Note: values off bottom of plot.

```
Select plotting action to take for values off plot?
       Top
             Bottom
      of plot of plot
     <---->
                none MINIMUM
        none
        none
                none MAXIMUM
        CLIP
                CLIP DEFAULT
        CLIP
                CLIP CURRENT
    CLIP, CLIP
                CLIP CURRENT
        CLIP
Do you want to add any text to the plot?
     (Use return for NO)
NO NO
      Available plotting space in inches is...
        (proportions will be maintained, size
        will be adjusted to output device.)
              horizontal 10.
              vertical 8.
     Enter or modify sizes as needed.
     vertical
                horiz.
       space
                space
                       Y-axis
                               X-axis
                                       letter location location
        (y)
                 (x)
                       length
                                length
                                        size Y-origin X-origin
      (inches) (inches) (inches) (inches) (inches) (inches)
     <----><----><---->
                                          0.01
           1.
                   1.
                            1.
                                    1.
                                                    1.

    MINIMUM

          38.
                   38.
                           38.
                                   38.
                                            з.
                                                    36.
                                                            36. MAXIMUM
           8.
                   10.
                           6.5
                                   7.5
                                            0.1
                                                    1.5
                                                             1.5 DEFAULT
                          5.44
                                  7.83
                                                 1.7675
                                                            1.8 CURRENT
           8.
                   10.
                                           0.13
Make a PLOT, REVISE input or DONE?
     (Use return for PLOT)
PLOT
    plot is drawn here
    Make a PLOT or REVISE input?
     (Use return for DONE)
    DONE
```



```
Partial listing of input file IOWA.PLT:
SIMU HSPF FILE FOR DRIVING SEPARATE PLOT PROGRAM
SIMU Time interval: 1440 mins
                                         Last month in printout year:
SIMU No. of curves plotted: Point-valued: 0
                                                   Mean-valued: 4
                                                                      Total
SIMU Label flag: 0
                               Pivl:
                                       24
                                                    Idelt:
                                                              60
                    SIMULATED FLOW
SIMU Plot title:
SIMU Y-axis label: CFS
SIMU Scale info: Ymin:
                          0.00000
                                                  Threshold:-0.10000E+31
                            1500.0
SIMU
                   Ymax:
                            20.000
STMU
                   Time:
                                       intervals/inch
SIMU Data for each curve (Point-valued first, then mean-valued):
SIMU Label
                               LINTYP
                                           INTEO
                                                    COLCOD
                                                                        TRANCOD
                                                                 TRAN
                                               5
                                                                 AVER
SIMU SIM GROUNDWATER
                                    ٥
                                                         1
                                                                              2
SIMU SIM INTERFLOW
                                    0
                                               4
                                                         1
                                                                 AVER
                                                                              2
SIMU SIM TOTAL RUNOFF
                                    1
                                               1
                                                         1
                                                                 AVER
                                                                              2
SIMU OBS TOTAL RUNOFF
                                    2
                                               8
                                                         2
                                                                AVER
                                                                              2
SIMU
SIMU
SIMU
SIMU
SIMU
STMU
SIMU Time series (pt-valued, then mean-valued):
SIMU
SIMU Date/time
                                      Values
SIMU
                         -0.10000E+31
                                       -0.10000E+31 -0.10000E+31 -0.10000E+31
SIMU
      1975 12 31 24
                      0
      1976
               1 24
                      0
                           22.694
                                          22.694
                                                                        15,000
SIMU
            1
                                                         22.703
               2 24
      1976
                            22.205
                                          22,205
                                                         22.205
                                                                        15,000
SIMU
            1
                      0
      1976
            1
               3 24
                            21.725
                                          21.725
                                                         21,725
                                                                        15,000
SIMU
                      0
SIMU
      1976
            1
                4 24
                      0
                           21.256
                                          21,256
                                                         21.256
                                                                        16.000
      1976
                5 24
                            20.799
SIMU
                      ۵
                                          20.799
                                                         20.799
                                                                        16.000
SIMU
      1976
            1
                6 24
                      ٥
                           20.352
                                          20.352
                                                         20.352
                                                                        17.000
SIMU
      1976
            1
               7 24
                      0
                           19.915
                                          19,915
                                                         19.915
                                                                        18.000
                           19.489
               8 24
                      Λ
SIMU
      1976
                                          19.489
                                                         19.489
            1
                                                                        18,000
      1976
            1 9 24
                      0
                           19.073
STMU
                                                         19.073
                                          19.073
                                                                        19,000
SIMU
      1976
            1 10 24
                      0
                           18.666
                                          18.666
                                                         18.666
                                                                        19.000
SIMU
      1976
            1 11 24
                      ٥
                           18.362
                                          18.362
                                                         18.374
                                                                        20,000
      1976
            1 12 24
                      0
STMU
                           18.441
                                          18.441
                                                         18.581
                                                                        20.000
SIMU
      1976
            1 13 24
                      0
                           19.718
                                          19.718
                                                         20.276
                                                                        20.000
SIMU
      1976
            1 14 24
                      0
                           22.113
                                          22.147
                                                         22.936
                                                                        21.000
      1976
            1 15 24
                      0
SIMU
                           24.534
                                          24.598
                                                         25.499
                                                                        21.000
      1976
            1 16 24
STMU
                      ٥
                           25,356
                                          25.408
                                                         25.408
                                                                        21.000
SIMU 1976
            1 17 24
                      0
                           24.805
                                          24.846
                                                         24.846
                                                                        21,000
     1976
            1 18 24
SIMU
                      0
                           24.399
                                          24.435
                                                         24.464
                                                                        21.000
SIMU 1976
            1 19 24
                      0
                           24.098
                                          24.130
                                                         24.136
                                                                        21,000
            1 20 24
SIMU 1976
                      0
                           23.892
                                          23.918
                                                         24.006
                                                                        20.000
SIMU 1976
            1 21 24
                      0
                                          23.753
                           23.732
                                                         23.753
                                                                        20.000
SIMU
      1976
            1 22 24
                      0
                           25.105
                                          25.157
                                                         26.085
                                                                        20,000
SIMU
      1976
            1 23 24
                      0
                           29.967
                                          30.229
                                                         32.690
                                                                        20.000
SIMU
      1976
            1 24 24
                      0
                           34.126
                                          34.547
                                                         35.115
                                                                        20.000
SIMU
      1976
            1 25 24
                      0
                           34.539
                                          34.865
                                                         34.865
                                                                        20.000
SIMU
      1976
            1 26 24
                      0
                           35.984
                                          36.376
                                                         38.039
                                                                        20.000
SIMU
      1976
            1 27 24
                      0
                           39.426
                                          39.905
                                                         40.646
                                                                        20,000
            1 28 24
SIMU
      1976
                      0
                           44,416
                                          45.162
                                                         48.623
                                                                        20.000
      1976
            1 29 24
SIMU
                           54.184
                      0
                                          55,443
                                                         58.784
                                                                        20.000
      1976
            1 30 24
SIMU
                      0
                           59.228
                                          60.373
                                                         60.373
                                                                        20.000
SIMU
     1976
            1 31 24
                      0
                           57.806
                                          58.545
                                                         58.545
                                                                        19.000
SIMU 1976
            2
               1 24
                      0
                           56.748
                                          57.255
                                                         57.440
                                                                       19,000
```

GRAPHICS TERMINAL TIME

For time-series data at a constant time step, data may be entered from the terminal. Additional options are available for constant time-step plots with data from a WDM file or PLTGEN file. Input will usually be a flat file created with an editor, another program, or a statistical package. Unlike the variable time-step plot, data for the constant time-step plot is entered one variable at a time in a free field format.

- 1 Enter the starting and ending dates, YES for constant time step, and the time step. The number of values to enter is computed from the dates and time step.
- 2 Enter the number of variables.
- 3 Enter the data for each variable with values separated by a blank or comma. Data may be entered from a command file or the terminal. You will be prompted for data until the computed number of values has been entered.
- 4 Enter the output device, axes types, titles, specifications for each line, scales for the axes, and plot sizes as needed.

In the example, two hydrographs are drawn for August 6, 1982. There are 24 values at a one hour time step. The files HYDR1 and HYDR2 were used as command files to enter the data. The hydrographs were plotted as step functions because the default specification MEAN was used. If POINT were selected the values would have been connected with straight line segments.

Enter file type? (WDM, TSS, PLTGEN, META, TERMINAL)
(Use return for WDM)

TERMINAL

Is data for an XY plot or TIME-series plot?
(Use return for XY)

TIME

```
Is data on a constant time step?
     (Use return for YES)
YES
     Enter time step and time units
     TIME TIME
     STEP UNITS
     <--><--->
        1
           none MINIMUM
     3600
            none MAXIMUM
        1
            DAY DEFAULT
             DAY CURRENT
        1
    1,HOUR
            HOUR CURRENT
        1
Number of values is 24.
     Enter number of variables.
     (Use return for 1)
2
     Enter name of variable.
Simulated flow
     Enter values for curve 1
      (Separate by blank or comma, max 132 char/line.)
CHYDR1
                                7.9
             0.0
                       0.0
                                          99.6
     20 more.
                     502.9
                               615.4
                                         664.4
           320.1
     16 more.
           647.2
                     544.5
                               437.6
                                         370.8
     12 more.
                              184.2
           306.9
                     241.1
                                         139.5
     8 more.
                     80.0
           105.7
                               60.6
                                         45.9
     4 more.
            34.8
                      26.4
                               20.0
                                          15.1
     Input complete.
     Enter name of variable.
Measured flow
     Enter values for curve 2
      (Separate by blank or comma, max 132 char/line.)
CHYDR2
            0.0
                      0.0
                               0.0
                                         33.0
     20 more.
          155.0
                   236.0
                              230.0
                                       215.0
     16 more.
                   168.0
                              98.0
          206.0
                                        58.0
     12 more.
           42.0
                    27.0
                              20.0
                                        15.0
     8 more.
                               9.0
                                         7.0
                    11.0
          13.0
     4 more.
            6.0
                     4.0
                               3.0
                                         2.0
     Input complete.
     Output device (SCREEN, PRINTER, PLOTTER, GKS META, DIS META)?
     (Use return for SCREEN)
SCREEN
```

```
Enter or modify as needed.
         left
               right
 x-axis y-axis y-axis axis
 <----><---->
         none none none MINIMUM
    none
                        none MAXIMUM
                  none
    none
           none
                        NO DEFAULT
                  NONE
    TIME ARITH
    TIME
          ARITH
                   NONE
                           NO CURRENT
TIME, ARITH, NONE, NO
                  NONE
                           NO CURRENT
    TIME ARITH
Enter the first line of the title.
Comparison of simulated and measured hydrographs, Sand Creek
Enter the second line of the title
Enter the third line of the title.
Enter first of 2 lines of title for Y-axis. (40 char)
STREAMFLOW, IN CUBIC FEET PER SECOND
Enter second line of axis title. (39 char)
```

```
Enter or modify specifications for each line.
 line
                      shade
                              or
                                     which
        color symbol pattern POINT
                                   axis
 type
                                              label for legend
<--1--> <--2--> <--3--> <--4--> <--5--> <--6--> <-----7-----> FIELD
 SOLID BLACK NONE NONE MEAN LEFT Simulated flow CURV 1
 SOLID
        BLACK
                 NONE
                        NONE MEAN
                                    LEFT Measured flow
                                                              CURV 2
  none
         none
               none none
                               none
                                      none
                                                              MINIMUM
  none
         none
                 none
                        none
                               none
                                    none
                                                              MAXIMUM
 SOLID
        BLACK
                 NONE
                        NONE
                               MEAN
                                      LEFT
                                                              DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? EG
```

```
Enter or modify specifications for each line.
                              MEAN
 line
                      shade
                              or
                                     which
        color symbol pattern POINT axis
 type
                                              label for legend
<--1--> <--2--> <--3--> <--4--> <--5--> <--6--> <-----7-----> FIELD
  DASH BLACK NONE NONE MEAN LEFT Simulated flow CURV 1
                 NONE
 SOLID
        BLACK
                        NONE MEAN LEFT Measured flow
                                                               CURV 2
         none
                 none
                                none
                                                               MINIMUM
  none
                        none
                                       none
  none
         none
                 none
                        none
                                none
                                       none
                                                               MAXIMUM
 SOLID
         BLACK
                 NONE
                        NONE
                                MEAN
                                       LEFT
                                                               DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

```
Change transformations if needed.
                                        trans-
 Variable name
                  type minimum maximum formation
left Y 0.
Simulated flow
                                 664.4
                                         ARITH VAR
Measured flow
                 left Y
                           0.
                                  236.
                                         ARITH VAR
                                          none MINIMUM
                                          none MAXIMUM
                                          ARITH DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

Should legend location be DEFAULT, SPECIFIED or NONE? (Use return for DEFAULT)

DEFAULT

Variable	Minimum	Maximum	
Simulated flow	0.	664.4	LEFT Y-AXIS
Measured flow	0.	236.	LEFT Y-AXIS

Enter values for scale.

NUMBER OF

MINIMUM	MAXIMUM INT	ERVALS	
<><	><	>	
-10.E+9	-10.E+9	1	MINIMUM
10.E+9	10.E+9	20	MAXIMUM
0.	0.	10	DEFAULT
0.	800.	10	CURRENT
0.0,700.,7			
0.	700.	7	CURRENT

Do you want to add any text to the plot? (Use return for NO)

NO NO

Available plotting space in inches is...
(proportions will be maintained, size will be adjusted to output device.)
horizontal 10.
vertical 8.

Enter or modify sizes as needed.

vertical horiz.

space	space	Y-axis	X-axis	letter	location	location	
(y)	(x)	length	length	size	Y-origin	X-origin	
(inches)							
<><>							
1.	1.	1.	1.	0.01	1.	1.	MINIMUM
38.	38.	38.	38.	3.			MAXIMUM
8.	10.	6.5	7.5	0.1	1.5	1.5	DEFAULT
8.	10.	5.24	8.01	0.11	1.5725	1.6	CURRENT


Make a PLOT, REVISE input or DONE? (Use return for PLOT)



plot drawn here

Make a PLOT or REVISE input?
(Use return for DONE)





GRAPHICS TERMINAL TIME

For time-series data at irregular intervals, time plots can be made only by entering data from the terminal or a command file. This type of data often comes from irregularly timed water-quality samples, "smart" data loggers, or tipping-bucket rain gages. Software has not been completed for ANNIE to fully manage this data in a WDM file.

Input will usually be a command file created by the user with an editor, another program or a statistical package. Each record represents a point in time. For data that is the average or sum over a time interval, the time should be the end of the interval. The columnar location of the date, time, and values on the record are supplied by entering the starting position on the record and the length of the field. Note that this means that the positions on the records are fixed for each value and the date.

- 1 Enter the starting and ending dates which define the axes and NO for constant time step.
- 2 Enter the number of variables to plot.
- 3 Enter on the first table menu the amount of date and time information and where that information is to be found on the records of the command file or the line of your input. Enter on the second table the position of each variable. On both menus, the position is defined by a starting column and a length. If any of the fields overlap, you will need to reenter the starting columns and lengths of both dates and variables.
- 4 Enter the name of a command file with the data or enter the data from the terminal. Note a blank line on the file will end the input or press the return key when the cursor is on column 1.
- 5 Enter the output device, axes types, titles, specifications for each line, axes scales, and plot sizes as needed.

The data used in this example was for illustration purposes only, and may not represent realistic values.

```
Enter file type? (WDM, TSS, PLTGEN, META, TERMINAL)
    (Use return for WDM)
TERMINAL
    Is data for an XY plot or TIME-series plot?
    (Use return for XY)
TIME
    Enter beginning and ending dates
    <= STARTING DATE =>
                       <= ENDING DATE =>
    year mo dy hr mi sc
                       year mo dy hr mi sc
    1492 1 1 0 0 0
                       1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                       2020 12 31 24 59 59 MAXIMUM
                       none 12 31 0 0 0 DEFAULT
    none 1 1 0 0 0
    none 1 1 0 0 0
                       none 12 31 0 0 0 CURRENT
1985
                       1985
                       1985 12 31 0 0 0 CURRENT
    1985 1 1 0 0 0
Is data on a constant time step?
    (Use return for YES)
NO S
    Enter number of variables.
    (Use return for 1)
```

```
Enter locations of DATE fields selected.

1 - year 4 - hour
2 - month 5 - minute
3 - day 6 - second

included
on your starting
file? column length
<---1--><---2--><---3--> FIELD
NO 1 5 DATE 1
NO 6 5 DATE 2
NO 11 5 DATE 3
NO 16 5 DATE 3
NO 16 5 DATE 4
NO 21 5 DATE 5
YES 26 5 DATE 6

none 1 1 MINIMUM
none 132 132 MAXIMUM
YES 1 10 DEFAULT

Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM
command? EG
```

```
Enter locations of DATE fields selected.
 1 - year 4 - hour
  2 - month 5 - minute
 3 - day
            6 - second
 included
   on your starting
   file? column length
 <---1---> FIELD
       YES 6 5 DATE 1
YES 1 5 DATE 2
YES 11 5 DATE 3
YES 16 5 DATE 4
YES 21 5 DATE 5
NO 1 1 DATE 6
      none 1 1 MINIMUM
none 132 132 MAXIMUM
                            10 DEFAULT
       YES
                 1
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

```
Enter the positions on the record of the variables.
 starting
 column
          length variable name
<----3----> FIELD
       1 10
11 20
21 30
                                     VAR 1
                                     VAR
                                           2
                                     VAR
                                           3
      1 1
132 132
10 132
                                     MINIMUM
                                     MAXIMUM
                                     DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? EG
```

starting	eitions on the record of the ength variable name	ne variables.				
	2><3	-> FIELD				
31	10AMMONIA	VAR 1				
41	10NITRATE	VAR 2				
51	10PHOSPHORUS	VAR 3				
1	1	MINIMUM				
132	132	MAXIMUM				
10	10	DEFAULT				
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM						
command? DONE						

Enter values or use command file of values. Use blank line or return key to end input.

<><	><-	><-	><-	>	<	><	><	>
2	1985	13	9	25		4.2	1.9	0.2
<><	><-	><-	><-	>	<	><	><	>
3						0.8	2.0	0.13
<><	><-	><-	><-	>	<	><	><	>
5	1985	21	10	05		4.7		
<><	><-	><-	><-	>	<	><	><	>
6						3.1		
<><	><-	><-	><-	>	<	><	><	>
7						2.7		
<><	><-	><-	><-	>	<	><	><	>
8						1.6		

<---><--->

SOLID BLACK

command? EG

NONE

Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM

NONE

MEAN

LEFT

DEFAULT

```
9 1985 3 12 30
                                   1.8
                                          2.2
    <---><--->
                             <----><---->
     11 1985 28 14 45
1.2
                                       1.8
                                                 0.05
    <---><--->
                             <----><---->
Output device (SCREEN, PRINTER, PLOTTER, GKS META, DIS META)?
    (Use return for SCREEN)
SCREEN
    Enter or modify as needed.
    left right x-axis y-axis
                        axis
    <----><---->
                          none MINIMUM
            none
                   none
       none
                          none MAXIMUM
             none
                    none
       none
                           NO DEFAULT
       TIME
            ARITH
                    NONE
       TIME
            ARITH
                    NONE
                             NO CURRENT
Enter the first line of the title.
    TIME PLOT WITH TERMINAL OUTPUT
    Enter the second line of the title.
Enter the third line of the title.
Enter first of 2 lines of title for Y-axis. (40 char)
Enter second line of axis title. (39 char)
Enter or modify specifications for each line.
                               MEAN
     line
                         shade
                                or
                                      which
            color symbol pattern POINT
                                       axis
                                              label for legend
     type
    <--1--> <--2--> <--3--> <--4--> <--5--> <--6--> <-----7-----> FIELD
                    NONE
                                                             CURV 1
                                 MEAN
                                        LEFT AMMONIA
     SOLID
            BLACK
                        NONE
                    NONE
                                                              CURV 2
     SOLID
            BLACK
                          NONE.
                                 MEAN
                                        LEFT NITRATE
                                                              CURV 3
     SOLID
            BLACK
                    NONE
                          NONE
                                 MEAN
                                        LEFT PHOSPHORUS
      none
            none
                    none
                         none
                                 none
                                        none
                                                              MINIMUM
                                                              MAXIMUM
      none
            none
                    none
                         none
                                 none
                                        none
```

```
Enter or modify specifications for each line.
                          MEAN
 line
                    shade
                           or
                                 which
       color symbol pattern POINT axis
 type
                                        label for legend
<--1--> <--2--> <--3--> <--4--> <--5--> <--6--> <-------> FIELD
             X NONE POINT LEFT AMMONIA
                                                       CURV 1
  NONE BLACK
                0
                    NONE POINT LEFT NITRATE
                                                        CURV 2
        BLACK
  NONE
                 . NONE POINT LEFT PHOSPHORUS
                                                        CURV 3
  NONE BLACK
  none
       none none none none
                                                        MINIMUM
        none none none none
                                                        MAXIMUM
               NONE NONE
                            MEAN LEFT
                                                        DEFAULT
 SOLID
        BLACK
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

```
Change transformations if needed.
                   type minimum maximum formation
 Variable name
0.8 4.7 ARITH VAR 1
1.8 3.8 ARITH VAR 2
                 left Y
AMMONIA
                 left Y
NITRATE
PHOSPHORUS
                 left Y
                          0.05
                                  0.57 ARITH VAR 3
                                           none MINIMUM
                                           none MAXIMUM
                                           ARITH DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

Should legend location be DEFAULT, SPECIFIED or NONE?
(Use return for DEFAULT)


SPECIFIED

Location of upper left hand corner of legend?

X
Y
COORDINATE COORDINATE
<---->
0. 0. MINIMUM

0. 0. MINIMUM
1. 1. MAXIMUM
0.1 0.8 DEFAULT
-1. -1. CURRENT
0.6 0.9 CURRENT

Var	iable	Mini	Lmum	Mā	aximum			
AMMONIA			0.8		4.7	LEFT	Y-AXIS	
NITRATE			1.8		3.8		Y-AXIS	
PHOSPHORUS	s	(0.05		0.57		Y-AXIS	
Enter value	es for so	ale. NUMBER (F					
		INTERVA						
-10 E+9	-10.E+		> 1 M:	TNTMI	IM			
	10.E+	.9	20 M	AXIMU	JM			
0.			10 DI	EFAUL	ıΤ			
0.			10 CT					
.					± 0			
Do you want		-	to ti	ue bi	ot?			
NO	n for No,							
 Available	-	-						
		l be mair		•				
	e adjuste horizonta	d to outr	out de	evice	e.)			
	norizonta vertical							
		• •						
Enter or mo		es as nee	eded.					
vertical		Y-avie	X-as	vie	letter	location	location	
(y)							X-origin	
(inches)	(inches)	(inches)	(inc)	hes)	(inches)	(inches)	(inches)	
1.	>< 1.	1.		>< 1.				MINITHUM
38.				38.				MINIMUM MAXIMUM
8.	10.	6.5						DEFAULT
8.	10.	5.24	8	8.01			1.6	CURRENT
Make a PLO	•	-	DONE	E?				
(Use return	n for PLO	T)						
plot drawn	here							
Make a PLO: (Use return DONE			þ					



GRAPHICS TERMINAL

Up to 18 variables or curves can be plotted. The data to be plotted can be input from the terminal or flat files and can be organized by variable or point. If the data are organized by variable, the data are entered as a free field format on as many records as required. A separate file or terminal entry is required for each variable because the data are entered by variable, not in pairs. This allows variable A to be plotted against variable B, C, and D by entering variable A only once. However, you must take special care that the order of values for each variable is correct. When you are prompted for the values, either the values are entered from the keyboard or the name of a command file is entered ("@" immediately precedes the name of the file). Values in the file or those entered from the terminal must be separated by one or more blanks or by a comma. A "/" in the file will terminate entry of values. If the file contains too many values, the remaining values on the record just read will be ignored and any subsequent records will be used as input to the next ANNIE question. If not enough values are in the file, ANNIE will prompt for more values from the terminal.

If the data are organized by point, the input is analogous to the input for variable time-step plot except the date and time are not entered. Refer to the variable time-step plot for an example of this type input.

- 1 Enter the number of variables.
- 2 For each variable, enter the name, number of points, and the values.
- 3 Enter the output device, axes types, titles, specifications for each line, scales for the axes and plot sizes as needed.

This example was developed to test the implementation of GKS for line types, colors, and symbols. If they are not correct, they can be adjusted with the users TERM.DAT file as explained in Appendix C. Note that when the data values are entered the multiplier 6* is used instead of entering the same value 6 times.

```
Enter file type? (WDM, TSS, PLTGEN, META, TERMINAL)
     (Use return for WDM)
     TERMINAL
     Is data for an XY plot or TIME-series plot?
     (Use return for XY)
     Is input organized by VARIABLE or POINT?
     (Use return for VARIABLE)
VARIABLE
     Enter number of variables.
     (Use return for 2)
Enter name of variable.
A
     Number of points?
     (Use return for 50)
6
     Enter values for variable 1
      (Separate by blank or comma, max 132 char/line.)
4 5 6 7 8 9
     Input complete.
     Enter name of variable.
B B
     Number of points?
     (Use return for 6)
Enter values for variable 2
      (Separate by blank or comma, max 132 char/line.)
6*9
     Input complete.
     Enter name of variable.
     Number of points?
     (Use return for 6)
Enter values for variable 3
      (Separate by blank or comma, max 132 char/line.)
     6*8
     Input complete.
     Enter name of variable.
     Number of points?
     (Use return for 6)
6
    Enter values for variable 4
      (Separate by blank or comma, max 132 char/line.)
6*7
     Input complete.
     Enter name of variable.
    Number of points?
     (Use return for 6)
Enter values for variable 5
      (Separate by blank or comma, max 132 char/line.)
   6*6
Input complete.
```

```
Enter name of variable.
F
     Number of points?
     (Use return for 6)
Enter values for variable 6
      (Separate by blank or comma, max 132 char/line.)
     6*5
     Input complete.
     Enter name of variable.
r G
     Number of points?
     (Use return for 6)
6
     Enter values for variable 7
      (Separate by blank or comma, max 132 char/line.)
6*4
     Input complete.
     Enter name of variable.
Number of points?
     (Use return for 6)
Enter values for variable 8
      (Separate by blank or comma, max 132 char/line.)
     6*3
     Input complete.
     Enter name of variable.
     Number of points?
     (Use return for 6)
     Enter values for variable 9
      (Separate by blank or comma, max 132 char/line.)
    6*2
     Input complete.
     Enter name of variable.
    Number of points?
     (Use return for 6)
1 6
    Enter values for variable 10
     (Separate by blank or comma, max 132 char/line.)
6*1
     Input complete.
    Output device (SCREEN, PRINTER, PLOTTER, GKS_META, DIS_META)?
     (Use return for SCREEN)
SCREEN
    Enter or modify as needed.
     x-axis y-axis
     <---->
               none MINIMUM
        none
               none MAXIMUM
        none
               ARITH DEFAULT
       ARITH
       ARITH
              ARITH CURRENT
    ARITH, ARITH
       ARITH
               ARITH CURRENT
```

GRAPHICS

terminal, x-y plot

GRAPHICS

```
Enter the first line of the title.
```

- This is the title of the plot. This plot is an example of the Enter the second line of the title.
- various types of lines and symbols available from the ANNIE Enter the third line of the title.
- program. It also shows the placement of the legend and titles. Enter first of 2 lines of title for Y-axis. (40 char)
- TITLE FOR Y-AXIS IS LIMITED TO TWO LINES
- Enter second line of axis title. (39 char)

 THE FIRST 40 CHARACTERS, SECOND 39
- Enter first of 2 lines of title for X-axis. (40 char)
- X-AXIS TITLE LIMITED TO A LINE OF
- Enter second line of axis title. (39 char) 40 CHARACTERS AND ONE OF 39 CHARACTERS
 - Number of curves? (Use return for 1)
- **P** 9

sequence number	name of variable
1	Α
2	В
3	С
4	D
5	E
6	F
7	G
8	Н
9	I
10	J

- ** You will need to use the above numbers in the table
- ** that follows.
- ** When ready, use RETURN to continue.

from above for line										
			_			_	_			
	y-axis			-			-			
1>	<2><				<	6-	>			
1		SOLID							1	
1	2	SOLID		_					2	
1	2	SOLID							3	
1	2	SOLID		NONE					4	
1	2	SOLID	BLACK	NONE				CURV	5	
1	2	SOLID	BLACK	NONE				CURV	6	
1	2	SOLID	BLACK	NONE				CURV	7	
1	2	SOLID	BLACK	NONE				CURV	8	
1	2	SOLID	BLACK	NONE				CURV	9	
1	1	none	none	none				MINIM	TM:	
18	_	none	none	none				MAXIM		
	2									
1	2	NONE	BLACK	0				DEFAU!	LT	

```
Enter or modify appropriate items.
sequence number
from above for
 ----- line
x-axis y-axis type color symbol label for legend
<---1--><----> <---> <---> FIELD
     1
          2 MIXED BLACK NONE MIXED-BLACK
                                             CURV 1
           3 DOT
                   RED
                           NONE DOT-RED
     1
                                               CURV 2
                          NONE DASH-GREEN
           4
              DASH GREEN
                                               CURV 3
     1
                   BLUE
     1
           5 SOLID
                           NONE SOLID-BLUE
                                                CURV 4
             NONE
                                                CURV 5
           6
                     RED
                              . RED-DOT
                                                CURV
           7
              NONE
                    GREEN
                             X X-GREEN
           8 NONE
                                               CURV 7
                             O O-BLUE
     1
                    BLUE
                            + +-BLACK
           9 NONE
                                                CURV 8
     1
                    BLACK
                                                CURV 9
           10 NONE BLACK
                          STAR STAR-BLACK
     1
           1 none
                    none
                           none
                                                MINIMUM
    18
         18
               none
                     none
                           none
                                                MAXIMUM
           2
               NONE
                    BLACK
                                                DEFAULT
     1
                           0
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

B left Y 9. 9. ARITH VAR 2 C left Y 8. 8. ARITH VAR 3 D left Y 7. 7. ARITH VAR 4 E left Y 6. 6. ARITH VAR 5 F left Y 5. 5. ARITH VAR 6 G left Y 4. 4. ARITH VAR 7 H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9		Axis			trans-		
A bottom X 4. 9. ARITH VAR 1 B left Y 9. 9. ARITH VAR 2 C left Y 8. 8. ARITH VAR 3 D left Y 7. 7. ARITH VAR 4 E left Y 6. 6. ARITH VAR 5 F left Y 5. 5. ARITH VAR 6 G left Y 4. 4. ARITH VAR 7 H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10	Variable name	type	minimum	maximum	formation		
B left Y 9. 9. ARITH VAR 2 C left Y 8. 8. ARITH VAR 3 D left Y 7. 7. ARITH VAR 4 E left Y 6. 6. ARITH VAR 5 F left Y 5. 5. ARITH VAR 6 G left Y 4. 4. ARITH VAR 7 H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10	<	><2><	<3>	<4>	<>	FIEL	D
C left Y 8. 8. ARITH VAR 3 D left Y 7. 7. ARITH VAR 4 E left Y 6. 6. ARITH VAR 5 F left Y 5. 5. ARITH VAR 6 G left Y 4. 4. ARITH VAR 7 H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10	A	bottom X	4.	9.	ARITH	VAR	1
D left Y 7. 7. ARITH VAR 4 E left Y 6. 6. ARITH VAR 5 F left Y 5. 5. ARITH VAR 6 G left Y 4. 4. ARITH VAR 7 H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10	В	left Y	9.	9.	ARITH	VAR	2
E left Y 6. 6. ARITH VAR 5 F left Y 5. 5. ARITH VAR 6 G left Y 4. 4. ARITH VAR 7 H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10	С	left Y	8.	8.	ARITH	VAR	3
F left Y 5. 5. ARITH VAR 6 G left Y 4. 4. ARITH VAR 7 H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10 none MINIMUM none MAXIMUM	D	left Y	7.	7.	ARITH	VAR	4
G	E	left Y	6.	6.	ARITH	VAR	5
H left Y 3. 3. ARITH VAR 8 I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10 none MINIMUM none MAXIMUM	F	left Y	5.	5.	ARITH	VAR	6
I left Y 2. 2. ARITH VAR 9 J left Y 1. 1. ARITH VAR 10 none MINIMUM none MAXIMUM	G	left Y	4.	4.	ARITH	VAR	7
J left Y 1. 1. ARITH VAR 10 none MINIMUM none MAXIMUM	H	left Y	3.	3.	ARITH	VAR	8
none MINIMUM none MAXIMUM	I	left Y	2.	2.	ARITH	VAR	9
none MAXIMUM	J	left Y	1.	1.	ARITH	VAR	10
					none	MINI	MUM
ARITH DEFAULT					none	MAXI	MUM
					ARITH	DEFA	ULT

64

Should legend location be DEFAULT, SPECIFIED or NONE? (Use return for DEFAULT)

DEFAULT

GRAPHICS terminal, x-y plot **GRAPHICS**

	Variable	Minimum	Maximum	
В		9.	9.	LEFT Y-AXIS
С		8.	8.	LEFT Y-AXIS
D		7.	7.	LEFT Y-AXIS
E		6.	6.	LEFT Y-AXIS
F		5.	5.	LEFT Y-AXIS
G		4.	4.	LEFT Y-AXIS
Н		3.	3.	LEFT Y-AXIS
I		2.	2.	LEFT Y-AXIS
J		1.	1.	LEFT Y-AXIS

Enter values for scale.

NUMBER OF

MINIMUM	MUMIXAM	INTERVALS	
<><	>	·<>	
-10.E+9	-10.E+9) 1	MINIMUM
10.E+9	10.E+9	20	MUMIXAM
0.	0.	. 10	DEFAULT
0.	10.	. 10	CURRENT

Variable	Minimum	Maximum	
A	4.	9.	X-AXIS

Enter values for scale.

		NUMBER OF	
MUNIMUM	MUMIXAM	INTERVALS	
<><	>	·<>	
-10.E+9	-10.E+9) 1	MUMINIM
10.E+9	10.E+9	20	MUMIXAM
0.	0.	10	DEFAULT
0.	10.	10	CURRENT

Should all the plot area be used? (Use return for YES)

YES

Do you want to add any text to the plot? (Use return for NO)

NO NO

```
Available plotting space in inches is...
(proportions will be maintained, size
will be adjusted to output device.)
horizontal 10.
vertical 8.
```

Enter or modify sizes as needed.

vertical horiz.

space	space	Y-axis	X-axis	letter	location	location	
(y)	(x)	length	length	size	Y-origin	X-origin	
(inches)							
<>	<>	<>	<>	<>	<>	<>	
1.	1.	1.	1.	0.01	1.	1.	M
20	20	20	30	2	26	26	M

1.	1.	1.	1.	0.01	1.	1.	MINIMUM
38.	38.	38.	38.	3.	36.	36.	MAXIMUM
8.	10.	6.5	7.5	0.1	1.5	1.5	DEFAULT
8.	10.	5.24	8.01	0.11	1.5725	1.6	CURRENT


Make a PLOT, REVISE input or DONE?
(Use return for PLOT)

PLOT

plot is drawn here

Make a PLOT or REVISE input?
(Use return for DONE)

DONE



GRAPHICS WDM ATTRIBUTE

WDM data-set attributes that have decimal or integer values can be used to create an x-y plot. You SELECT both data sets and attributes. There are several uses for this option. Attribute plots can be made to explore possible relationships between attributes or to identify outliers. Plotting the latitude and longitude, with appropriate scaling, provides a rough overlay of station locations for a map. This could be useful for checking the data. If latitude and longitude are plotted, the values for the minimum and maximum longitude must be reversed for the western hemisphere.

- 1 Enter the name of your WDM file.
- 2 SELECT the data sets to be used.
- 3 Enter up to 18 attributes to plot.
- 4 Enter the axes types, titles, number of curves (pairs of attributes), specifications for each curve, scales for the axes and sizes for the plot.

In the example, data-set numbers 16 to 46 are selected that have a TSTYPE value of PEAK. Thirty-one data sets met the criteria. For those data sets, the value of the 100-year peak flow, P100, is plotted against the drainage area, DAREA. The values are plotted with the symbol CIRCLE on logarithmic axes.

Enter file type? (WDM, TSS, PLTGEN, META, TERMINAL)
(Use return for WDM)

- WDM
- Name of your WDM file?
- MOW. DAVID. WDM

Plot TIME SERIES or ATTRIBUTES?

(Use return for TIME SERIES)

ATTR

NO data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

- FIND
 - Limit search to dsn RANGE or TYPE, or a SUBSET of dsn buffer (Use return for TYPE)
- RANGE

```
Minimum DSN to search?
     (Use return for 1)
16
     Maximum DSN to search?
     (Use return for 32000)
     Which attribute for processing (or DONE)?
TSTYPE
     Value for this attribute?
PEAK
     Select data set if conditions is TRUE or FALSE?
     (Use return for TRUE)
TRUE
     Use more search attributes?
     (Use return for NO)
     Select additional data sets with an 'OR' condition?
     (Use return for NO)
     Finding data sets from 16 to 46.
     Search criteria:
                    TSTYPE = PEAK
     Do you wand to cancel this find operation?
     (Use return for NO)
NO NO
      31 data sets checked.
      31 data sets matching and added to buffer.
     Find more data sets?
     (Use return for NO)
NO C
     FIND, ADD, LIST, SORT, REMOVE or CLEAR data set numbers?
     (Use return for DONE)
DONE
     Now, select attributes (variables) for plotting.
     Which attribute for processing (or DONE)?
P1.00
    Which attribute for processing (or DONE)?
    Which attribute for processing (or DONE)?
    Output device (SCREEN, PRINTER, PLOTTER, GKS_META, DIS_META)?
     (Use return for SCREEN)
SCREEN
    Enter or modify as needed.
     x-axis y-axis
     <---->
        none
                none MINIMUM
```

none MAXIMUM

ARITH DEFAULT

ARITH CURRENT

LOG CURRENT

none ARITH

ARITH

LOG, LOG

```
Enter the first line of the title.
    Drainage Basins in Illinios
    Enter the second line of the title.
    Enter the third line of the title.
Enter first of 2 lines of title for Y-axis. (40 char)
100-year peak flow
    Enter second line of axis title. (39 char)
(cubic feet per second)
    Enter first of 2 lines of title for X-axis. (40 char)
Drainage area in square miles
    Enter second line of axis title. (39 char)
Number of curves?
    (Use return for 1)
1
     sequence
     number
                name of variable
         1
               P100.
          2
                DAREA
     ** You will need to use the above numbers in the table
     ** that follows.
     ** When ready, use RETURN to continue.
Enter or modify appropriate items.
     sequence number
     from above for
    ----- line
     x-axis y-axis type
                           color symbol
    <----><----> <---->
                1 none none none MINIMUM
         1
         18
               18 none
                          none
                                   none MAXIMUM
                 2
                     NONE BLACK
                                    O DEFAULT
          1
                 2 NONE BLACK
                                      O CURRENT
2,1
```

1 NONE BLACK

2

```
Change transformations if needed.
                  Axis
                                        trans-
 Variable name
                  type minimum maximum formation
87. 5.79E+4
P100.
                 left Y
                                          LOG VAR 1
                          0.08
DAREA
                                3102.
                                           LOG VAR 2
                bottom X
                                          none MINIMUM
                                          none MAXIMUM
                                          ARITH DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

O CURRENT

GRAPHICS WDM, attribute plot GRAPHICS

```
Variable
                       Minimum
                                Maximum
    ______
    P100.
                          87. 5.79E+4
                                          LEFT Y-AXIS
    Enter values for scale.
     MINIMUM MAXIMUM
    <---->
      -10.E+9 -10.E+9 MINIMUM
       10.E+9 10.E+9 MAXIMUM
         0.
               O. DEFAULT
         10. 10.E+4 CURRENT
10,100000
         10. 10.E+4 CURRENT
Variable Minimum Maximum
                        0.08 3102.
    DAREA
                                         X-AXIS
    Enter values for scale.
     MINIMUM MAXIMUM
    <---->
     -10.E+9 -10.E+9 MINIMUM
       10.E+9 10.E+9 MAXIMUM
         Ο.
               O. DEFAULT
             10000. CURRENT
        0.01
.01,10000
        0.01
             10000. CURRENT
Should all the plot area be used?
    (Use return for YES)
NO C
    Enter fractions to specify rectangle.
     MINIMUM MAXIMUM MINIMUM MAXIMUM
      X X Y Y
    <----><---->
              0. 0. 0. MINIMUM
1. 1. 1. MAXIMUM
0.05 0. 0.05 DEFAULT
0.05 0. 0.05 CURRENT
         Ο.
          1.
          0.
          0.
0,.04,0,.05
               0.04 0. 0.05 CURRENT
   Do you want to add any text to the plot?
   (Use return for NO)
NO TO
```

```
Available plotting space in inches is...
  (proportions will be maintained, size
   will be adjusted to output device.)
        horizontal 10.
         vertical 8.
```

Enter or modify sizes as needed.

vertical horiz. X-axis letter location location space Y-axis space length length size Y-origin X-origin (x) (y) (inches) (inches) (inches) (inches) (inches) (inches) <----><----><----> 1. 1. 1. 0.01 1. MINIMUM 1. 1. 36. MAXIMUM 38. 38. 38. 38. 3. 36. 1.5 8. 7.5 0.1 1.5 DEFAULT 6.5 10.

7.79

0.11 1.5725

1.6 CURRENT

Make a PLOT, REVISE input or DONE? (Use return for PLOT) PLOT

10.


5.24

plot drawn here

8.

Make a PLOT or REVISE input? (Use return for DONE)

DONE



GRAPHICS WDM

Time series from a WDM file can be plotted at any time interval and for any time period. Up to 18 time series can be plotted. A total of 6,000 points for all time series can be plotted. Under the current implementation of GKS, four types of lines, six colors, and five symbols can be used. The TERM.DAT file can be used to add special lines, symbols, or colors if available with the GKS implementation. A special feature of time-series plots is an auxiliary plot at the top that is usually used for precipitation when plotting streamflow. Logarithmic or arithmetic axes can be used on the main plot, but only arithmetic axes are available for the auxiliary plot. Time series also can be plotted with two scales, one for the left y-axis and another for the right y-axis. illustrated, three axes are useful for plotting streamflow, evaporation, and precipitation for a watershed. An option is available to place additional text on the plot. This feature is limited to 120 characters which can be placed in one or more lines.

- 1 Enter the name of your WDM file.
- 2 Enter the number of the data sets to be plotted. SELECT is not available for WDM time-plot option. Enter a label for each time series.
- 3 Enter the starting and ending date for the plot and the time step for the curve for each data set.
- 4 Enter the device type, axes types, titles, characteristics of each curve, scales for the y-axes, and size of the plot as needed.

The example plots data from Cane Branch for the 1957 water year. Three time series were selected, one for each axis, left y-axis, right y-axis, and auxiliary axis. Time is always plotted on the x-axis. On the table used to enter the characteristics of each curve, there is a field for MEAN or POINT. MEAN is used for time series that are an average or total over a time step and are plotted as a step function. POINT is used for time series of instantaneous values, and plots the data as points connected with straight lines. The scale of the right y-axis, evaporation, was modified so the curve would not cross the streamflow curve.

```
GRAPHICS
```

```
Enter file type? (WDM, TSS, PLTGEN, META, TERMINAL)
     (Use return for WDM)
    WDM
Name of your WDM file?
DAVID.WDM
     Plot TIME SERIES or ATTRIBUTES?
     (Use return for TIME SERIES)
TIME
     Number of data sets to use?
     (Use return for 2)
Which WDM data-set number?
1 5
     Attributes of data-set 5
      STAID :
                      365205084265702
      TSTYPE :
                      PREC
      TCODE :
                        4
      TSSTEP :
                        1
      STANAM:
                      Cane Branch, KY--precipitation
        Data available between the following dates:
     1956 JAN 1 - 1957 DEC 31 24:00:00
     Which WDM data-set number?
Attributes of data-set 6
      ISTAID :
                 3407100
      TSTYPE :
                      FLOW
      TCODE :
                        4
      TSSTEP :
                        1
      STANAM:
                      Cane Branch, KY--discharge
        Data available between the following dates:
     1956 JAN 1 - 1957 DEC 31 24:00:00
     Which WDM data-set number?
Attributes of data-set 7
      STAID :
                      365200085090000
                      EVAP
      TSTYPE :
      TCODE :
                        4
     TSSTEP :
                        1
                      Cane Branch, KY--pan evaporation
     STANAM:
        Data available between the following dates:
     1956 JAN 1 - 1957 DEC 31 24:00:00
     For data-set 5.
    Enter data-set label (name). (max 20 char)
PRECIP
     For data-set 6.
    Enter data-set label (name). (max 20 char)
DISCHARGE
     For data-set 7.
     Enter data-set label (name). (max 20 char)
EVAPORATION
```

WDM, time plot

GRAPHICS



GRAPHICS

			:	If needed time		
			Quality	conver-		
number	step	unit	code	sion		
<1><-	2><-	3><	:4- - ->	<5>	FIELI	Ö
5	1	DAY	30	AVERAGE	ROW	1
6	1	DAY	30	AVERAGE	ROW	2
7	1	DAY	30	AVERAGE	ROW	3
1	1	none	0	none	MININ	MUM
32000	60	none	30	none	MAXIN	MUM
1	1	DAY	30	AVERAGE	DEFA	JLT

Data-set Time Time Quality conver- number step unit code sion <1><2><3><4><> FIELD 5 1 DAY 30 AVERAGE ROW 1 6 1 DAY 30 AVERAGE ROW 2 7 1 MONTH 30 SUM ROW 3
number step unit code sion <1><2><3><4><5> FIELD 5 1 DAY 30 AVERAGE ROW 1 6 1 DAY 30 AVERAGE ROW 2
<1><2><3><4><5> FIELD 5 1 DAY 30 AVERAGE ROW 1 6 1 DAY 30 AVERAGE ROW 2
5 1 DAY 30 AVERAGE ROW 1 6 1 DAY 30 AVERAGE ROW 2
6 1 DAY 30 AVERAGE ROW 2
7 1 MONTH 30 SUM ROW 3
1 1 none 0 none MINIMUM
32000 60 none 30 none MAXIMUM
1 1 DAY 30 AVERAGE DEFAULT

365 Points are to be retrieved. 365 Points are to be retrieved. 12 Points are to be retrieved. **GRAPHICS**

Output device (SCREEN, PRINTER, PLOTTER, GKS_META, DIS_META)? (Use return for SCREEN)

SCREEN

Enter or modify as needed. left right x-axis y-axis y-axis axis <----><----> none MINIMUM none none none none none none none MAXIMUM TIME ARITH NONE NO DEFAULT TIME ARITH NONE NO CURRENT TIME, LOG, ARITH, YES YES CURRENT TIME LOG ARITH

Enter the first line of the title.

Discharge, precipitation, and pan evaporation for Enter the second line of the title.

Cane Branch Watershed, Kentucky, for water year 1957. Enter the third line of the title.

Enter first of 2 lines of title for Y-axis. (40 char)

DISCHARGE, IN CUBIC FEET PER SECOND

Finter second line of axis title (39 char)

Enter first of 3 lines of auxiliary axis title (12 char).

PRECIPI-

Enter second of 3 lines of auxiliary axis title (12 char).

TATION,

Enter third of 3 lines of auxiliary axis title (12 char).

IN INCHES

Enter first of 2 lines of title for right Y-axis. (40 char)

MONTHLY TOTAL PAN EVAPORATION,

Enter second line of axis title. (39 char)

IN INCHES PER DAY

				MEAN				
line				or				
type	color	symbol	pattern	POINT	axis	label for legend		
<1>	<2>	<3>	<4>	<5>	<6>	<>	FIELD	
SOLID	BLACK	NONE	NONE	MEAN	LEFT	PRECIP	CURV	1
SOLID	BLACK	NONE	NONE	MEAN	LEFT	DISCHARGE	CURV	2
SOLID	BLACK	NONE	NONE	MEAN	LEFT	EVAPORATION	CURV	3
none	none	none	none	none	none		MINIM	UM
none	none	none	none	none	none		MAXIM	UM
SOLID	BLACK	NONE	NONE	MEAN	LEFT		DEFAU	LT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM command? EG								

GRAPHICS

WDM, time plot

GRAPHICS

```
Enter or modify specifications for each line.
                            MEAN
                                   which
 line
                     shade
                            or
        color symbol pattern POINT axis
 type
                                           label for legend
<--1--> <--2--> <--3--> <--4--> <--5--> <--6--> <--------> FIELD
                                     AUX PRECIP
 SOLID
         BLUE
                NONE NONE
                              MEAN
                                                           CURV 1
                                                            CURV 2
 SOLID
        GREEN
                NONE
                       NONE
                              MEAN
                                    LEFT DISCHARGE
              NONE
                              MEAN RIGHT PAN EVAPORATION
                                                            CURV 3
  DASH
        BLACK
                       NONE
                                                            MINIMUM
  none
       none
              none none none
                                    none
  none
        none
                none none
                              none
                                   none
                                                            MAXIMUM
 SOLID
                NONE
                       NONE
                              MEAN
                                     LEFT
                                                            DEFAULT
        BLACK
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

Should legend location be DEFAULT, SPECIFIED or NONE? (Use return for DEFAULT) SPECIFIED Location of upper left hand corner of legend? Х Y COORDINATE COORDINATE <----> O. MINIMUM 0. 1. MAXIMUM 1. 0.8 DEFAULT 0.1 -1. CURRENT -1. .6,.9 0.9 CURRENT 0.6

GRAPHICS WDM, time plot GRAPHICS

	Vari	lable	Minimu	m Maximum	
	DISCHARGE		0.0	1 84.	LEFT Y-AXIS
	Enter value	MUMIXAM	le.		
	10.E+9 0.	-10.E+9 10.E+9	MAXIMUM DEFAULT		
T	.001,100	100.	CURRENT		
			Minimu	m Maximum	
	PAN EVAPOR			6 7.11	RIGHT Y-AXIS
	Enter value	ì	NUMBER OF		
	MINIMUM <><	MAXIMUM ::			
		-10.E+9 10.E+9		MINIMUM MAXIMUM	
(F	0. 0.		10	DEFAULT CURRENT	
		50.	10	CURRENT	
	Vari	able		m Maximum	
	PRECIP		0		AUXILARY AXIS
	Enter value		le. NUMBER OF		
	MINIMUM <><	MAXIMUM :			
	-10.E+9	-10.E+9		MINIMUM MAXIMUM	
	o. o.	0. 5.	10	DEFAULT CURRENT	
	0,5	5.	2	CURRENT	

GRAPHICS WDM, time plot

GRAPHICS

Do you want to add any text to the plot? (Use return for NO)

NO NO

Available plotting space in inches is...
(proportions will be maintained, size will be adjusted to output device.)
horizontal 10.
vertical 8.

Enter or modify sizes as needed.

vertical	horiz.					ē	uxiliary
space	space	Y-axis	X-axis	letter	location	location	axis
(y)	(x)	length	length	size	Y-origin	X-origin	length
(inches)							
<>	<><	<>	<>	<>	<>	<><	<>
1.	1.	1.	1.	0.01	1.	1.	0.5
38.	38.	38.	38.	3.	36.	36.	6.
8.	10.	6.5	7.5	0.1	1.5	1.5	1.
8.	10.	5.4	7.2	0.1	1.475	1.5	1.

Make a PLOT, REVISE input or DONE?


(Use return for PLOT)

PLOT

Plot is drawn here

Make a PLOT or REVISE input?
(Use return for DONE)

DONE



GRAPHICS WDM

This option can be used to plot one time series against another. The plotting time step must be greater than or equal to the time step of the data. On occasion you may wish to specify a window in the plotting field. The specified window defines an area within which no points will be plotted. This might be used when text is to be added to the plotting field or when large numbers of points will be plotted at the same location. For precipitation data which may have lots of zero values, a window of (0,0), (0,0.05), (0.05,0.05), and (0.05,0) might be specified. These coordinates represent fractions of the x-axis and y-axis lengths.

- 1 Enter the name of your WDM file.
- 2 Enter the data-set numbers and label for the time series to be plotted.
- 3 Enter the starting and ending data, time interval, and time conversion.
- 4 Enter the device type, axes types, titles, number of curves, characteristics of the curves, scales for the axes, and sizes for the plot as needed.

For the example, monthly values of streamflow (data-set number 200) are plotted against monthly values of precipitation (data-set number 5).

```
Enter file type? (WDM, TSS, PLTGEN, META, TERMINAL)
     (Use return for WDM)
WDM
     Name of your WDM file?
DAVID.WDM
     Plot TIME SERIES or ATTRIBUTES?
     (Use return for TIME SERIES)
TIME
     Number of data sets to use?
     (Use return for 2)
Which WDM data-set number?
      Attributes of data-set 200
      ISTAID :
                3407100
                     FLOW
      TSTYPE :
     TCODE :
                       4
      TSSTEP :
                       1
      STANAM:
                     Cane Branch, KY--discharge
       Data available between the following dates:
    1956 JAN 1 - 1957 DEC 31 24:00:00
    Which WDM data-set number?
5
      Attributes of data-set 5
      STAID :
                      365205084265702
     TSTYPE :
                     PREC
     TCODE :
                       4
     TSSTEP :
                       1
     STANAM:
                     Cane Branch, KY--precipitation
       Data available between the following dates:
    1956 JAN 1 - 1957 DEC 31 24:00:00
     For data-set 200.
    Enter data-set label (name). (max 20 char)
RUNOFF IN INCHES
     For data-set 5.
    Enter data-set label (name). (max 20 char)
PRECIP IN INCHES
    Enter beginning and ending dates
    <= STARTING DATE => <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
    1492 1 1 0 0 0
                       1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                         2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                        none 12 31 0 0 0 DEFAULT
    1956 1 1 0 0 0 1957 12 31 24 0 0 CURRENT
```

```
Modify as needed.

If needed time

Data-set Time Time Quality conver-
number step unit code sion

<----1---><----2---><----4---><----5---> FIELD

200 1 DAY 30 AVERAGE ROW 1
5 1 DAY 30 AVERAGE ROW 2

1 1 none 0 none MINIMUM
32000 60 none 30 none MAXIMUM
1 1 DAY 30 AVERAGE DEFAULT

Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM command? EG
```

```
Modify as needed.
                                                      If needed
                                        Quality conver-
code sion
                  Time
                                Time
 Data-set
  number
                  step
                                unit
<----1---><----> FIELD
                    1 MONTH
1 MONTH
                                            30 SUM ROW 1
30 SUM ROW 2
       200
           1

        1
        none
        0
        none MINIMUM

        60
        none
        30
        none MAXIMUM

        1
        DAY
        30
        AVERAGE DEFAULT

            1
      32000
            1
                                                 30 AVERAGE DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

```
24 Points are to be retrieved.
24 Points are to be retrieved.
Output device (SCREEN, PRINTER, PLOTTER, GKS_META, DIS_META)?
(Use return for SCREEN)
SCREEN
```

Enter or modify as needed.

left right aux

x-axis y-axis y-axis axis

<----->

none none none none MINIMUM

none none none none MAXIMUM

TIME ARITH NONE NO DEFAULT

TIME ARITH NONE NO CURRENT

ARITH

ARITH ARITH NONE NO CURRENT

F

Enter the first line of the title.


CANE BRANCH, KY

```
Enter the second line of the title.
Enter the third line of the title.
Enter first of 2 lines of title for Y-axis. (40 char)
MONTHLY PRECIPITATION,
    Enter second line of axis title. (39 char)
IN INCHES
    Enter first of 2 lines of title for X-axis. (40 char)
MONTHLY RUNOFF,
    Enter second line of axis title. (39 char)
IN INCHES
    Number of curves?
    (Use return for 1)
1
     sequence
     number
                name of variable
                -----
               RUNOFF IN INCHES
          1
          2
               PRECIP IN INCHES
     ** You will need to use the above numbers in the table
     ** that follows.
     ** When ready, use RETURN to continue.
Enter or modify appropriate items.
     sequence number
     from above for
    ----- line
     x-axis y-axis type
                         color symbol
    <----><----> <---->
         1
               1 none
                          none none MINIMUM
                18 none
         18
                          none
                                 none MAXIMUM
                   NONE BLACK
                                  O DEFAULT
         1
                2
                   NONE BLACK
                                   O CURRENT
          1
               2
1,2,NONE,BLACK,O
          1
               2 NONE BLACK
                                    O CURRENT
Change transformations if needed.
                        Axis
                               minimum maximum formation
     Variable name
                        type
    0. 8.99988
    RUNOFF IN INCHES
                    bottom X
                                                ARITH VAR
                                 0.
    PRECIP IN INCHES
                       left Y
                                         11.76
                                                ARITH VAR
                                                   none MINIMUM
                                                   none MAXIMUM
                                                  ARITH DEFAULT
    Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
    command? DONE
```

```
Minimum
                              Maximum
    LEFT Y-AXIS
                               11.76
    PRECIP IN INCHES
                         0.
    Enter values for scale.
                  NUMBER OF
     MINIMUM MAXIMUM INTERVALS
    <----><---->
      -10.E+9 -10.E+9 1 MINIMUM
       10.E+9 10.E+9
                        20 MAXIMUM
             0.
                        10 DEFAULT
         Ο.
          ο.
                 15.
                        10 CURRENT
Variable Minimum Maximum
        _____
    RUNOFF IN INCHES
                                     X-AXIS
                         0. 8.99988
    Enter values for scale.
                   NUMBER OF
     MINIMUM MAXIMUM INTERVALS
    <---->
      -10.E+9 -10.E+9 1 MINIMUM
      10.E+9 10.E+9
                       20 MAXIMUM
         ٥.
              0.
                        10 DEFAULT
          ٥.
                        10 CURRENT
                 10.
Should all the plot area be used?
    (Use return for YES)
Do you want to add any text to the plot?
    (Use return for NO)
Available plotting space in inches is...
      (proportions will be maintained, size
       will be adjusted to output device.)
           horizontal 10.
           vertical 8.
   Enter or modify sizes as needed.
    vertical horiz.
                  Y-axis X-axis letter location location
      space
             space
                   length length size Y-origin X-origin
      (y)
            (x)
    (inches) (inches) (inches) (inches) (inches) (inches)
    <----><----><---->
        1.
               1.
                    1. 1. 0.01 1.

    MINIMUM

                                  3.
        38.
               38.
                     38.
                            38.
                                          36.
                                                 36. MAXIMUM
                                   0.1 1.5
                           7.5
         8.
               10.
                     6.5
                                                 1.5 DEFAULT
                           7.79 0.11 1.5725
         8.
               10.
                    5.02
                                                 1.6 CURRENT
Make a PLOT, REVISE input or DONE?
    (Use return for PLOT)
PLOT
   plot drawn here
   Make a PLOT or REVISE input?
    (Use return for DONE)
DONE
```



HELP attributes HELP

MULTIPLE PATHS

At any location in ANNIE, when you are asked to enter the name of an attribute, you can enter HELP to get a complete listing of the attributes. Once in the HELP> mode, smaller lists can be generated by entering only one or two characters when the characteristics do not uniquely define an attribute. A "D" was entered in the example to list all attributes that start with D. When sufficient characters are entered to uniquely define the attribute, the attribute number, a brief definition, length, type, and limits are provided. A limit of -999 indicates that there is no limit for the value. If length is greater than 1, the attribute is an array of numbers. The length for CHARACTER attributes is the number of characters, blanks included. See Appendix B for a complete list and description of the attributes.

The example provides information on the attribute DAREA. The attribute is for a REAL (decimal) number. The values for the attribute is a single number, not an array of numbers. The lower limit for drainage area is 0.0, but there is no upper limit.

```
Which attribute for processing (or DONE)?
HELP
       ACODE.
                AGENCY, ALL,
                                   AQTYPE, AZMUTH, BASEQ, BLNGTH, BRANCH, BSLOPE,
                COCODE, COMPFG, CONTDA, DAREA, DATE,
       CHEAT,
                                                               DATUM,
                                                                       DCODE, DEPH25,
                                  DSCODE, EL1085, EL5000, EL6000, ELEV,
       DEPTH, DESCRP, DONE,
                                                                                  END.
       FOREST, FROST, GCODE, GLACER, GRPNAM, GUCODE, H01002, H01005, H01010,
       H01020, H01025, H01050, H01100, H03002, H03005, H03010, H03020, H03025,
       H03050, H03100, H07002, H07005, H07010, H07020, H07025, H07050, H07100,
       H15002, H15005, H15010, H15020, H15025, H15050, H15100, H30002, H30005,
       H30010, H30020, H30025, H30050, H30100, HELP,
                                                               HUCODE, 124-2., 124010,
       I24025, I24050, I24100, ISTAID, J407BQ, J407BY, J407EY, J407GS, J407HO,
       J407HP, J407LO, J407NH, J407SE, J407SO, J407UR, JANAVE, JANMIN, JULAVE,
       JULMAX, KENPLV, KENSLP, KENTAU, L01002, L01010, L01020, L03002, L03010,
      L03020, L07002, L07005, L07010, L07020, L14002, L14010, L14020, L30002, L30010, L30020, L90002, L90010, L90020, LAKE, LATCTR, LATDEG, LATDMS, LCODE, LENGTH, LKEVAP, LNGCTR, LNGDEG, LNGDMS, LOESS, MARMAX, MAXVAL, MEANND, MEANPK, MEANVL, MINVAL, NONZRO, NUMZRO, P1.25, P10., P100.,
                                                     P500., PARMCD, PNEVAP, PRCAPR.
                                            P50.,
                P200., P25., P5.,
       PRCAUG, PRCDEC, PRCFEB, PRCJAN, PRCJUL, PRCJUN, PRCMAR, PRCMAY, PRCNOV,
       PRCOCT, PRCSEP, PRECIP, QANN,
                                            OAPR.
                                                     QAUG,
                                                               ODEC.
                                                                        QEX10P, QEX25P,
       QEX50P, QEX70P, QEX75P, QEX90P, QEX95P, QFEB,
                                                               QJAN,
                                                                        QJUL,
                QMAY,
                         ONOV, OOCT,
                                            QSDANN, QSDAPR, QSDAUG, QSDDEC, QSDFEB,
      QSDJAN, QSDJUL, QSDJUN, QSDMAR, QSDMAY, QSDNOV, QSDCCT, QSDSEP, QSEP,
                                            SDPK,
                                                     SEASBG, SEASND, SITECO, SKEWCF,
      RFOOT, RMILE, RWFLAG, SDND,
       SKWND, SKWPK, SLOPE, SN002, SN010, SN025, SN100, SN0APR, SN0FAL,
       SNOMAR, SOILIN, STAID, STANAM, START, STATCD, STCODE, STDDEV, STDIMX,
      STDIMY, STDIMZ, STDTYP, STFIPS, STORAG, SUBHUC, TCODE, TGROUP, TMTOPK, TMZONE, TOLR, TSBDY, TSBHR, TSBMO, TSBYR, TSFILL, TSFORM, TSPREC,
      TMZONE, TOLR, TSBDY, TSBHR, TSBMO, TSBYR, TSFILL, TSFORM, TSPREC, TSPTAD, TSSTEP, TSTYPE, UBC024, UBC025, UBC026, UBC027, UBC028, UBC029, UBC030, UBC031, UBC038, UBC039, UBC040, UBC066, UBC067, UBC068, UBC069,
       UBC073, UBC074, UBC166, UBC167, UBC169, UBC170, UBC182, UBC183, UBC184,
       UBC185, UBC186, UBC187, UBC188, UBC189, UBC190, UBC191, UBC192, UBC193,
       UBC194, UBC195, UBC200, VALLGH, VBTIME, VCODE, VLCODE, WELLDP, WEMAR2,
      WRCMN, WRCSD, WRCSKW, XSECLC, YRSDAY, YRSHPK, YRSLOW, YRSPK
      HELP> Which attribute for details (or DONE)?
D D
      DESCRP, DAREA, DCODE, DONE,
                                                             DEPH25, DEPTH, DATUM
                                           DSCODE, DATE,
      Unknown attribute. Try again.
      HELP> Which attribute for details (or DONE)?
DAREA
      Attribute no. 11, DAREA is Drainage area.
      Length is 1, type is REAL
      Min allowed value is 0., Max allowed value is -999..
     HELP> Which attribute for details (or DONE)?
     Which attribute for processing (or DONE)?
     DONE
```

IMPORT data sets IMPORT

FILE MGT

The IMPORT option is used as the second step in transferring one or more data sets from one WDM file to another. After attributes and/or data have been exported from the first WDM file to an external formatted sequential file, the IMPORT option is used to import the contents of the external file to another WDM file. As the IMPORT option executes, a message flagging the successful import of each data set contained within the external file is printed.

1 Enter the name of your file that was created with the EXPORT option.

The example illustrates the import of one data set, including both attributes and time-series data, which exists in an external file named TEST02.IMP. The data set is added to the WDM file that was previously selected. A listing of the external file, TEST02.IMP, follows the example.

Enter CREATE, SUMMARIZE, IMPORT, EXPORT, or DUMP.
(Use return for DONE)

IMPORT

Name of input file?

TESTO2.IMP

General information from the IMPORT file:

DATE

WDMSFL

SYSTEM

COMMENT

DAILY PRECIPITATION FOR SANDERSON GULCH TRIBUTARY AT LAKEWOOD, CO END COMMENT

Importing DSN no. 300

Import of WDM data sets complete.

IMPORT data sets IMPORT

```
Listing of input file TESTO2. IMP:
DATE
WDMSFL
SYSTEM
COMMENT
  DAILY PRECIPITATION FOR SANDERSON GULCH TRIBUTARY AT LAKEWOOD, CO
END COMMENT
DSN
             300
                    TYPE TIME
                                  NDN 10
                                            NUP 20
                                                       NSA 20
                                                                 NSP 50
                                                                           NDP 100
  LABEL
    ISTAID
             6714310
    TSTYPE PREC
    TCODE
    TSSTEP
                    1
    TSFILL
             -10.E+5
    TGROUP
                    6
    TSFORM
                   1
                   2
    VBTIME
    COMPFG
                   1
    TSBYR
                1973
  END LABEL
             STARTS: 1973 5 1 0 0 0 ENDS: 1974 7 31 24 0 0
  DATA
                             6 1 31
    1972 12 31 24 0
                      0
                                                     -1.0000E+06
                                         1 1
    1973 12 31 24
                   0
                      0
                             4
                                1
                                  0
                                       121
                                           1
                                                      -1.0000E+06
                   0
    1974
         5
             1 24
                      0
                             4
                                7
                                   0
                                         2
                                            1
                                                       0.0000
    1974
          5
             3 24
                   0
                      0
                             4
                                1
                                   0
                                         1
                                            0
                                                       1.0000E-02
    1974 5
             4 24
                   0
                      0
                             4
                                1
                                   0
                                        32
                                            1
                                                       0.0000
    1974 6
             5 24
                   0
                      0
                                                       1.0000E-02 2.0000E-02
                             4
                                1
                                   0
                                         4
                                            0
     0.8900
                 1.0000E-02
    1974 6 9 24
                   0
                             4
                                   0
                                         3
                                            1
                                                       0.0000
                      0
                                1
    1974 6 12 24
                   0
                      0
                             4
                                1
                                   0
                                         1
                                            0
                                                       1.0000E-02
    1974 6 13 24
                   0
                      0
                                1
                                   0
                                        27
                                            1
                                                       0.0000
    1974 7 10 24
                   0
                      0
                                1
                                   0
                                         2
                                            0
                                                       0.1500
                                                                   0.1600
    1974
         7 12 24
                   ٥
                      0
                             4
                                1
                                   0
                                         2
                                            1
                                                       0.0000
    1974
         7 14 24
                   0
                      0
                             4
                                1
                                   0
                                         1
                                            0
                                                       4.0000E-02
    1974
          7 15 24
                   0
                      0
                                   0
                             4
                                         6
                                                      0.0000
                                1
                                            1
    1974
          7 21 24
                   0
                      0
                             4
                                1
                                   0
                                         1
                                            0
                                                      -1.0000E+06
    1974
          7 22 24
                   0
                      0
                                1
                                   0
                                         2
                             4
                                            1
                                                      0.0000
    1974
          7 24 24
                   0
                      0
                                1
                                   0
                                         2
                                                      1.0000E-02
                             4
    1974
          7 26 24
                   0
                      0
                             4
                                1
                                   0
                                         3
                                            1
                                                       0.0000
    1974 7 29 24
                   0
                      0
                             4
                                1
                                   0
                                         2
                                            0
                                                      -1.0000E+06 0.0000
  END DATA
END DSN
```

DATA-SET MGT ATTRIBUTES LIST

The LIST option in the menu below ATTRIBUTES is used to list all or some of the attributes of data sets in the buffer. The starting and ending dates for time-series data present in the data set also may be listed. You also may choose to list only some attributes. Values for the selected attributes for the selected data sets are listed one per line.

- 1 Select data sets for listing attributes.
- 2 Select ALL attributes or enter by name the attributes to be listed.

The example illustrates the use of the LIST option to list the attributes TSTYPE, STANAM, and DAREA and the period of available data for data-set numbers 68, 69, 70, and 71. Note that DAREA was not available for data-set number 69.

LIST attributes LIST

Enter ADD, MODIFY, DELETE, LIST, or TABLE.
(Use return for DONE)

LIST

4 data sets are currently in the buffer. You are now in the SELECT option

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DC C

List data-set ATTRIBUTES, DATES, or BOTH?

(Use return for BOTH)

BOTH

ALL or SOME attributes?

(Use return for ALL)

SOME

Which attribute for processing (or DONE)?

TSTYPE

Which attribute for processing (or DONE)?

STANAM

Which attribute for processing (or DONE)?

DAREA

Which attribute for processing (or DONE)?

DONE

Attributes of DSN 68

TSTYPE : PREC

STANAM: Sanderson Gulch Tributary at Lakewood, CO

DAREA : 0.377

Starts: 1973 MAY 1

Ends : 1974 JUL 31 24:00:00

Attributes of DSN 69
TSTYPE: EVAP

STANAM: Cherry Creek Lake, CO

Starts: 1973 MAY 1

Ends : 1974 JUL 31 24:00:00

Attributes of DSN 70 TSTYPE: PREC

STANAM: Sanderson Gulch Tributary at Lakewood, CO

DAREA : 0.377

Starts: 1973 JUL 12 18:00:00 Ends: 1974 DEC 31 24:00:00

Attributes of DSN 71

TSTYPE : FLOW

STANAM: Sanderson Gulch Tributary at Lakewood, CO

DAREA : 0.377

Starts: 1973 JUL 12 18:00:00 Ends: 1974 DEC 31 24:00:00

DATA-SET MGT DATA TIME SERIES LIST

The LIST option in the menu below TIME SERIES is used to list data values from one or more data sets over a specified period of record. This option can be used to put time-series data in a "flat file" format to be read by statistical packages and spread sheet software. first specify the data-set number for each time series that is to be listed. For each data-set number you specify, a summary of the starting and ending dates and time step of each time series are listed. With that information you can specify the time step, whether the values are TOTALS or RATES so that values may be properly aggregated/disaggregated and the start and end date. You may also select summation options, the number of decimal places and the number of significant digits for the listing. A quality flag and minimum and maximum can be used to limit data for the listing.

- 1 Select the number of data sets to be listed then select the data sets by number. Up to 12 data sets may be selected.
- 2 For each data set indicate whether the time series are TOTALS or RATES.
- 3 Enter the start and end date for the listing.
- 4 Enter the output specifications and whether summaries are needed.
- 5 Enter a range and quality code for selection of values to be listed.

The example illustrates the listing of daily flow, precipitation, and evaporation values from data set numbers 6, 5, and 7, for the period from January 1, 1956 to December 31, 1957. The listing was made to the terminal instead of a file. Only values between 0 and 1000 were requested. Values with a quality code greater than 30 were not listed. Values for January 1956 met the listing criteria. The listing stopped every 20 lines. The first time more data was requested to be listed but after the second 20 lines no more listing was requested.

```
Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
     (Use return for DONE)
     LIST
How many data sets for each listing?
     (Use return for 1)
    3
     Which WDM data-set number?
5
      Attributes of data-set 5
                      365205084265702
      STAID :
                      PREC
      TSTYPE :
      TCODE :
                       4
      TSSTEP :
                        1
      STANAM:
                      Cane Branch, KY--precipitation
        Data available between the following dates:
     1956 JAN 1 - 1957 DEC 31 24:00:00
     Which WDM data-set number?
6
      Attributes of data-set 6
      ISTAID :
                  3407100
      TSTYPE :
                       FLOW
      TCODE :
                        4
      TSSTEP :
                        1
      STANAM:
                      Cane Branch, KY--discharge
        Data available between the following dates:
     1956 JAN 1 - 1957 DEC 31 24:00:00
     Which WDM data-set number?
Attributes of data-set 7
                      365200085090000
      STAID :
                      EVAP
      TSTYPE :
      TCODE :
                        4
      TSSTEP:
                        1
      STANAM:
                      Cane Branch, KY--pan evaporation
        Data available between the following dates:
     1956 JAN 1 - 1957 DEC 31 24:00:00
     Enter time step and time units
     TIME TIME
     STEP UNITS
     <--><--->
       1
          none MINIMUM
     3600
           none MAXIMUM
       1
            DAY DEFAULT
       1
            DAY CURRENT
    1, DAY
            DAY CURRENT
       1
```

```
For data-set number 5,
    are the time-series values TOTALS or RATES?
    (Use return for TOTALS)
   TOTALS
    For data-set number 6,
    are the time-series values TOTALS or RATES?
    (Use return for TOTALS)
    RATES
    For data-set number 7,
    are the time-series values TOTALS or RATES?
    (Use return for TOTALS)
TOTALS
    Enter beginning and ending dates
    <= STARTING DATE =>
                     <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
    1492 1 1 0 0 0 1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                      2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                      none 12 31 0 0 0 DEFAULT
    1956 1 1 0 0 0
                      1957 12 31 24 0 0 CURRENT
Output options
     output lines width
     <---->
             5
                    40 MINIMUM
       none
        none 200000
                   250 MAXIMUM
     TERMINAL
                     80 DEFAULT
                20
                     80 CURRENT
     TERMINAL
                20
    TERM, 20, 80
     TERMINAL
              20
                     80 CURRENT
Do you want to SCREEN or LIST the data?
    (Use return for LIST)
LIST
    Which summations should be made?
      GRAND
            ANNUAL MONTHLY
      TOTAL
             SUM
                   SUM
    <---->
              none
                      none MINIMUM
        none
                       none MAXIMUM
        none
               none
                NO
                       NO DEFAULT
         NO
                         NO CURRENT
          NO
                 NO
Enter conditions for the listing.
                            <-- ouptut format -->
     <---- value is ----> quality decimal significant
     above and below flag places digits
     <----><---->
      -10.E+19 -10.E+19
                         0
                                -1
                                           1 MINIMUM
                                  5
       10.E+19
               10.E+19
                           30
                                             5 MAXIMUM
                                 0
                                             5 DEFAULT
           0.
                9.E+5
                           0
                                             5 CURRENT
           0.
                 9.E+5
                           30
                                   2
0,1000
           Ο.
                1000.
                           30
                                    2
                                              5 CURRENT
```

LIST

time-series data (list)

LIST

731 Values will be checked.

(*) is for out-of-range data

Dataset number Dataset name	5 PREC	6 3407100	7 EVAP
1956 FEB 1	0.00	5.00	0.0
1956 FEB 2	0.00	3.00	0.0
1956 FEB 3	0.00	11.00	0.0
1956 FEB 4	0.00	15.00	0.0
1956 FEB 5	0.00	3.80	0.0
1956 FEB 6	0.00	6.60	0.0
1956 FEB 7	0.00	3.70	0.0
1956 FEB 8	0.00	2.10	0.0
1956 FEB 9	0.00	1.20	0.0
1956 FEB 10	0.00	0.88	0.0
1956 FEB 11	0.00	1.70	0.0
1956 FEB 12	0.00	1.40	0.0
1956 FEB 13	0.00	1.20	0.0
1956 FEB 14	0.00	2.60	0.0
1956 FEB 15	0.00	6.00	0.0
1956 FEB 16	0.27	3.50	0.0
More?			
(Use return for YES) YES			
1956 FEB 17	2.71	25.00	0.0
1956 FEB 18	0.57	25.00	0.0
1956 FEB 19	0.58	7.40	0.0
1956 FEB 20	0.00	6.40	0.0
1956 FEB 21	0.00	2.60	0.0
1956 FEB 22	0.00	1.70	0.0
1956 FEB 23	0.00	1.10	0.0
1956 FEB 24	0.73	2.70	0.0
1956 FEB 25	0.52	5.00	0.0
1956 FEB 26	0.00	3.10	0.0
1956 FEB 27	0.35	2.40	0.0
1956 FEB 28	0.00	2.10	0.0
1956 FEB 29	0.00	1.70	0.0
1956 MAR 1	0.20	1.30	0.0
1956 MAR 2	0.25	2.00	0.0
1956 MAR 3	0.47	2.80	0.0
1956 MAR 4	0.00	2.70	0.0
1956 MAR 5	0.00	1.90	0.0
	0.00	1.50	0.0
1956 MAR 6			
1956 MAR 6 1956 MAR 7	1.14	5.40	0.0

NO Finished listing data.

DATA-SET MGT DATA TIME SERIES LIST

Frequently, time-series data need to be screened for "outliers." Graphics is one method that can be used. Another is to use various rules for the computer to search for possible outliers. Four rules can be used for the screen option: (1) greater than a maximum, (2) less than a minimum, (3) percent change between adjacent time steps exceeds a maximum, and (4) absolute value of a change between adjacent time steps exceeds a maximum value. Threshold values for all rules are required, but you may enter very large or very small values to effectively eliminate a rule.

- 1 Enter the number of data sets to use. Up to 12 may be entered; however, if the rules apply to any value of a time series, all values for that time step will be listed.
- 2 Enter the time interval, type of time series (used only if the time interval of the data differs from the time interval you entered) and starting and ending date.
- 3 Enter the specification for the listing. Output can go to a file or a terminal.
- 4 Enter SCREEN, then thresholds for the rules.

In the example the flow in data-set number 1 was screened for values outside an acceptable range of 0 to 12000. Values were listed if the percent difference between adjacent values was greater than 150 or the absolute difference was greater than 4000. Any value with a quality flag greater than 30 will not be checked or printed. Twenty-one values meet the criteria and were listed.

```
Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
     (Use return for DONE)
LIST
     How many data sets for each listing?
     (Use return for 1)
1
     Which WDM data-set number?
1
     Attributes of data-set 1
               11516530
     ISTAID :
     TSTYPE :
                     FLOW
     TCODE :
                       4
     TSSTEP :
                       1
     STANAM:
                     Klamath River below Iron Gate Dam, CA.
       Data available between the following dates:
    1960 OCT 1 - 1982 SEP 30 24:00:00
    Enter time step and time units
     TIME TIME
     STEP UNITS
     <--><--->
       1 none MINIMUM
     3600
           none MAXIMUM
           DAY DEFAULT
       1
       1
            DAY CURRENT
    1,DAY
       1
            DAY CURRENT
For data-set number 1,
    are the time-series values TOTALS or RATES?
     (Use return for TOTALS)
RATES
    Enter beginning and ending dates
    <= STARTING DATE => <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
    1492 1 1 0 0 0 1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                        2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                        none 12 31 0 0 DEFAULT
    1960 10 1 0 0 0
                        1982 9 30 24 0 0 CURRENT
Output options
     output lines width
     <----><---->
        none
               5
                       40 MINIMUM
         none 200000
                      250 MAXIMUM
                       80 DEFAULT
     TERMINAL
                20
     TERMINAL
                 20
                       80 CURRENT
    TERM, 20, 80
     TERMINAL
                 20
                       80 CURRENT
```

LIST

time-series data (screen)

LIST

Do you want to SCREEN or LIST the data? (Use return for LIST)

SCREEN

Enter conditions for the listing

				5				
						< output	t format>	
< v	alue	is><	- change	exceeds ->	quality	decimal	significant	
				absolute			digits	
<	><-	><	>	<>	<>	<- >	<>	
-10.E	+19	-10.E+19	0.	0.	0	-1	1	MINIMUM
10.E	+19	10.E+19	10.E+19	10.E+19	30	5	5	MUMIXAM
	Ο.	9.E+5	none	none	0	0	5	DEFAULT
	٥.	9.E+5	none	none	30	2	5	CURRENT
0,12000,150,4000								
	0.	12000.	150.	4000.	30	2	5	CURRENT

8035 Values will be checked.

(*) is for out-of-range data

Dataset number	1
Dataset name	11516530
1964 DEC 21	7560.0
1964 DEC 22	25000.
1964 DEC 23	23200.
1964 DEC 24	17400.
1964 DEC 25	13300.
1970 JAN 27	12700.
1972 JAN 22	10000.
1972 MAR 2	12700.
1972 MAR 3	16200.
1972 MAR 4	15600.
1972 MAR 5	14700.
1972 MAR 6	13900.
1972 MAR 7	13000.
1972 MAR 8	12500.
1974 JAN 16	16000.
1974 JAN 17	11200.
More?	
(Use return for YES)	
YES	
1974 APR 1	12500.
1981 DEC 19	6960.0
1982 FEB 21	16100.
1982 FEB 22	13600.
1982 FEB 23	12600.
Finished listing data.	

DATA-SET MGT ATTRIBUTES MODIFY

You use the MODIFY option in the menu below ATTRIBUTES to modify one or more attributes of a WDM data set. Attributes that describe how data are stored can only be modified before data are added to the data set.

- 1 Select the data sets for attribute modification.
- 2 Enter the name of the attribute to be modified.
- 3 After the current value is shown, enter the new value of the attribute. After the new value has been entered for each data set number in the buffer, a new attribute can be selected.

The example illustrates the modification of the station identification number (ISTAID) from 40350010 to 40350015 and the state code (STCODE) to CO. The modification was done to the data-set number 69 previously placed in the buffer.

Enter ADD, MODIFY, DELETE, LIST, or TABLE.
(Use return for DONE)

MODIFY

1 data set is currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE) $\,$

LIST

1 data set is currently in the buffer. You are now in the SELECT option.

69

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DONE

Which attribute for processing (or DONE)?

ISTAID

ADD/MODIFY attribute for DSN. 69

Enter ISTAID, Station identification number.

(Use return for 40350010)

40350015

Which attribute for processing (or DONE)?

STCODE

ADD/MODIFY attribute for DSN. 69 Enter STCODE, State abbreviation code

ros co

Which attribute for processing (or DONE)?

DONE

DATA-SET MGT DATA TIME SERIES MODIFY

You use the MODIFY option in the menu below TIME SERIES to modify one or more time-series data values in a WDM data set. However, if the following conditions are true, you must use the COPY UPDATE option instead of MODIFY: (1) the data set to be modified has the attribute COMPFG set for data compression, (2) the value to be changed is in a compressed block of data, and (3) the value in the block for the time step needs to be modified to two or more different values. For example, if a data set with 8 days of missing record is compressed with a value of -999 for each missing day, and the -999 needs to be changed to a different value for each of the 8 days, then the COPY UPDATE must be used. However, if all 8 values of -999 needs to be changed to 0, then MODIFY can be used.

To modify data, you need to enter the data-set number, date, and time. Based on the specified date, time, time step of the data set, and whether the time is within a compressed data block, the time span that will be affected is printed. If the printed time span is greater than one time step, the date entered is within a compressed block of data, and any change will be made to the entire compressed block.

- 1 Enter the number of the time-series data set to be modified.
- 2 Enter the date of the value to be changed.
- 3 Enter the value and the quality code you want assigned to the value.
- 4 Enter 0 to end modifications, press return for more modifications of the same data set, or enter a new data-set number.

In the example the daily value for January 1, 1967, was changed from 3540 to 2389. The quality flag was changed to 3. No additional modifications were made.

```
Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
     (Use return for DONE)
MODIFY
     Modify time-series VALUES or RECOVER missing blocks?
     (Use return for DONE)
    VALUES
     Which WDM data-set number?
700
     Attributes of data-set 700
                11520500
      ISTAID :
     TSTYPE :
                     FLOW
     TCODE :
                       4
     TSSTEP :
                       1
     STANAM:
                     Klamath River near Seiad Valley, CA.
       Data available between the following dates:
     1912 OCT 1 - 1978 Jan 24 24:00:00
     Enter date
     <== DATE/TIME ==>
     year mo dy hr mi sc
     <--><-><-><->
     1492 1 1 0 0 0 MINIMUM
     2020 12 31 24 59 59 MAXIMUM
     none 1 1 0 0 0 DEFAULT
     none 1 1 0 0 0 CURRENT
   1967 1 1 0 0 0
    1967 1 1 0 0 0 CURRENT
Start of data: 1967 JAN 1
    End of data: 1967 JAN 1 24:00:00
    Enter updated value (return for no change)
        value quality
      <---->
           none
                   O MINIMUM
           none
                   30 MAXIMUM
                    O DEFAULT
             ٥.
          3540.
                    0 CURRENT
          2389
3
                    3 CURRENT
          2389.
Modify additional values for this data set?
     (Use return for NO)
NO S
    Modify time-series VALUES or RECOVER missing blocks?
     (Use return for DONE)
DONE
```

RENUMBER

data sets

RENUMBER

DATA-SET MGT RENUMBER

Use the RENUMBER option in the menu below DATA-SET MGT to renumber WDM data sets. It is most often used to return the number of the updated data set to the original value following a COPY UPDATE operation and after the old data set is deleted. The data are not actually "moved around" in the WDM file, only the pointers are changed.

- 1 Enter the number of the data set to be renumbered.
- 2 Enter the new number for the data set.

The example illustrates the renumbering of data-set number 500 to data-set number 600.

ADD, ATTRIBUTES, DATA, SELECT, DELETE, or RENUMBER.

(Use return for DONE)

RENUMBER

What data set do you want to renumber?

500

What is the new data-set number?

1739 600

Data-set 500 renumbered to 600.

SELECT ADD SELECT

DATA-SET MGT SELECT ADD

Use the ADD option in the menu below SELECT to add a data set to the data-set buffer. This buffer is used to store the data-set numbers to be included in subsequent processing. Data-set numbers may enter the buffer as a result of searches performed using the FIND option, or you may enter them one-by-one with the ADD option. If you continually wish to operate on the same group of data sets, a small command file could be created that would perform the ADD option multiple times.

1 Following each selection of ADD, enter the data-set number to be placed in the buffer.

The example adds four data-set numbers to the buffer, 34, 2, 56, and 54, and attempts to add 954, which does not exist. Next, the LIST option was used to check the contents of the buffer resulting from previous operations.

NO data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

TS 34

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

2

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

56

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

954

Error: That data-set number does not exist in the WDM file. FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

54

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

LIST

4 data sets are currently in the buffer. You are now in the SELECT option.

34 2 56 54

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DATA-SET MGT SELECT CLEAR

Use the CLEAR option in the menu below SELECT to delete all entries in the data-set buffer. This option is exercised when a particular search or operation has been completed and a new search or operation is to be done. Note that this option affects only the data-set buffer. No time series data or attributes are deleted from the WDM file.

1 Enter the option CLEAR.

In the example the user selects the LIST option to check the contents of the buffer and is informed that three data-set numbers are present. The user then selects the CLEAR response and verifies the CLEAR operation by using the LIST option. Because no data-set numbers are present in the buffer, the operation was successful.

3 data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

LIST

3 data sets are currently in the buffer. You are now in the SELECT option

34 54 56

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

CLEAR

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

LIST

NO data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DONE DONE

DATA-SET MGT SELECT FIND

You use the FIND option in the menu below SELECT to perform searches on data sets in a WDM file. Searches make use of Boolean algebra principles allowing a chain of "and," "or," and "not" conditions. The number of each data set that satisfies the search conditions is added to the buffer. You may limit searches to a range of dataset numbers, to a type of data set (only time series and tables are currently available), or the data sets currently in the buffer. If you want to enter all data sets in a given range or of a given type, then no additional criteria for attributes are used. To search based on attribute values, the attribute name and a value or range is entered (see Appendix B or enter HELP). For each attribute you enter true or false to indicate whether the data-set number is to be included or excluded, respectively, from the buffer based on the value of the attribute. Up to eight attributes may be selected. Once a search has been performed and a group of data sets is contained in the buffer, subsequent searches may be restricted to data sets in the buffer by using the SUBSET option. When all search conditions have been specified, a summary of the search conditions is printed, and the search is performed. A message is printed for every 50th data set checked, the total number of data sets checked, and the total number of data sets that have been added to the buffer. On most computer systems, the maximum number of data set numbers that can be added to the buffer has been set to 300. The LIST option can be used to identify the selected data-set numbers.

- 1 Select whether the search should be limited to a RANGE of data-set numbers, TYPE of data set, or the data sets currently in the buffer (SUBSET). If TYPE, enter ALL, TIMESERIES, or TABLE. If RANGE, enter the minimum and maximum data-set number.
- If the value of an attribute is to be used for selection, enter the name of the attribute. For attributes that are decimal or integer numbers, enter a minimum and maximum value. For attributes that are character strings, enter a character string. If the data set is to be selected when the attribute value is the same as the character string or between the minimum and maximum, enter TRUE. If the data set is to be selected when the attribute value is not the same as the character string or outside the selected range, enter FALSE.
- 3 For the "and" condition, repeat step 2. For the "or" condition, enter yes to the prompt and repeat step 2.

- A summary of your search condition will be printed, then you select to continue or cancel the search.
- 5 A summary of the search is printed and you may end or continue the find operation.

The example illustrates a search for all time-series data sets in the WDM file which contain FLOW data, as indicated by the TSTYPE attribute, and have drainage areas between 0.01 and 50.0, as indicated by DAREA attribute. The search resulted in the identification of five data sets that satisfy this condition. Next all data sets between and including data-set numbers 40 and 50 with no criteria for attributes were added. The LIST option was used to display the data set numbers selected.

NO data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

FIND

Limit search to dsn RANGE or TYPE, or a SUBSET of dsn buffer (Use return for TYPE)

TYPE

Which type data set (or ALL)?

(Use return for ALL)

TIME

Which attribute for processing (or DONE)?

TSTYPE

Value for this attribute?

FLOW

Select data set if condition is TRUE or FALSE?

(Use return for TRUE)

TRUE

Use more search attributes?

(Use return for NO)

YES

Which attribute for processing (or DONE)?

DAREA

Minimum value for this attribute?

.01

Maximum value for this attribute?

50.

Select data set if condition is TRUE or FALSE?

(Use return for TRUE)

TRUE

Use more search attributes?

(Use return for NO)

NO (

Select additional data sets with an 'OR' condition?

(Use return for NO)

NO S

```
Finding data sets of type: TIME SERIES
     Search criteria:
                     TSTYPE = FLOW
                                        AND
             0.01 <= DAREA <= 50.
     Do you want to cancel this find operation?
     (Use return for NO)
NO C
      50 data sets checked.
      79 data sets checked.
      1 data sets without requested search attribute.
      74 data sets which didn't match.
      5 data sets matching and added to buffer.
     Find more data sets?
     (Use return for NO)
Limit search to dsn RANGE or TYPE, or a SUBSET of dsn buffer
     (Use return for TYPE)
     RANGE
Minimum DSN to search?
     (Use return for 1)
40
     Maximum DSN to search?
     (Use return for 32000)
     50
     Which attribute for processing (or DONE)?
DONE
     Finding data sets from 40 to 50.
     No search criteria will be used.
     Do you want to cancel this find operation?
     (Use return for NO)
NO NO
      11 data sets checked.
      11 data sets matching and added to buffer.
     Find more data sets?
     (Use return for NO)
NO NO
     FIND, ADD, LIST, SORT, REMOVE or CLEAR dataset numbers?
     (Use return for DONE)
LIST
       16 data sets are currently in the buffer.
       You are now in the SELECT option.
                          40
                                          42
           6
                  11
                                  41
          43
                  44
                          45
                                  46
                                          47
          48
                  49
                          50
                                  71
                                         200
         275
    FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
    DONE
```

DATA-SET MGT SELECT LIST

You use the LIST option in the menu below SELECT to list data-set numbers currently in the data set buffer as a result of the FIND and ADD options of SELECT.

Enter the option LIST.

In the example the LIST option was used to identify the data sets in the buffer resulting from a SELECT option. There were 16 data sets in the buffer.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

LIST

16 datasets are currently in the buffer. You are now in the SELECT option.

6	11	40	41	42
43	44	45	46	47
48	49	50	71	200
275				

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DATA-SET MGT SELECT REMOVE

You use the REMOVE option in the menu below SELECT to delete data-set numbers from the buffer. Note that the data set itself remains unchanged in the WDM file. Each time the REMOVE option is selected, you enter the data-set number to remove from the buffer.

1 Select the option REMOVE then the data-set number to be removed.

The example used the LIST option and found four data-set numbers, 2, 34, 54, and 56, in the buffer. Data-set number 2 was removed from the buffer.

4 data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

LIST

4 data sets are currently in the buffer. You are now in the SELECT option.

2 34 54 56

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

REMOVE

WDM file data-set number?

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

LIST

3 data sets are currently in the buffer. You are now in the SELECT option.

34 54 56

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DATA-SET MGT SELECT SORT

You use the SORT option in the menu below SELECT to reorganize, in ascending order, the data-set numbers currently in the data-set buffer. You might use this option following multiple FIND or ADD operations, but before a LIST operation to more easily view the data-set numbers selected. When the SORT option is not used, the data-set numbers are listed and used in the order in which they enter the buffer.

1 Enter the option SORT.

The example used the LIST option to view the order of data-set numbers in the buffer. The SORT option was then selected. The LIST option was used again to view the data-set numbers in ascending order.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data set numbers? (Use return for $\ensuremath{\mathsf{DONE}}\xspace)$

LIST

4 data sets are currently in the buffer. You are now in the SELECT option.

34 2 56 54

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

SORT

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

LIST

4 data sets are currently in the buffer. You are now in the SELECT option.

2 34 54 56

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

STATISTICS COMPARE

This option uses the flow-duration analysis and class intervals to compute absolute error, root mean square error, and bias by class interval for two time series from a WDM file or PLTGEN file. Also, the standard error of estimate for the time series is computed. The analysis is usually performed on an observed variable and a simulated variable, although the analysis can be used to compare two observed time series to screen the data for possible errors. In addition to the two tables showing errors, a third table is an error matrix that provides a count of plus and minus errors by class interval. Each table can provide insight into the distribution of the error. The flow-duration curves for observed and simulated variables can be plotted.

You select two data sets from a WDM file or two columns from a PLTGEN file created by a rainfall-runoff model. The time period, class intervals, and output file name are required. When plotting the results on a graphics device, the default line type, color, or symbol should be changed for one of the curves.

- 1 Select the type of input file and enter the names of the input and output files.
- 2 Enter the time step for the values to be used.
- 3 If a WDM file is used, enter the data-set number. If a PLTGEN file is used, select two time series. Enter whether the second time series is simulated or measured. The first time series will default to the other.
- 4 Enter the time period for the analysis. For WDM files, the current start and end date is determined from the data set. For PLTGEN files, the end date is unknown.
- 5 Enter the title for the tables and plot.
- 6 Select the standard or user-defined class intervals. For the standard, only the minimum and maximum are entered. The minimum must be greater than zero.
- [7] Select options to print the file on the screen and create a plot as needed.

- 8 For the graphics device, enter type of device, characteristics of each line, scales for the axes, and sizes for the plot.
- 9 Select the error matrix option if needed.

For the example, two measured time series were selected for comparison, data-set numbers 3 and 4 from the file DAVID.WDM. The output file was TEST14.OT2. A 30-year period from October 1, 1950, was selected from a 41-year period that was common to both time series. The standard class intervals were used for values from 1.0 to 100000. All output options and a plot for a graphics device were selected. One time series was a dashed line and the other solid. The probability axis was limited to four standard deviates and the values off the plot were ignored.

```
Type of statistical analysis?
     (Use return for DONE)
COMPARE
     PLTGEN or WDM input file?
     (Use return for DONE)
     Name of your WDM file?
DAVID.WDM
     Name of output file?
TEST14.OT2
     Time step for analysis? (minutes)
     (Use return for 1440)
    1440
     Which WDM data-set number?
Attributes of data-set 3
      ISTAID:
                11517500
      TSTYPE :
                      FLOW
      TCODE :
                        4
      TSSTEP :
                        1
      STANAM:
                      Shasta River near Yreka, CA.
        Data available between the following dates:
     1933 OCT 1 - 1982 SEP 30 24:00:00
     115175
     Press return if label OK or enter new label. (max 20 char)
```

STATISTICS compare time series

STATISTICS

```
Which WDM data-set number?
Attributes of data-set 4
                11519500
      ISTAID:
      TSTYPE :
                     FLOW
      TCODE :
                        4
      TSSTEP :
                       1
      STANAM:
                      Scott River near Fort Jones, CA.
       Data available between the following dates:
     1941 OCT 1 - 1982 SEP 30 24:00:00
     115195
     Press return if label OK or enter new label. (max 20 char)
Is this the MEASURED or SIMULATED variable?
     (Use return for MEASURED)
MEASURED
     Enter beginning and ending dates
     <= STARTING DATE =>
                         <= ENDING DATE =>
     year mo dy hr mi sc
                         year mo dy hr mi sc
     1492 1 1 0 0 0
                        1492 1 1 0 0 0 MINIMUM
     2020 12 31 24 59 59
                         2020 12 31 24 59 59 MAXIMUM
     none 1 1 0 0 0
                         none 12 31 0 0 0 DEFAULT
     1941 10 1 0 0 0
                         1982 9 30 24 0 0 CURRENT
1950
                         1980
     1950 10 1 0 0 0
                         1980 9 30 24 0 0 CURRENT
     Enter title for plot. (max 80 char)
Comparison of discharge between Shasta River, CA and Scott River, CA
     STANDARD or USER defined class intervals?
     (Use return for STANDARD)
STANDARD
     Lower bound for class intervals?
     (Use return for 1.)
1.0
    Upper bound for class intervals?
     (Use return for 1000.)
100000
    File being read.
    File being read.
    File being read.
    File being read.
    Do you want to plot the data?
     (Use return for YES)
    PRINTER plot or on GRAPHICS device?
     (Use return for GRAPHICS)
GRAPHICS
    Output device (SCREEN, PRINTER, PLOTTER, GKS META, DIS META)?
     (Use return for SCREEN)
SCREEN
```

```
Enter or modify appropriate items.

line
type color symbol label for legend
<--1--> <--2--> <--3--> <----------> FIELD
SOLID BLACK NONE 115195 CURV 1
SOLID BLACK NONE 115175 CURV 2

none none none MINIMUM
none none none MAXIMUM
NONE BLACK O DEFAULT

Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM
command? EG
```

```
Enter or modify appropriate items.

line
type color symbol label for legend
<--1--> <--2--> <--3--> <--------> FIELD
SOLID BLACK NONE SCOTT RIVER CA CURV 1
DASH BLACK NONE SHASTA RIVER CA CURV 2

none none none MINIMUM
none none none MAXIMUM
NONE BLACK O DEFAULT

Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM
command? DONE
```

STATISTICS STATISTICS compare time series

Location of upper left hand corner of legend? Х

COORDINATE COORDINATE

<---->

 MINIMUM
 MAXIMUM Ο. 1. 0.1 0.8 DEFAULT

0.5

0.8 CURRENT

Variable	Minimum	Maximum	
Class interval	1.	10.E+4	LEFT Y-AXIS

Enter values for scale.

MINIMUM MAXIMUM <---->

-10.E+9 -10.E+9 MINIMUM

10.E+9 MAXIMUM 10.E+9

0. O. DEFAULT

0.1 10.E+4 CURRENT

1.0

10.E+4 CURRENT

NOTE: Values off bottom of plot.

	Maximum	Minimum	Variable
X-AXIS	5.16633	-10.	1151 9 5
X-AXTS	5.16633	-10.	115175

Enter values for scale.

MUMIXAM MUMINIM

<---->

-10.E+9 MINIMUM -10.E+9 10.E+9 MAXIMUM 10.E+9

0. O. DEFAULT

4. CURRENT

Note: values off right of plot.

Note: values off left of plot.


STATISTICS compare time series

STATISTICS

```
Select plotting action to take for values off plot?
       Top Bottom Left Right
     of plot of plot of plot
     <----><---->
        none
               none
                      none
                              none MINIMUM
                              none MAXIMUM
        none
               none
                       none
                              CLIP DEFAULT
        CLIP
               CLIP
                       CLIP
               CLIP
                       CLIP
                              CLIP CURRENT
        CLIP
    CLIP, CLIP, CLIP, CLIP
        CLIP
               CLIP
                       CLIP
                              CLIP CURRENT
Available plotting space in inches is...
       (proportions will be maintained, size
        will be adjusted to output device.)
              horizontal 10.
              vertical
    Enter or modify sizes as needed.
     vertical
               horiz.
       space
               space
                       Y-axis
                               X-axis
                                       letter location location
        (y)
                (x)
                       length
                               length
                                       size
                                              Y-origin X-origin
     (inches) (inches) (inches) (inches) (inches) (inches)
    <----><---><---->
                                          0.01
                                                   1.
                   1.
                           1.
                                   1.

    MINIMUM

           1.
                          38.
          38.
                  38.
                                  38.
                                          3.
                                                   36.
                                                           36. MAXIMUM
           8.
                  10.
                          6.5
                                  7.5
                                           0.1
                                                   1.5
                                                           1.5 DEFAULT
                                  7.83
                                               1.7675
                                                           1.8 CURRENT
                  10.
                          5.44
                                          0.13
Make a PLOT, REVISE input or DONE?
    (Use return for PLOT)
PLOT
    plot drawn here
    Make a PLOT or REVISE input?
    (Use return for DONE)
DONE
    Error matrix?
    (Use return for YES)
   YES
    Do you want to see the output file now?
    (Use return for NO)
NO NO
    Type of statistical analysis?
    (Use return for DONE)
DONE
```



Listing of output file TEST14.OT2:

Comparison of discharge between Shasta River, CA and Scott River, CA

MEASURED =	115195		SIMULAT	ED = 1151	75			
		Mea	n	Root	mean			
Lower	Number	absolute	error(1)	square	error(2)	Bia	ıs (3)	
class	of							
limit	cases	Average	Percent	Average	Percent	Average	Percent	
0.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
1.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
1.40	0	0.000	0.0	0.000	0.0	0.000	0.0	
2.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
2.80	0	0.000	0.0	0.000	0.0	0.000	0.0	
4.00	2	57.300	1068.6	66.223	1214.4	57.300	1068.6	
5.70	49	53.204	770.5	59.853	875.0	53.204	770.5	
8.10	83	56.597	600.3	109.309	1137.2	56.311	597.3	
11.00	309	89.846	680.5	143.538	1094.3	89.429	677.4	
16.00	408	95.760	522.2	154.750	858.7	95.068	518.6	
23.00	436	126.222	455.2	235.359	835.7	124.975	450.5	
33.00	502	174.630	441.4	322.206	804.0	173.055	437.3	
46.00	736	277.008	504.9	453.265	828.0	271.378	495.2	
66.00	871	381.727	485.3	596.411	758.0	365.793	465.5	
93.00	1030	510.493	465.7	771.839	703.6	474.522	433.4	
130.00	2019	326.280	207.4	595.704	385.4	238.260	153.5	
190.00	2451	417.574	184.0	660.836	289.9	386.513	168.9	
270.00	980	831.233	261.3	1004.578	315.7	827.718	260.2	
380.00	573	1165.096	264.4	1394.966	315.1	1161.459	263.6	
530.00	271	1612.218	261.3	1953.788	313.8	1605.575	260.2	
760.00	123	2389.658	268.5	2902.760	320.7	2389.235	268.4	
1100.00	52	4047.115	325.4	4728.623	380.1	4047.115	325.4	
1500.00	40	5496.500	310.8	6454.334	366.4	5496,500	310.8	
2200.00	13	6279.230	257.5	6870.810	285.4	6279.230	257.5	
3100.00	4	12535.000	321.6	13297.467	335.9	12535.000	321.6	
4300.00	4	18927.500	359.5	19908.383	369.8	18927.500	359.5	
6100.00	1	21220.000	269.3	21220.000	269.3	21220.000	269.3	
8700.00	1	29100.000	279.8	29099.996	279.8	29100.000	279.8	
12000.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
17000.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
25000.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
35000.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
50000.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
71000.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
100000.00	0	0.000	0.0	0.000	0.0	0.000	0.0	
	10958	534.998	181.9	1136.851	3355.9	505.972	311.4	

STANDARD ERROR OF ESTIMATE = 1018.09

= (n/n-1)*square root((tot.col.5)**2 - (tot.col.7)**2)

PERCENT = 100.0 * (sum(|S-M|/M))/n for all M > 0.0

PERCENT = 100.0 * square root(sum(((S-M)/M)**2)/n) for all M > 0

PERCENT = 100.0 * (sum ((S-M)/M)/n) for all M > 0.0

S = Simulated value

M = Measured value

sum = Summation

n = Number of pairs of values

| | = Absolute value

note: Percents for the first class interval and the total should not be used if there are measured events that are zero.

⁽¹⁾ AVERAGE = sum (|S-M|/n)

⁽²⁾ AVERAGE = square root(sum((S-M) **2)/n)

⁽³⁾ AVERAGE = sum (S-M)/n

Comparison of discharge between Shasta River, CA and Scott River, CA

MEASURED = 115195

SIMULATED = 115175

			al or excee		Perce	nt cases al or	Average	of cases	
Lower	C	ases	Per	cent			within class limits		
class limit	Meas	Sim	Measured	Simulated	Measured	Simulated	Measured	Simulated	
0.00	0	-	0.00	0.00	100.00		0.00	0.00	
1.00		0	0.00	0.00	100.00		0.00	0.00	
1.40	0	0	0.00	0.00	100.00				
2.00	0	0	0.00	0.00	100.00	100.00	0.00	0.00	
2.80	0	0	0.00		100.00		0.00	0.00	
4.00	2	4	0.02	0.04	100.00	100.00	5.20	5.52	
5.70	49	22	0.45	0.20	99.98	99.96	7.04	6.65	
8.10	83	9	0.76	0.08	99.53	99.76			
11.00	309	28	2.82	0.26	98.78	99.68	13.28	14.39	
16.00	408	80	3.72	0.73	95.96	99.43	18.79	19.82	
23.00	436	198	3.98	1.81	92.23			26.57	
33.00	502	295	4.58	2.69	88.26	96.89	38.90	39.34	
46.00	736	1006	6.72	9.18	83.67	94.20	55.58	56.50	
66.00	871	1148	7.95	10.48	76.96			78.86	
93.00	1030	938	9.40	8.56	69.01	74.54	109.65	108.16	
130.00	2019	639	18.42	5.83	59.61			158.45	
190.00	2451	561	22.37	5.12	41.18	60.15	221.64	226.81	
270.00	980	657	8.94					324.50	
380.00	573	765	5.23	6.98	9.87	49.03	440.84	455.61	
530.00	271	1166	2.47	10.64	4.65	42.05	617.27	638.59	
760.00	123	1168	1.12	10.66	2.17	31.41	883.99	916.46	
1100.00	52	964	0.47	8.80	1.05	20.75			
1500.00	40	751	0.37		0.57			1795.11	
2200.00	13	312	0.12	2.85	0.21	5.10	2481.54		
3100.00	4	115	0.04	1.05	0.09	2.25	3840.00		
4300.00	4	58	0.04	0.53	0.05	1.20	5147.50	4994.65	
6100.00	1	36	0.01	0.33	0.02	0.68			
8700.00	1	20	0.01	0.18	0.01	0.35	10400.00	10154.00	
12000.00	0	11	0.00	0.10	0.00	0.16	0.00	13463.63	
17000.00	0	3	0.00	0.03	0.00	0.06		20100.00	
25000.00	0		0.00	0.03	0.00	0.04		30100.00	
35000.00	0		0.00	0.01	0.00	0.01	0.00	39500.00	
50000.00	0	_	0.00	0.00	0.00	0.00	0.00	0.00	
71000.00	0	0	0.00	0.00	0.00	0.00		0.00	
100000.00	0	0	0.00	0.00	0.00	0.00		0.00	
1	.0958	10958	100.00	100.00			201.06	707.04	

Comparison of discharge between Shasta River, CA and Scott River,

Lower		Number o	f deviat	ions bet	ween ind	icated p	ercentag	es
class limit		-60	-30	-10	0	10	30	60
0.00	0	0	0		0	0	0	 0
1.00	0	0	0	0	0	0	0	0
1.40	0	0	0	0	0	0	0	0
2.00	0	0	0	0	0	0	0	0
2.80	0	0	0	0	0	0	0	0
4.00	0	0	0	0	0	0	2	0
5.70	0	0	0	0	0	0	49	0
8.10	0	2	2	1	0	0	78	0
11.00	0	8	4	1	0	2	294	0
16.00	5	7	2	3	11	7	373	0
23.00	7	6	11	13	4	6	389	0
33.00	3	8	25	12	18	31	405	0
46.00	18	34	45	25	16	56	542	0
66.00	41	91	100	33	23	43	540	0
93.00	69	209	95	19	2	8	628	0
130.00	252	752	82	48	52	73	760	0
190.00	31	298	169	60	41	126	1726	0
270.00	2	1	16	11	7	5	938	0
380.00	1	4	1	0	0	3	564	0
530.00	1	1	2	1	3	2	261	0
760.00	0	0	0	1	2	0	120	0
1100.00	0	0	0	0	0	1	51	0
1500.00	0	0	0	0	0	1	39	0
2200.00	0	0	0	0	0	0	13	0
3100.00	0	0	0	0	0	0	4	0
4300.00	0	0	0	0	0	0	4	0
6100.00	0	0	0	0	0	0	1	0
8700.00	0	0	0	0	0	0	1	0
12000.00	0	0	0	0	0	0	0	0
17000.00	0	0	0	0	0	0	0	0
25000.00	0	0	0	0	0	0	0	0
35000.00	0	0	0	0	0	0	0	0
50000.00	0	0	0	0	0	0	0	0
71000.00	0	0	0	0	0	0	0	0
100000.00	0	0	0	0	0	0	0	0
	430	1421	554	228	179	364	7782	0

STATISTICS DURATION

Duration analysis performs traditional flow-duration analysis by counting occurrences of all time-series values within flow intervals. Output includes a table and a plot using log-normal axes. You can enter the class intervals or have them set by entering a minimum and maximum. Intervals that are computed are uniform in log space. Data must be in a WDM time-series data set or in a PLTGEN file and the time step of the data must be 1 day or less.

Default start and end dates are based on the record available in the input file but may be changed to a shorter period. Results are placed in a file that can be viewed on the screen. Note that on the scale of the probability axis, the absolute value of the minimum and maximum should be the same. If not, the absolute value of the larger number will be used for both.

- 1 Select the type of input file and enter the names of the input and output files.
- 2 Enter the time step for the values to be used.
- 3 If a WDM file is used, enter the data-set number. If a PLTGEN file is used, select the time series to be used.
- 4 Enter the time period for the analysis. For WDM files, the current start and end date is determined from the data set. For PLTGEN files, the end date is unknown.
- 5 Enter the title for the table and plot.
- 6 Select the standard or user-defined class intervals. For the standard, only the minimum and maximum are entered. The minimum must be greater than zero.
- 7 Select options to print the file on the screen and create a plot as needed.
- 8 For the graphics device, enter type of device, characteristics of the line, scales for the axes and sizes for the plot.

For the example, data-set number 4 was selected from the file DAVID.WDM. The output table was written to the file TEST14.OT1. A daily time step was used. Although 41 years of record were available, a 30-year period for water years 1951 through 1980 was selected. Standard class intervals from 1.0 to 100000 were used. A plot was made for the graphics terminal using a solid black line. Values greater than three standard deviates were not plotted.

```
Type of statistical analysis?
    (Use return for DONE)
DURATION
    PLTGEN or WDM input file?
    (Use return for DONE)
Name of your WDM file?
    DAVID.WDM
    Name of output file?
   TEST14.OT1
    Time step for analysis? (minutes)
    (Use return for 1440)
Which WDM data-set number?
Attributes of data-set 4
     ISTAID: 11519500
     TSTYPE :
                    FLOW
     TCODE :
                      4
     TSSTEP :
                      1
     STANAM:
                    Scott River near Fort Jones, CA.
       Data available between the following dates:
    1941 OCT 1 - 1982 SEP 30 24:00:00
    115195
    Press return if label OK or enter new label. (max 20 char)
Enter beginning and ending dates
    <= STARTING DATE =>
                       <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
    1492 1 1 0 0 0 MINIMUM
    1492 1 1 0 0 0
    2020 12 31 24 59 59
                        2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                        none 12 31 0 0 0 DEFAULT
    1941 10 1 0 0 0
                        1982 9 30 24 0 0 CURRENT
1950
                        1980
    1950 10 1 0 0 0
                        1980 9 30 24 0 0 CURRENT
Enter title for plot. (max 80 char)
Flow duration curve for Scott River near Fort Jones, CA.
```

duration analysis

```
STANDARD or USER defined class intervals?
     (Use return for STANDARD)
STANDARD
     Lower bound for class intervals?
     (Use return for 1.)
1.0
     Upper bound for class intervals?
     (Use return for 1000.)
100000
    File being read.
     File being read.
     Do you want to see the output file now?
     (Use return for NO)
     Do you want to plot the data?
     (Use return for YES)
YES
    PRINTER plot or on GRAPHICS device?
     (Use return for GRAPHICS)
Output device (SCREEN, PRINTER, PLOTTER, GKS META, DIS META)?
     (Use return for SCREEN)
SCREEN
    Enter or modify appropriate items.
      type
              color symbol
     <----> <---->
                     none MINIMUM
       none
             none
              none
                      none MAXIMUM
       none
       NONE
              BLACK
                      O DEFAULT
       NONE
              BLACK
                         O CURRENT
    SOLID, BLACK, NONE
      SOLID BLACK NONE CURRENT
```

```
Change transformations if needed.
                    Axis
                                           trans-
                   type minimum maximum formation
 Variable name
<-----1----><---> FIELD
                                             PROB VAR 1
Normal deviates bottom X
                            -10. 5.16633
                 left Y
                             1. 10.E+4
Class interval
                                              LOG VAR
                                              none MINIMUM
                                              none MAXIMUM
                                             ARITH DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

STATISTICS duration analysis


STATISTICS

```
Variable
                  Minimum
                              Maximum
                               10.E+4 LEFT Y-AXIS
    Class interval
                          1.
    Enter values for scale.
     MINIMUM MAXIMUM
    <---->
      -10.E+9 -10.E+9 MINIMUM
       10.E+9 10.E+9 MAXIMUM
               O. DEFAULT
         0.
             10.E+4 CURRENT
         0.1
1.0

    10.E+4 CURRENT

Note: values off bottom of plot.
        Variable
                      Minimum Maximum
    Normal deviates
                        -10. 5.16633
                                         X-AXIS
    Enter values for scale.
     MINIMUM MAXIMUM
    <---->
      -10.E+9 -10.E+9 MINIMUM
             10.E+9 MAXIMUM
       10.E+9
         Ο.
                 O. DEFAULT
                 4. CURRENT
         -4.
-3,3
         -3. 3. CURRENT
Note: values off right of plot.
    Note: values off left of plot.
    Select plotting action to take for values off plot?
      Top Bottom Left Right
     of plot of plot of plot
    <----><---->
            none none
                         none MINIMUM
       none
       none none none MAXIMUM
       CLIP CLIP CLIP DEFAULT
       CLIP CLIP CLIP CURRENT
   CLIP, CLIP, IGNORE, IGNORE
      CLIP CLIP IGNORE IGNORE CURRENT
```

```
Available plotting space in inches is...
        (proportions will be maintained, size
        will be adjusted to output device.)
              horizontal 10.
              vertical 8.
     Enter or modify sizes as needed.
     vertical
               horiz.
       space
                space
                       Y-axis
                                X-axis
                                        letter location location
        . (y)
                 (x)
                       length
                                length
                                         size
                                               Y-origin X-origin
      (inches) (inches) (inches) (inches) (inches) (inches)
     <----><----><---->
           1.
                            1.
                                    1.
                                           0.01
                                                             1. MINIMUM
                   1.
                                                     1.
          38.
                   38.
                           38.
                                   38.
                                            З.
                                                    36.
                                                             36. MAXIMUM
           8.
                  10.
                           6.5
                                   7.5
                                            0.1
                                                    1.5
                                                             1.5 DEFAULT
           8.
                  10.
                          5.44
                                  7.83
                                           0.13
                                                 1.7675
                                                             1.8 CURRENT
    Make a PLOT, REVISE input or DONE?
     (Use return for PLOT)
PLOT
    plot drawn here
    Make a PLOT or REVISE input?
     (Use return for DONE)
DONE
```



STATISTICS duration analysis

Listing of output file TEST14.OT1

Flow duration curve for Scott River near Fort Jones, CA.

Cases equal or									
	exceedi	ng lower	Cases ed	qual or					
	limit a	nd less	exceedir	ng lower					
Lower	than upp	er limit	class	limit					
class				D					
limit	Cases	Percent	Cases	Percent					
0.00	0	0.00	10958	100.00					
1.00	0	0.00	10958	100.00					
1.40	0	0.00	10958	100.00					
2.00	0	0.00	10958	100.00					
2.80	0	0.00	10958	100.00					
4.00	4	0.04	10958	100.00					
5.70	22	0.20	10954	99.96					
8.10	9	0.08	10932	99.76					
11.00	28	0.26	10923	99.68					
16.00	80	0.73	10895	99.43					
23.00	198	1.81	10815	98.70					
33.00	295	2.69	10617	96.89					
46.00	1006	9.18	10322	94.20					
66.00	1148	10.48	9316	85.02					
93.00	938	8.56	8168	74.54					
130.00	639	5.83	7230	65.98					
190.00	561	5.12	6591	60.15					
270.00	657	6.00	6030	55.03					
380.00	765	6.98	5373	49.03					
530.00	1166	10.64	4608	42.05					
760.00	1168	10.66	3442	31.41					
1100.00	964	8.80	2274	20.75					
1500.00	751	6.85	1310	11.95					
2200.00	312	2.85	559	5.10					
3100.00	115	1.05	247	2.25					
4300.00	58	0.53	132	1.20					
6100.00	36	0.33	74	0.68					
8700.00	20	0.18	38	0.35					
12000.00	11	0.10	18	0.16					
17000.00	3	0.03	7	0.06					
25000.00	3	0.03	4	0.04					
35000.00	1	0.01	1	0.01					
50000.00	0	0.00	0	0.00					
71000.00	0	0.00	0	0.00					
100000.00	0	0.00	0	0.00					

STATISTICS FREQUENCY YES

The Water Resources Council published procedures for flood-frequency analysis in 1981 in Bulletin 17B (U.S. Geological Survey, 1982). The procedures contain techniques for including historic flood information and high and low outliers. In the analysis, flood peaks are placed in one of two groups, historic peaks or systematic record. Systematic record results from a systematic collection of streamflow data at a site on a stream and historic peaks are data outside the period or periods of systematic record. The Log Pearson Type III distribution which requires a mean, standard deviation and skew is used for the analysis. Skews can be computed from the data, estimated from Bulletin 17B regional maps, or the two estimates can be weighted.

The code used in ANNIE is from the cataloged procedure J407 on the U. S. Geological Survey mainframe computer and has been converted to run in ANNIE. Documentation of J407 can be found in the WATSTORE users manual, Volume 4 (Lepkin, 1979).

Time-series data sets with a yearly time step or table data sets may be used for the analysis. Only table data sets use the qualification codes. IOWDM is the only way to create table data sets and uses files created from retrievals of the WATSTORE peak flow file (Lepkin, 1979). Annual time series can be created with ANNIE using the ADD time series option. To correctly respond to the table menus, the user must understand the program J407 as documented in Bulletin 17B and the WATSTORE manual. As an alternate to input from the WDM file, the formatted file used by J407 as documented in the WATSTORE manual, Volume 4, can be used as input.

- 1 Enter the source of the data. Input from the WDM file can be table or time-series data set, but only table data sets include qualification codes.
- 2 Enter the name of the input file. If you are using a WDM file, select the data sets to be analyzed.
- 3 Enter the name of the output file.

- 4 If a WDM file is used with table data sets, you can select to make changes to the various analysis The options are contained in five table options. The first menu allows modification of the menus. start and end date, skew computation technique, and whether to include peaks affected by regulation or The second menu requires input if a urbanization. user defined skew is selected. The third menu requires input for historical adjustments. fourth menu is used to change the low outlier crite-A fifth menu is presented for base-gage discharge if any less than flags exist for the peak-flow data.
- 5 Select options for graphics output, confidence limits, and additional output.
- 6 If graphics output was selected, modify the size specifications if needed.

Five watersheds are used in the example, four from Bulletin 17B and the fifth is Sugar Creek at Crawfordsville, Indiana. Both printer plots and plots on graphics devices are used. The output file and plots are only shown for the first watershed, Floyd River at James, Iowa.

Type of statistical analysis? (Use return for DONE)

FREQUENCY

Do you want to use Bulletin 17B procedures? (Use return for NO)

YES

Input from WDM file, WATSTORE file, or TERMINAL?
(Use return for DONE)

MUM SE

WDM file <SWBR2>SW.MODELS>ANNIE0189>TEST>DAVID.WDM is already open. Do you want to use it? (Use return for YES)

YES

NO data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD ADD

WDM file data-set number?

12

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?

(Use return for DONE)

```
ADD
    WDM file data-set number?
13
    FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
    (Use return for DONE)
WDM file data-set number?
14
    FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
    (Use return for DONE)
ADD
    WDM file data-set number?
FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
    (Use return for DONE)
ADD
    WDM file data-set number?
47
    FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
    (Use return for DONE)
    DONE
Name of output file?
   TEST15.OT2
    Do you want to set or change any options?
    (Use return for NO)
YES
    Make appropiate changes if needed.
                                            Include
                                      Skew
                                             urban-
              Station
                         Begin End
                                      comp. regulate
                          year year
              I.D.
                                       opt. peaks?
    FIELD <----5---> FIELD
    Sta. 1
                 01373500 1882 1984
                                       WTD
                                                NO Sta. 1
                 06600500 1935 1987
                                                NO Sta. 2
    Sta. 2
                                       WTD
                                                NO Sta. 3
    Sta. 3
                 01614000 1929 1975
                                       WTD
    Sta. 4
                 11274500 1932 1986
                                       WTD
                                                NO Sta. 4
    Sta. 5
                 03339500 1913 1986
                                       WTD
                                                NO Sta. 5
```

Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM

1

2000 3000

1901 1988

10

none

none

WTD

none MINIMUM

none MAXIMUM

NO DEFAULT

MINIMUM

MAXIMUM

DEFAULT

command? EG

```
Make appropiate changes if needed.
                                                                        Include
                                                                      urban-
                                                             Skew
                 Station Begin End comp. regulate
                  I.D.
                                      year year opt. peaks?
FIELD <----5---> FIELD
Sta. 1 01373500 1945 1968 WTD NO Sta. 1

      Sta. 2
      06600500
      1935
      1973
      WTD
      NO Sta. 2

      Sta. 3
      01614000
      1929
      1973
      WTD
      NO Sta. 3

      Sta. 4
      11274500
      1932
      1973
      WTD
      NO Sta. 4

      Sta. 5
      03339500
      1913
      1977
      WTD
      NO Sta. 5

                                        10 none none MINIMUM
2000 3000 none none MAXIMUM
1901 1988 WTD NO DEPART
MINIMUM
MAXIMUM
DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

Bulletin 17B or USER defined generalized skew? (Use return for 17B)



Make	ap	propriate changes	if needed.			
		Station	Generalized	Standard		
		I.D.	Skew	Error		
FIELD		<><	:>	<>	FIELI)
Sta.	1	01373500	0.59086	0.55	Sta.	1
Sta.	2	06600500	-0.2968	0.55	Sta.	2
Sta.	3	01614000	0.445	0.55	Sta.	3
Sta.	4	11274500	-0.19177	0.55	Sta.	4
Sta.	5	03339500	-0.4	0.55	Sta.	5
MINIM	UM		none	none	MININ	MUN
MAXIM	UM		none	none	MAXIN	MUL
DEFAU	LΤ		0.	0.	DEFAU	JLT
Comma	nd:	s:DONE, ?, HELP, VIEW	, EDIT, TRANSF	ORM		
comma	nď	? EG				

```
Make appropriate changes if needed.
         Station Generalized Standard
          I.D.
                     Skew
                                 Error
FIELD <----><---> FIELD
         01373500 0.6
06600500 -0.3
01614000 0.5
Sta. 1
                                   0.55 Sta. 1
                                  0.55 Sta. 2
Sta. 2
Sta. 3
                                   0.55 Sta. 3
                           -0.3
Sta. 4
            11274500
                                   0.55 Sta. 4
Sta. 5
            03339500
                           -0.4
                                    0.55 Sta. 5
                                   none MINIMUM
MINIMUM
                           none
MAXIMUM
                           none
                                    none MAXIMUM
DEFAULT
                            0.

    DEFAULT

Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? DONE
```

Do you want to apply historic adjustment procedures? (Use return for NO)



Start and end date modified by attributes J407BY and J407EY for data-set number 12.

Start and end date modified by attributes J407BY and J407EY for data-set number 13.

Start and end date modified by attributes ${\tt J407BY}$ and ${\tt J407EY}$ for data-set number 14.

Start and end date modified by attributes J407BY and J407EY for data-set number 15.

Start and end date modified by attributes J407BY and J407EY for data-set number 47.

		Station I.D.	Largest systematic peak	peak	return period	threshold		
Sta.		01373500			-	_		
Sta.			7.15E+4			-1.		_
Sta.	3	01614000	22400.	-1.	0.	-1.	Sta.	3
Sta.	4	11274500	10200.	-1.	0.	-1.	Sta.	4
Sta.	5	03339500	26300.	8720.	0.	8720.	Sta.	5
MINIM	UM		0.	-1.	-1.	-1.	MINIM	UM
MAXIM	UM		none	none	none	none	MAXIM	UM
DEFAU	LT		0.	0.	0.	0.	DEFAU:	LT
	nds	::DONE,?,HELP,VIE		·	0.	· ·	DDI AO.	

FIELD	-	Station I.D. >	systematic peak	peak	return period	threshold		
Sta.		-	8800.	=	=	_		1
Sta.	2	06600500	7.15E+4	-1.	82.	7.E+4	Sta.	2
Sta.	3	01614000	22400.	-1.	0.	-1.	Sta.	3
Sta.	4	11274500	10200.	-1.	0.	-1.	Sta.	4
Sta.	5	03339500	26300.	8720.	102.	3.5E+4	Sta.	5
MINIM	JM		0.	-1.	-1.	-1.	MINIM	JM
MAXIM	JM		none	none	none	none	MAXIM	JM
DEFAU:	LT		0.	0.	0.	0.	DEFAU	LT

Do you want to change or view low outlier criteria? (Use return for NO)



Start and end date modified by attributes ${\tt J407BY}$ and ${\tt J407EY}$ for data-set number 12.

Start and end date modified by attributes J407BY and J407EY for data-set number 13.

Start and end date modified by attributes ${\tt J407BY}$ and ${\tt J407EY}$ for data-set number 14.

Start and end date modified by attributes ${\tt J407BY}$ and ${\tt J407EY}$ for data-set number 15.

Start and end date modified by attributes J407BY and J407EY for data-set number 47.

Make a	app	propiate changes is	needed.					
				Low				
		Station	Lowest	outlier				
		I.D.	peak flow	criteria				
FIELD		<><-	>	<>	FIELD			
Sta.	1	01373500	980.	0.	Sta.	1		
Sta.	2	06600500	318.	0.	Sta.	2		
Sta.	3	01614000	536.	0.	Sta.	3		
Sta.	4	11274500	0.	0.	Sta.	4		
Sta.	5	03339500	903.	0.	Sta.	5		
MINIM	UM		0.	0.	MINIM	UM		
MIXAM	JM		none	none	MAXIM	MU		
DEFAU	LT		0.	0.	DEFAU	LT		
Commar	nd 6	::DONE, ?, HELP, VIEW,	FOIT TOANS	ZOPM				
		DONE, :, HELP, VIEW,	EDII, IKANSI	ORM				
commar	10.5	DONE					 	

Modify options as needed. Print Include Plot Confidence plotting Additional debug option limits position output printout? <----><----> 0.5 none none none none MINIMUM 0.995 none none none MAXIMUM none NO DEFAULT PRINTER 0.95 YES WDM YES NO CURRENT 0.95 WDM PRINTER BOTH, 0.95, YES, WDM, NO BOTH 0.95 YES WDM NO CURRENT Processing data-set number 12. Start and end date modified by attributes J407BY and J407EY for data-set number 12. Mean, standard deviation, skew and n-yr peaks added as attributes to data set 12. Output device (SCREEN, PRINTER, PLOTTER, GKS_META, DIS_META)? (Use return for SCREEN) SCREEN Available plotting space in inches is... (proportions will be maintained, size will be adjusted to output device.) horizontal 10. vertical Enter or modify sizes as needed. vertical horiz. space Y-axis X-axis letter location location space (y) (x) length length size Y-origin X-origin (inches) (inches) (inches) (inches) (inches) (inches) <----><----><----><----> 1. MINIMUM 1. 1. 1. 1. 0.01 1. 38. 36. 38. 38. 38. 3. 36. MAXIMUM 8. 10. 6.5 7.5 0.1 1.5 1.5 DEFAULT 5.44 7.57 0.13 1.7675 1.8 CURRENT 8. 10. Make a PLOT, REVISE input or DONE? (Use return for PLOT) PLOT plot is drawn here Make a PLOT or REVISE input? (Use return for DONE) DONE

Note: Identical user interaction for graphics for the next four data sets not included.

PGM J407 VER 3.9A-P (REV 08/09/89)

U. S. GEOLOGICAL SURVEY ANNUAL PEAK FLOW FREQUENCY ANALYSIS FOLLOWING WRC GUIDELINES BULL. 17-B.

EXECUTION BEGINNING AT DATE, TIME -3/5/90 1408

-- JOB OPTIONS ---

IPLTOP IBCPUN IPRTOP IDEBUG IPPOS ISKUDP NOXPA NOCLM INFORM

INPUT FORMAT - 1 ANNIE/WDMS FILE RETRIEVAL

EXPLANATION OF PEAK DISCHARGE QUALIFICATION CODES

J407 FILE

DAM FAILURE, NON-RECURRENT FLOW ANOMALY DISCHARGE GREATER THAN STATED VALUE BOTH OF THE ABOVE DISCHARGE LESS THAN STATED VALUE KNOWN EFFECT OF REGULATION OR URBANIZATION HISTORIC PEAK

3+8

REPORT TROUBLE TO OFFICE OF SURFACE WATER.

PGM J407 VER 3.9A-P (REV 08/09/89)

U. S. GEOLOGICAL SURVEY ANNUAL PEAK FLOW FREQUENCY ANALYSIS FOLLOWING WRC GUIDELINES BULL. 17-B.

1935-73 * HISTORIC * STATION -06600500/ FLOYD RIVER AT JAMES, IOWA 06600500/

RUN-DATE 3/ 5/90 AT 1408 SEQ

INPUT DATA SUMMARY

GENERALIZED STD. ERROR OF SKEW GENERAL, SKEW OPTION USER-SET OUTLIER CRITERIA HIGH OUTLIER LOW OUTLIER -- YEARS OF RECORD --SYSTEMATIC HISTORIC HISTORIC GAGE BASE PEAKS DISCHARGE

0 -0.300 0.550 WRC WEIGHTED 70000.0

******* NOTICE -- PRELIMINARY MACHINE COMPUTATIONS. USER RESPONSIBLE FOR ASSESSMENT AND INTERPRETATION.

WCF134I-NO SYSTEMATIC PEAKS WERE BELOW GAGE BASE.
WCF195I-NO LOW OUTLIERS WERE DETECTED BELOW CRITERION.
*WCF161I-USER HIGH OUTLIER CRITERION REPLACES WRC. 70000.0
WCF165I-HIGH OUTLIERS AND HISTORIC PEAKS ABOVE HHBASE. 1 0

ANNUAL FREQUENCY CURVE PARAMETERS -- LOG-PEARSON TYPE III

	FLOOD BASE DISCHARGE	FLOOD BASE EXCEEDANCE PROBABILITY	LOGARITHMIC MEAN	LOGARITHMIC STANDARD DEVIATION	LOGARITHMIC SKEW
SYSTEMATIC RECORD	0.0	1.0000	3,5553	0.4642	0.357
W R C ESTIMATE	0.0	1.0000	3.5374	0.4377	0.075

ANNUAL FREQUENCY CURVE ORDINATES -- DISCHARGES AT SELECTED EXCEEDANCE PROBABILITIES

ANNUAL EXCEEDANCE	WRC	SYSTEMATIC	'EXPECTED PROBABILITY'	95-PCT CONFI FOR W R C	DENCE LIMITS ESTIMATES
PROBABILITY	ESTIMATE	RECORD	ESTIMATE	LOWER	UPPER
0.9950	276.0	327.3	228.6	143.1	441.5
0.9900	349.5	396.6	302.5	190.3	541.9
0.9500	671.3	694.5	630.4	415.6	960.9
0.9000	955.3	957.2	910.8	630,0	1317.6
0.8000	1470.8	1441.6	1435.6	1037.4	1958.0
0.5000	3403.8	3371.3	3403.8	2596.2	4458.4
0.2000	8018.2	8625.9	8225.8	6025.9	11355.9
0.1000	12638.8	14624.9	13303.6	9148.8	19218.8
0.0400	20644.7	26424.3	22477.6	14169.3	34330.9
0.0200	28429.4	39343.6	32286.7	18761.6	50344.1
0.0100	37987.5	56892.0	44711.4	24143.3	71361.6
0.0050	49608.8	80458.2	61560.9	30414.7	98530.9
0.0020	68702.8	123894.6	88150.0	40258.9	146241.9

PGM J407 VER 3.9A-P (REV 008/09/89) U. S. GEOLOGICAL SURVEY ANNUAL PEAK FLOW FREQUENCY ANALYSIS FOLLOWING WRC GUIDELINES BULL. 17-B.

RUN-DATE 3/ 5/90 AT 1408 SEQ 2

STATION -


06600500/


FLOYD RIVER AT JAMES, IOWA

1935-73 * HISTORIC *

06600500/

	INPUT DATA LISTIN	īG	EMPIRICAL	FREQUENCY CURVES	WEIBULL	PLOTTING POSITIONS
WATER			WATER	RANKED	SYSTEMATIC	WRC
YEAR		CODES	YEAR	DISCHARGE	RECORD	ESTIMATE
1935	1460.0		1953	71500.0	0.0250	0.0120
1936	4050.0		1962	20600.0	0.0500	0.0309
1937	3570.0		1969	17300.0	0.0750	0.0566
1938	2060.0		1960	15100.0	0.1000	0.0823
1939	1300.0		1952	13900.0	0.1250	0.1080
1940	1390.0		1971	13400.0	0.1500	0.1336
1941	1720.0		1951	8320.0	0.1750	0.1593
1942	6280.0		1965	7500.0	0.2000	0.1850
1943	1360.0		1944	7440.0	0.2250	0.2107
1944	7440.0		1966	7170.0	0.2500	0.2364
1945	5320.0		1942	6280.0	0.2750	0.2620
1946	1400.0		1954	6250.0	0.3000	0.2877
1947	3240.0		1973	5660.0	0.3250	0.3134
1948	2710.0		1945	5320.0	0.3500	0.3391
1949	4520.0		1950	4840.0	0.3750	0.3648
1950	4840.0		1970	4740.0	0.4000	0.3905
1951			1949	4520.0	0.4250	0.4161
1952			1936	4050.0	0.4500	0.4418
1953			1963	3810.0	0.4750	0.4675
1954			1937	3570.0	0.5000	0.4932
1955			1947	3240.0	0.5250	0.5189
1956	318.0		1972	2940.0	0.5500	0.5445
1957			1961	2870.0	0.5750	0.5702
1958			1948	2710.0	0.6000	0.5959
1959	1920.0		1955	2260.0	0.6250	0.6216
1960			1938	2060.0	0.6500	0.6473
1961			1967	2000.0	0.6750	0.6730
1962			1959	1920.0	0.7000	0.6986
1963			1941	1720.0	0.7250	0.7243
1964			1935	1460.0	0.7500	0.7500
1965			1946	1400.0	0.7750	0.7757
1966			1940	1390.0	0.8000	0.8014
1967			1943	1360.0	0.8250	0.8270
1968			1957	1330.0	0.8500	0.8527
1969			1939	1300.0	0.8750	0.8784
1970			1958	970.0	0.9000	0.9041
1971	13400.0		1968	829.0	0.9250	0.9298
1972			1964	726.0	0.9500	0.9555
1973	5660.0		1956	318.0	0.9750	0.9811





STATISTICS FREQUENCY NO

With this option annual time series on a WDM data set may be analyzed with the Log Pearson Type III distribution, without the extra features of Bulletin 17B. Data may be entered with IOWDM, the ADD time-series option, or may be created with the STATISTICS N-DAY option that computes n-day annual high and low flow from a daily time series.

The code used in ANNIE is from the cataloged procedure A193 on the U. S. Geological Survey mainframe computer and has been converted to run in ANNIE. Documentation of A193 can be found in the WATSTORE user's manual, Volume 4 (Lepkin, 1979). Procedures have been included to handle zero values and periods of missing records. Missing record must have annual values of -1 or less. Besides an output file and plots on the printer or graphics device, this option may add computed flow statistics to the attributes of each data set if requested by the user. These computed statistics may then be used in the generalized least squares (GLS) procedures or placed in a flat file using TABLE attributes for further processing by statistical packages or spread sheet software.


- 1 Enter name of WDM file if not already open and name of file for output.
- 2 Select annual time-series data sets using the SELECT option as provided.
- 3 Select option for graphics output.
- 4 Enter start and end years for analysis.
- 5 If graphics device selected, enter type of device, scales for axes (probability axis scaled in standard deviates), and sizes for the plot.

The example shows analysis of 7-day low flow values on data-set number 504 for 44 years on the Shasta River near Yreka, California. Nine attributes were written to the WDM file for data-set number 504. A listing of the output file follows the frequency plot. For a station with zero flows, additional output is provided.

```
Type of statistical analysis?
     (Use return for DONE)
FREQUENCY
     Do you want to use Bulletin 17B procedures?
     (Use return for NO)
     WDM file <SWBR2>SW.MODELS>ANNIE0189>TEST>DAVID.WDM
     is already open. Do you want to use it?
     (Use return for YES)
Y
     Name of output file?
TEST16.OT2
       NO data sets are currently in the buffer.
       You are now in the SELECT option.
     FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
    ADD
     WDM file data-set number?
    504
     FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
DONE
     Do you want frequency plots?
     (Use return for YES)
YES
     Plot on GRAPHICS device or file for PRINTER?
     (Use return for GRAPHICS)
GRAPHICS
     Should computed statistics be put on WDM file?
     (Use return for NO)
YES
     Enter start and end year.
      Start
             End
       year year
     <--->
               1 MINIMUM
          1
       2020 2020 MAXIMUM
       1935 1986 DEFAULT
       1935 1982 CURRENT
9 flow statistics written as data-set attributes
       on data-set number 504.
      MEANND SDND
                   SKWND NUMZRO NONZRO L07020 L07010 L07005 L07002
     Output device (SCREEN, PRINTER, PLOTTER, GKS META, DIS META)?
     (Use return for SCREEN)
SCREEN
```

Variable	Minimum	Maximum		
Estimated flow Observed flow	5.47142 5.1207	67.8571 65.438	LEFT Y-AXI LEFT Y-AXI	
Enter values for sca	le.			
-10.E+9 -10.E+9 10.E+9 10.E+9 0. 0. 1. 100.	MAXIMUM DEFAULT			
Variable	Minimum	Maximum		
Calc std deviates Assigned std deviate			X-AXIS X-AXIS	
Enter values for scal	le.			
-10.E+9 -10.E+9 10.E+9 10.E+9 0. 0. -2.1 2.1	MAXIMUM DEFAULT			
Available plotting s (proportions will will be adjusted horizontal vertical	be maintained to output devine 10.	d, size		
Enter or modify sizes vertical horiz.	s as needed.			
(y) (x)] (inches) (i	ength lengt .nches) (inche	th size es) (inches)		igin hes)
1. 1. 38. 38. 8. 10. 8. 10.	1. 38.	1. 0.01 38. 3. 7.5 0.1	1. 36. 1.5	1. MINIMUM 36. MAXIMUM 1.5 DEFAULT 1.8 CURRENT
Make a PLOT, REVISE i (Use return for PLOT) PLOT	-	?		
plot is drawn here				
Make a PLOT or REVISE (Use return for DONE) DONE				

Finished frequency analysis processing.



144

Listing of output file TEST16.OT2:
Log-Pearson Type III Statistics (formerly USGS Program A193, Jan. 1986
(Note -- Use of Log_Pearson Type III distribution is for
preliminary computations. User is responsible
for assessment and interpretation.

Station 11517500 Shasta River near Yreka, CA.

Analysis for -- 12 month period ending March 31 1935-1982

Parameter is 7-day low value.

O zero values in data

44 non-zero values	in data			
8.786	8.500	9.500	8.857	67.857
5.471	36.286	24.286	25.571	17.000
20.571	11.943	9.700	13,286	31.286
24.714	15.714	6.671	52.286	12.857
52.000	11.143	6.414	11.357	13.000
36.143	12.357	38.143	10.229	19.000
7.114	25.571	14.714	24.143	17.429
11.743	47.286	41.143	14.571	8.814
31.286	13.843	17.429	5.800	

The following 14 statistics are based on non-zero values.

Mean	20.496	
Variance	212.884	
Standard Deviation	14.591	
Skewness	1.441	
Standard Error of Skewness	0.357	
Serial Correlation Coefficient	-0.251	
Coefficient of Variation	0.712	
Mean (logs)	1.218	
Variance (logs)	0.080	
Standard Deviation (logs)	0.283	
Skewness (logs)	0.331	
Standard Error of Skewness (logs)	0.357	
Serial Correlation Coefficient (logs)	-0.247	
Coefficient of Variation (logs)	0.232	

Mean, standard deviation and skew added as attibutes (WRCMN, WRCSD, WRCSKW) to users WDM file on data-set 504

Non-exceedance Probability	Recurrence Interval	Parameter Value
0.0100	100.00	4.261
0.0200	50.00	4.881
0.0500	20.00	6.040
0.1000	10.00	7.366
0.2000	5.00	9.481
0.5000	2.00	15.951
0.8000	1.25	28.236
0.9000	1.11	38.859
0.9600	1.04	55.511
0.9800	1.02	70.522
0.9900	1.01	87.996

9 statistics added as attributes to users WDM file. MEANND SDND SKWND NUMZRO NONZRO L07020 L07010 L07005 L07002

STATISTICS N-DAY

This option computes annual n-day high and low flows for a daily time series. A default set of 1-, 2-, 3-, 7-, 10-, 30-, 60-, 90-, 183-, and 365-day periods can be selected or you may specify the durations in days for the statistics. The start and end time of the observation period is input so the user can specify calendar year (Jan-Dec), water year (Oct-Sept), any other year, or even season. Output is provided in a table and, optionally, the computed annual time-series data sets are added to a WDM file using a year time step. You should put the results on WDM data sets if subsequent frequency analyses are to be performed.

- 1 Enter the name of your WDM file.
- 2 Select the type of output and enter file name, decimal places, and significant digits if a print file is selected.
- 3 Select option for high flow, low flow, or both.
- 4 Select option for standard or user-defined durations.
 If user defined, enter up to 10 durations.
- 5 Select data-set numbers for processing.
- 6 Enter a data-set number for output if the WDM output option selected in step 2. The data set does not need to exist.
- [7] Select processing for full period or a common period of record. If a common period, enter the start and ending years.
- 8 Enter season for high-flow, low-flow or both depending on the selection in step 3. Usually the season for high flow is a full year beginning in October and ending in September. The season for low flow is usually April thru March.

Type of statistical analysis?

In the example, one data set is selected and the standard durations are used for the full period of record. Output to the WDM file started with data-set number 501 for the first annual time series and ended with 520, 10 data sets for low flow and 10 for high flow. The attributes for the 20 new time series were copied from the source daily values time series, with the attributes TSSTEP, TCODE, TGROUP, and TSTYPE changed appropriately. The output file follows the example user interaction. The second value in each of the 10 columns is the rank.

```
(Use return for DONE)
N-DAY
     Name of your WDM file?
DAVID.WDM
     Do you want output on PRINT file or WDM data-sets?
     (Use return for BOTH)
BOTH
     Name of output file?
TEST16.0T1
     Number of decimal places for output table.
     (Use return for 0)
1 2
     Significant digits for values in output table?
     (Use return for 3)
HIGH or LOW flow conditions?
     (Use return for BOTH)
     STANDARD or USER selected durations?
     (Use return for STANDARD)
STAN
       NO data sets are currently in the buffer.
       You are now in the SELECT option.
     FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
     WDM file data-set number?
     FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
DONE
     Data-set numbers for output of annual series will be added to
     WDM file based on the first DSN number provided. The data
     sets can later be SELECTed for further processing using the
     FIND then RANGE options for the group of data-sets created.
     Enter starting data-set number to output n-day annual series.
     (Use return for 501)
501
```

```
Analysis for FULL periods of record or a COMMON period?
     (Use return for FULL)
FULL
     Enter season for high flow statistics.
       month
               month
      season
             season
      starts
                ends
     <---->
          1
                  1 MINIMUM
                 12 MAXIMUM
          12
          10
                   9 DEFAULT
                   9 CURRENT
10,9
          10
                   9 CURRENT
Enter season for low flow statistics.
      month
               month
      season
              season
     starts
               ends
     <---->
                  1 MINIMUM
           1
          12
                 12 MAXIMUM
                  3 DEFAULT
                  3 CURRENT
4,3
           4
                   3 CURRENT
Processing input data-set number 3
     Bad values in year starting 1941. Year skipped in analysis.
     Bad values in year starting 1942. Year skipped in analysis.
       10 years processed
     Bad values in year starting 1943. Year skipped in analysis.
      Bad values in year starting 1944. Year skipped in analysis.
       20 years processed
        30 years processed
        40 years processed
      1-day low flow for each year on data-set 501.
     2-day low flow for each year on data-set 502.
      3-day low flow for each year on data-set 503.
      7-day low flow for each year on data-set 504.
     10-day low flow for each year on data-set 505.
     30-day low flow for each year on data-set 506.
     60-day low flow for each year on data-set 507.
     90-day low flow for each year on data-set 508.
     183-day low flow for each year on data-set 509.
     365-day low flow for each year on data-set 510.
```

STATISTICS n-day high and low

STATISTICS

```
Processing input data-set number 3
 Bad values in year starting 1941. Year skipped in analysis.
  10 years processed
 Bad values in year starting 1942. Year skipped in analysis.
Bad values in year starting 1943. Year skipped in analysis.
 Bad values in year starting 1944. Year skipped in analysis.
   20 years processed
   30 years processed
   40 years processed
   50 years processed
1-day high flow for each year on data-set 511.
2-day high flow for each year on data-set 512.
3-day high flow for each year on data-set 513.
7-day high flow for each year on data-set 514.
10-day high flow for each year on data-set 515.
30-day high flow for each year on data-set 516.
60-day high flow for each year on data-set 517.
90-day high flow for each year on data-set 518.
183-day high flow for each year on data-set 519.
365-day high flow for each year on data-set 520.
```

Listing of output file TEST16.OT1:

STATION NUMBER 11517500 LOW MEAN VALUE AND RANKING FOR THE FOLLOWING NUMBER OF CONSECUTIVE DAYS IN YEAR ENDING MARCH DISCHARGE, IN CUBIC FEET PER SECOND

YEAR	1-DAY	2-DAY	3-DAY	7-DAY	10-DAY	30-DAY	60-DAY	90-DAY	183-DAY	365-DAY
1935	6.50 11	7.25 9	7.67 9	8.79 7	9.10 8	11.02 5	15.74 10	18.79 9	30.52 1	87.28 1
1936	6.00 8	6.50 7	7.17 8	8.50 6	9.00 7	11.58 6	11.94 4	14.92 5	34.21 2	107.06 3
1937	6.50 12	8.00 13	8.67 11	9.50 10	9.90 9	13.48 11	14.43 8	16.92 6	38.54 5	87.82 2
1938	6.00 9	6.25 6	7.00 7	8.86 9	8.55 6	12.83 10	14.30 7	19.86 11	51.12 12	206.65 30
1939	56.00 44	58.00 44	58.67 44	67.86 44	75.60 44	85.23 44	98.12 44	103.62 44	129.02 42	200.42 27
1940	4.10 2	4.35 2	4.43 2	5.47 1	5.58 2	7.73 1	11.66 3	13.75 3	35.09 3	144.51 13
1941	32.00 38	33.00 39	33.33 38	36.29 38	40.40 38	48.37 38	54.95 36	59.21 32	90.62 30	224.90 33
1946	17.00 30	17.50 29	18.67 29	24.29 31	25.70 31	30.23 30	31.10 26	34.47 22	81.81 27	159.92 16
1947	19.00 33	20.50 32	21.67 33	25.57 33	27.40 34	38.63 33	45.23 31	50.63 30	73.41 22	126.98 6
1948	14.00 26	15.00 26	15.67 27	17.00 25	17.90 25	20.37 22	22.68 19	29.21 19	48.09 11	114.35 5
1949	18.00 31	19.00 31	19.33 30	20.57 29	21.30 28	29.77 29	47.62 34	59.44 33	115.75 36	163.03 19
1950	9.00 18	9.30 17	9.53 14	11.94 16	13.56 17	16.71 17	22.49 18	26.72 14	65.23 16	127.18 7
1951	7.70 15	8.35 15	8.77 12	9.70 11	10.09 10	15.36 14	17.21 13	26.82 15	55.86 14	200.91 28
1952	11.00 22	12.00 24	12.67 24	13.29 20	14.10 19	15.17 12	16.15 11	21.24 12	61.24 15	194.81 24
1953	25.00 35	26.00 35	27.67 35	31.29 35	32.80 36	44.03 36	46.33 33	60.40 35	103.40 33	237.07 35
1954	22.00 34	22.00 34	22.00 34	24.71 32	27.30 33	42.43 35	46.25 32	56.19 31	132.37 43	239.18 37
1955	12.00 25	14.00 25	14.33 25	15.71 24	16.30 22	21.90 25	26.82 24	41.41 27	84.17 29	132.28 10
1956	5.90 6	5.90 4	5.90 4	6.67 4	7.35 5	10.05 4	10.78 2	12.45 1	35.29 4	257.04 39
1957	46.00 43	48.00 43	49.33 43	52.29 43	54.70 42	60.40 42	61.52 39	71.96 39	126.30 39	209.76 31
1958	10.00 20	11.50 21	11.67 21	12.86 18	15.10 21	19.47 21	25.67 22	37.17 25	83.95 28	282.12 43
1959	41.00 42	47.00 42	48.00 42	52.00 42	55.30 43	66.57 43	83.98 43	101.36 43	145.72 44	225.27 34
1960	9.50 19	9.50 18	9.83 15	11.14 13	12.05 15	15.22 13	20.84 16	33.22 21	69.80 20	134.26 11
1961	5.50 4	5.65 3	5.80 3	6.41 3	7.14 3	9.86 3	12.83 5	14.29 4	46.60 9	130.89 8
1962	7.00 13	8.25 14	9.83 16	11.36 14	11.95 14	17.15 18	22.96 20	28.99 18	77.65 24	159.22 15
1963	10.00 21	10.50 20	11.00 19	13.00 19	13.90 18	19.33 20	26.07 23	28.03 17	65.60 17	198.63 26
1964	32.00 39	32.50 38	33.67 39	36.14 37	38.60 37	46.27 37	61.15 38	75.77 40	127.52 41	201.64 29
1965	7.50 14	7.75 12	10.17 18	12.36 17	12.85 16	18.75 19	22.16 17	30.02 20	71.23 21	284.68 44
1966	31.00 37	32.00 37	32.00 37	38.14 39	41.50 39	51.63 39	66.10 41	76.53 41	102.43 32	190.59 23
1967	6.40 10	7.70 11	8.47 10	10.23 12	10.51 11	12.55 8	14.11 6	17.79 8	52.20 13	145.30 14
1968	14.00 27	15.00 27	15.33 26	19.00 28	21.30 29	25.53 27	32.13 28	43.09 28	109.77 34	177.37 21
1969	4.90 3	6.10 5	6.50 5	7.11 5	7.29 4	11.92 7	16.34 12	27.85 16	46.89 10	160.35 17
1970	16.00 29	18.00 30	20.00 31	25.57 34	25.40 30	33.17 31	50.87 35	60.74 36	101.49 31	276.33 41
1971	11.00 23	11.50 22	12.33 23	14.71 23	17.10 24	21.50 23	25.53 21	37.13 24	79.37 25	218.50 32
1972	18.00 32	20.50 33	21.33 32	24.14 30	26.60 32	34.03 32	43.03 30	59.46 34	127.07 40	250.25 38
1973	15.00 28	15.50 28	15.67 28	17.43 26	18.90 26	23.77 26	29.62 25	35.93 23	66.66 18	131.45 9
1974	5.70 5	7.55 10	9.37 13	11.74 15	11.28 13	15.73 15	17.61 14	19.04 10	43.28 6	277.89 42
1975	38.00 41	38.50 41	40.67 41	47.29 41	49.70 41	55.13 41	60.68 37	67.77 37	111.78 35	267.64 40
1976	36.00 40	37.00 40	37.67 40	41.14 40	42.00 40	53.70 40	62.52 40	68.76 38	120.69 38	198.15 25
1977	8.00 17	10.00 19	11.00 20	14.57 22	16.80 23	21.70 24	34.52 29	45.80 29	75.74 23	113.92 4
1978	6.00 7	6.60 8	6.73 6	8.81 8	11.27 12	12.78 9	15.12 9	17.61 7	44.36 7	160.36 18
1979	27.00 36	28.00 36	28.33 36	31.29 36	32.70 35	41.07 34	68.33 42	81.46 42	118.11 37	172.15 20
1980	7.90 16	8.60 16	10.07 17	13.84 21	14.52 20	16.60 16	19.57 15	26.08 13	67.59 19	185.00 22
1981	11.00 24	11.50 23	12.00 22	17.43 27	19.10 27	27.93 28	31.82 27	39.42 26	81.77 26	138.56 12
1982	1.50 1	2.65 1	3.27 1	5.80 2	5.50 1	8.85 2	10.64 1	12.72 2	46.25 8	238.67 36

STATISTICS

n-day high and low

STATISTICS

STATION NUMBER 11517500 HIGH MEAN VALUE AND RANKING FOR THE FOLLOWING NUMBER OF CONSECUTIVE DAYS IN YEAR ENDING SEPTEMBER DISCHARGE, IN CUBIC FEET PER SECOND

YEAR	1-DAY	2-DAY	3-DAY	7-DAY	10-DAY	30-DAY	60-DAY	90-DAY	183-DAY	365-DAY
1934	164.00 1	161.50 1	158.67 1	152.00 1	149.00 1	144.93 1	140.73 1	137.80 1	125.32 1	77.90 1
1935	264.00 4	258.00 5	244.33 5	208.71 3	201.10 3	182.87 3	175.00 3	165.37 2	148.54 3	91.07 2
1936	878,00 19	830,00 20	728.00 20	566.86 21	497.10 20	311,40 16	260.13 14	234,26 14	179.42 8	109.25 7
1937	442.00 11	417.00 11	399.67 11	310.00 10	269,60 9	225.10 8	197.55 7	181.01 4	147.86 2	97.72 4
1938	1470.0 26	1430.0 31	1233.3 28	947.14 29	836.00 29	651.73 33	610.35 38	590.13 39	451.08 40	288.03 39
1939	272.00 5	251.50 4	236.00 4	225.43 5	222.80 5	202.30 5	190.02 5	186.28 5	176.50 7	105.99 6
1940	1900.0 34	1560.0 33	1430.0 33	1093.4 35	921.70 33	548.40 28	536.50 34	445.89 31	318.62 29	201.25 29
1941	1500.0 27	1295.0 26	1200.0 27	1082.4 34	1051.9 35	725.10 37	663.45 39	588.17 38	441.10 38	290.81 40
1946	712.00 16	663.50 16	615.00 16	524.29 19	530.10 21	380.33 22	313.82 22	295.33 22	242.09 21	157.70 22
1947	347.00 7	324.50 7	301.67 7	260.43 6	250.00 7	208.60 6	192.85 6	193.73 7	174.15 6	111.23 8
1948	828.00 18	774.50 19	698.00 19	518.43 18	438.50 17	268.67 12	218.12 10	204.62 9	187.07 9	149.06 18
1949	435.00 10	388.00 10	362.67 10	335.43 11	315.20 11	252.47 11	229.70 11	224.99 11	208.79 15	136.96 14
1950	568.00 14	532.50 14	515.00 14	464.14 16	391.30 13	279.70 13	242.18 13	226.52 13	190.53 11	123.40 11 202.70 30
1951 1952	1510.0 28 1610.0 31	1375.0 29 1415.0 30	1326.7 32 1265.3 30	1054.1 33 1011.1 30	933.40 34 898.20 31	663.13 35 664.83 36	524.53 32 517.20 31	480.70 35 456.27 34	343.84 33 348.21 34	226.63 33
1952	1610.0 31 1830.0 33	1415.0 30 1805.0 34	1265.3 30 1760.0 38	1397.6 39	1227.1 38	758.77 38	566.15 36	489.81 36	376.02 35	250.59 36
1954	1380.0 24	1180.0 23	1076.0 23	846.14 26	732.60 26	621.50 32	531.22 33	448.06 33	335.46 32	211.45 31
1955	220.00 3	216.00 3	214.67 3	209.14 4	206.00 4	193.47 4	188.47 4	188.53 6	169.44 5	102.49 5
1956	5440.0 43	4885.0 43	3950.0 43	2394.9 42	1877.3 42	1092.9 42	822.07 42	752,60 42	511.31 42	311.72 42
1957	1610.0 32	1228.0 25	1150.0 25	836,71 25	723.80 25	592.30 31	440.25 28	369.74 25	287.46 26	182.77 25
1958	2720.0 40	2520.0 40	2153.3 40	1541.4 41	1442.0 41	1077.5 41	854.43 43	762.93 43	538.79 44	352.14 44
1959	483.00 12	483.00 12	473.00 12	424.71 12	404.00 14	313.50 17	284.78 18	261.78 18	222.06 17	146.04 17
1960	1550.0 29	1310.0 27	1139.7 24	685.00 22	557.00 22	327.17 20	273.38 17	241.53 15	200.81 14	125,31 12
1961	1020.0 21	896.50 21	811.00 21	495.71 17	443.80 18	298.13 14	265.17 16	247.31 16	214.13 16	145.16 16
1962	723.00 17	699.00 17	635.00 17	452.14 14	391.10 12	314.20 18	288.37 19	282.27 21	241.36 20	152.67 21
1963	1440.0 25	1310.0 28	1286.7 31	1034.1 31	872.80 30	527.50 27	393.43 25	383.38 28	333.75 31	239.62 34
1964	2620.0 39	1995.0 38	1583.3 34	934.86 28	759.60 27	443.87 24	337.78 24	300.90 24	257.07 23	165.09 23
1965	10400. 45	9140.0 45	7456.7 45	4200.0 45	3209.5 45	1649.7 45	1081.0 45	820.94 44	531.36 43	315.05 43
1966	1050.0 22	1010.5 22	925.33 22	702.14 23	597.90 23	408.57 23	321.88 23	296.78 23	245.40 22	150.31 20
1967	969.00 20	724.50 18	646.67 18	535.43 20	481.80 19	348.20 21	295.18 21	277.81 20	260.21 24	180.36 24
1968	645.00 15	607.50 15	567.67 15	462.00 15	414.60 16	316.67 19	294.95 20	268.46 19	229.92 19	138.78 15
1969	2090.0 36	1900.0 37	1620.0 35	1041.4 32	898.30 32	550.10 29	428.88 27	370.80 26	286.16 25	191.49 26
1970	4010.0 42	3145.0 42	2780.0 42	2585.7 43	2171.7 43	1136.3 43	800.05 41	681.48 41	444.19 39	262.15 37
1971 1972	1300.0 23 2280.0 37	1220.0 24 1870.0 36	1160.0 26 1720.0 37	910.86 27 1241.3 36	786.50 28 1066.8 36	506.07 26 654.77 34	471.35 29 537.67 35	432.90 30 446.44 32	400.31 37 325.05 30	266.33 38 196.00 28
1973	322.00 6	311.50 6	300.67 6	294.14 9	280.30 10	241.17 10	234.78 12	225.91 12	195.96 13	119.73 10
1974	5800.0 44	5410.0 44	4710.0 44	3358.6 44	2790.0 44	1287.3 44	870.33 44	883.42 45	612.60 45	364.09 45
1975	1900.0 35	1825.0 35	1650.0 36	1321.1 37	1288.1 40	782.03 39	595.08 37	511.99 37	377.81 36	248.66 35
1976	511.00 13	484.00 13	485.67 13	443.29 13	407.10 15	304.90 15	261.87 15	248.80 17	223,16 18	149.80 19
1977	208.00 2	199.00 2	195.33 2	186.57 2	183.90 2	175.63 2	168.90 2	166,62 3	149.41 4	97.18 3
1978	1570.0 30	1430.0 32	1235.0 29	830.86 24	690.30 24	456.67 25	405.12 26	378.88 27	314.86 28	213.78 32
1979	364.00 8	358.00 8	326.33 8	268.57 7	249.00 6	217.90 7	210.90 9	206.92 10	193.46 12	131.31 13
1980	2410.0 38	2295.0 39	1963.3 39	1350.1 38	1077.5 37	584.50 30	485.23 30	405.38 29	308.81 27	194.86 27
1981	395.00 9	364.50 9	332.33 9	286.43 8	264.60 8	226.17 9	209.35 8	204.57 8	189.25 10	117.60 9
1982	3620.0 41	2755.0 41	2450.0 41	1483.0 40	1275.3 39	890.50 40	669.08 40	617.29 40	469.75 41	291.39 41

STATISTICS TREND

You use the Kendall Tau statistic to test time series for trends. As implemented in ANNIE, it is used for annual time series as a pre-processing step to frequency analysis. Input can come from either a yearly time-series data set or a peak flow table data set created by IOWDM.

- 1 Enter name of your WDM file.
- 2 Select data set to be processed.
- 3 Enter name of your output file for printing.

For the example, the time-series data set 1003 was processed. The results, Kendall Tau statistic, P-level and median slope, were printed to the screen and written to the file TEST15.0T1.

Type of statistical analysis?

(Use return for DONE)

TREND

WDM file <SWBR2>SW.MODELS>ANNIE0189>TEST>DAVID.WDM is already open. Do you want to use it? (Use return for YES)

YES

NO data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

1003

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

DONE

Name of file for printout?

TEST15.OT1

STATISTICS trend analysis

STATISTICS

```
Modify as needed.
      Good value range
     ______
     Minimum Maximum
    <---->
      -10.E+19 -10.E+19 MINIMUM
       10.E+19 10.E+19 MAXIMUM
           Ο.
                   O. DEFAULT
            0.
                10.E+9 CURRENT
Do you want to limit analysis for any time series?
    (Use return for NO)
NO NO
     Data-set number 1003.
      Kendall tau is 0.31428.
      P-level is 0.04946.
      Median slope of trend is 1.65795.
```

Listing of output file TEST15.OT1:

```
= 1003
Data-set number
 Station number
                = 11516530
 Station name
                 = Klamath River below Iron Gate Dam, CA.
Data type
                 = L003
Starting year
                 = 1962
Ending year
                 = 1982
Values used
                     21
Values skipped
                      0
Kendall Tau
                      0.314
P-level
                      0.049
Median slope
                      1.658
```

SUMMARIZE WDM file SUMMARIZE

FILE MGT SUMMARIZE

You use the SUMMARIZE option in the menu below FILE MGT to summarize the number and type of data sets currently contained in the WDM file, and the directory pathway to the storage location for the WDM file.

1 Select the option SUMMARY.

The example illustrates the summary information provided for a file named DAVID.WDM that contains 75 time-series data sets and 5 table data sets. The data set numbers range from 1 to 80.

Enter CREATE, SUMMARIZE, IMPORT, EXPORT, or DUMP. (Use return for DONE)

SUMMARIZE

General Summary

WDM file <SWBR2>SW.MODELS>ANNIE0189>TEST>DAVID.WDM contains 240 records.

Minimum data-set number is 1. Maximum data-set number is 80.

Data-set Type	Count
TIMESERIES	75
TABLE	5
TOTAL	80

DATA-SET MGT ATTRIBUTES TABLE

You use the TABLE option in the menu below ATTRIBUTES to summarize the values of selected attributes in tabular form. You have the option of selecting a table of default attributes for data sets, or your own set of attributes. Output can be routed to the terminal or a file. Pertinent information on the output device is requested to make sure the output device and the specified table dimensions are compatible. You can also include in the table the begin and end dates of the data for time-series data sets.

- 1 Use the select procedures to identify the data sets to be included in the table.
- 2 Select the output option, lines per page, and line width.
- 3 Enter the name of the output file if FILE selected in step 2.
- 4 Select option for default attributes, start and end dates, and enter any additional attributes to be included in the table. For attributes with decimal numbers for values, you must enter the number of significant digits and decimal places.

In the example a table was written to file TEST03.OUT. The file has Fortran print control characters for 100 lines per page, and a print width of 132 characters. Default attributes were not included in the table. The table included begin and end dates of the time series and the attributes TSTYPE, TSSTEP, TCODE, DAREA, and STANAM. Note that the field for an attribute was left blank for those data sets that did not have a value for the requested attribute. If the file were to be used as input to a spread sheet or statistics program, the LINES per page should be set to the maximum to eliminate repeated printing of the table heading and Fortran print control characters.

```
Enter ADD, MODIFY, DELETE, LIST, or TABLE.
     (Use return for DONE)
TABLE
      80 data sets are currently in the buffer.
      You are now in the SELECT option.
    FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
DONE
    Output options
      output lines width
      <---->
              5
         none
                       40 MINIMUM
         none 200000
                       250 MAXIMUM
     TERMINAL
                20
                       80 DEFAULT
     TERMINAL
                 20
                       80 CURRENT
FILE, 100, 132
               100
                     132 CURRENT
         FILE
Name of output file?
TEST03.OUT
    Do you want to table default attributes?
    (Use return for YES)
NO E
    Do you want the data begin and end dates?
    (Use return for YES)
YES
    Which attribute for processing (or DONE)?
TSTYPE
    Which attribute for processing (or DONE)?
   TSSTEP
    Which attribute for processing (or DONE)?
    Which attribute for processing (or DONE)?
DAREA
    Enter number of significant digits for output.
    (Use return for 5)
5
    Enter number of decimal places for output.
    (Use return for 0)
    Which attribute for processing (or DONE)?
    Approaching output width limit, spaces remaining: 17
    Which attribute for processing (or DONE)?
DONE
    Enter title for table
Summary of data sets in DAVID.WDM file:
```

Listing of output file TEST03.OUT:

DSN		RECORD END	TSTYPE	TSSTEP		DAREA	STANAM
	1960/10/1					4630.0	Klamath River below Iron Cate Dam CA
2	1960/10/1 1912/10/1 1933/10/1	1982/9/30	FLOW	ī	4 4 4 4 4 4 4 2 2 6 6	6940.0	Klamath River below Iron Gate Dam, CA. Klamath River near Seiad Valley, CA.
3	1933/10/1	1982/9/30	FLOW	1	4	793.00	Shasta River near Yreka, CA.
4	1941/10/1	1982/9/30	FLOW	1	4	653.00	Scott River near Fort Jones, CA.
6	1956/1/1 1956/1/1 1956/1/1	1957/12/31	FLOW	1	4	0.67	Cane Branch, KYprecipitation Cane Branch, KYdischarge Cane Branch, KYpan evaporation Cane Branch, KYminimum air temperature
7	1956/1/1	1957/12/31	EVAP	ī	4	0.67	Cane Branch, KYpan evaporation
8	1956/1/1	1957/12/31	TEMP	1	4	0.67	Cane Branch, KYminimum air temperature
10	1956/1/1 1956/2/17 1956/2/2	1957/12/31	TEMP	1	4	0.67	Cane Branch, KYmaximum air temperature Cane Branch, KYstorm precipitation Cane Branch, KYstorm discharge
11	1956/2/2	1957/4/8	FLOW	15	2	0.67	Cane Branch, KYstorm discharge
12			PEAK	1	6		FISHKILL CR AT BEACON NY
13			PEAK	1			FLOYD RIVER AT JAMES, IOWA
14 15			PEAK PEAK	1	6 6		BACK CREEK NEAR JONES SPRINGS, W. VA.
	1956/1/1	1980/12/31		1	6	1.05	ORESTIMBA CREEK NEAR NEWMAN CALIF BIG FOUR DITCH TRIB NEAR PAXTON, IL
17	1950/1/1	1982/12/31	PEAK	1 1	6	35.00	BLUEGRASS CREEK AT POTOMAC, IL
	1959/1/1	1985/12/31 1982/12/31	PEAK	1	6 6	134.00	SALT FORK NEAR ST. JOSEPH, IL SALT FORK NEAR HOMER, IL
	1939/1/1 1959/1/1	1982/12/31	PEAK	1		340.00	SALT FORK NEAR HOMER, IL SALT FORK TRIB NEAR CATLIN, IL
		1958/12/31		,	-		VERMILION RIVER NEAR CATLIN, IL
22	1915/1/1	1985/12/31	PEAK	1	6 6	1290.0	VERMILION RIVER NEAR DANVILLE, IL BIG CREEK TRIB NEAR DUDLEY, IL
	1961/1/1	1975/12/31	PEAK	1		1.08	BIG CREEK TRIB NEAR DUDLEY, IL
		1985/12/31 1985/12/31		1		919.00	EMBARRAS RIVER NEAR CAMARGO, IL EMBARRAS RIVER NEAR DIONA, IL EMBARRAS RIVER TRIB NEAR GREENUP, IL RANGE CREEK NEAR CASEY, IL
26	1956/1/1	1980/12/31	PEAK	1	6	0.08	EMBARRAS RIVER TRIB NEAR GREENUP, IL
27	1951/1/1	1985/12/31	PEAK	i	6	7.61	RANGE CREEK NEAR CASEY, IL
		1985/12/31		1		1516.0	EMBARRAS RIVER AT STE. MARIE, IL
		1985/12/31 1985/12/31		1	6	240.00	NORTH FORK EMBARRAS RIVER NEAR OBLONG, IL
		1972/12/31		î		1.62	LITTLE WABASH RIVER NEAR EFFINGHAM, IL SECOND CREEK TRIB AT KEPTOWN, IL
32	1950/1/1	1985/12/31	PEAK	1	6	745.00	LITTLE WABASH RIVER AT LOUISVILLE, IL
	1915/1/1	1985/12/31	PEAK	1		1131.0	LITTLE WABASH RIVER BELOW CLAY CITY, IL
34	1956/1/1 1956/1/1	1976/12/31 1980/12/31	PEAK	1	6	1.62	MADDEN CREEK NEAR WEST SALEM, IL DUMS CREEK TRIBUTARY NEAR IUKA, IL HORSE CREEK TRIBUTARY NEAR CARTTER, IL
36	1961/1/1	1972/12/31	PEAK	î	6 6	1.13	HORSE CREEK TRIBUTARY NEAR CARTTER, IL
37	1956/1/1	1980/12/31	PEAK	1	6	0.43	WHITE FEATHER CREEK NEAR MARLOW, IL
	1960/1/1	1984/12/31	PEAK	1	6	97.20	HORSE CREEK NEAR KEENES, IL
40		1985/12/31 1976/12/31		1		3102.0	LITTLE WABASH RIVER AT CARMI, IL LITTLE WABASH RIVER TRIB NR NEW HAVEN, IL
		1980/12/31		î	6	0.52	LITTLE SALINE CREEK TRIB NR GOREVILLE. IL
	1966/1/1	1985/12/31	PEAK	1 1	6 6 6	147.00	SOUTH F SALINE RIVER NR CARRIER MILLS, IL EAGLE CREEK NEAR EQUALITY, IL
43	1967/1/1 1960/1/1	1982/12/31 1972/12/31	PEAK	1	6	8.51	EAGLE CREEK NEAR EQUALITY, IL BLACK BRANCH TRIB NEAR JUNCTION, IL
				1	6		LUSK CREEK NEAR EDDYVILLE, IL
46	1968/1/1 1950/1/1	1985/12/31	PEAK	1	ь	19.10	HAYES CREEK AT GLENDALE, IL
47	1010/11/1		PEAK	1	6		SUGAR CREEK AT CRAWFORDSVILLE, IND.
		1986/12/31 1986/12/31		1	6 6		
		1986/12/31	L007	î	6		
51	1940/1/1	1986/12/31	L014	1	6		
52		1986/12/31		1	6		
5.4	1940/1/1 1940/1/1	1986/12/31 1986/12/31	T090	1	6 6		
55	1940/1/1	1986/12/31	L120	î	6		
56	1940/1/1	1986/12/31	L183	1	6		
		1986/12/31		1	6		
58 59	1939/1/1 1939/1/1	1986/12/31 1986/12/31	H003	1	6		
60	1939/1/1	1986/12/31	H007	ī	6		
61	1939/1/1	1986/12/31	H015	1	6		
		1986/12/31		1	6		
64		1986/12/31 1986/12/31		1	6 6		
		1986/12/31	H120	ī	6		
66	1939/1/1	1986/12/31	H183	1	6		
	1939/1/1	1986/12/31	H3 65	1	6		
	1973/5/1 1973/5/1	1974/7/31 1974/7/31	FWEC	1	4	0.38	Sanderson Gulch Tributary at Lakewood, CO
	1973/7/12			5	2	0.38	Cherry Creek Lake, CO Sanderson Gulch Tributary at Lakewood, CO
71	1973/7/12	1974/12/31	FLOW	5	2		Sanderson Gulch Tributary at Lakewood, CO
72	1976/1/1	1976/12/31	CLDC	1	4		CLOUD COVER
	1976/1/1 : 1976/1/1 :	1976/12/31	SOLR	1	3 4		SOLAR RADIATION
		1976/12/31	IF	1	4		SIMULATED GROUNDWATER SIMULATED INTERFLOW
76	1976/1/1	1976/12/31	STQ	ī	4		SIMULATED TOTAL RUNOFF
77	1976/1/1	1976/12/31	OTQ	1	4		OBSERVED TOTAL RUNOFF
	1982/12/14 1			5 5	2 2		AAAAAAAAAA BBBBBBBBBB
80	1982/12/14 1 1982/12/14 1	1982/12/15	SIMF	5	2		CCCCCCCCCCC
				-	-		

DATA-SET MGT DATA TIME SERIES TABLE

Use the table option in the menu below TIME SERIES to summarize time series data sets with time intervals of 1 day or less. You specify the number of months for the table, the period of record desired, and the number of significant digits for the output values. The output is daily values with columns of months and rows of days, 1 year at a time. The monthly minimum, maximum and mean are included. For discharge time-series data sets that include the attributes PARMCD=60 (WATSTORE parameter code for discharge) and DAREA (drainage area), monthly discharge in inches is also included.

- 1 Select the data sets to be tabled.
- 2 Enter the name of the output file.
- 3 Enter the number of last month to use for the table.
- 4 Enter the start and end dates. The start date also indicates which month is used for column 1.
- 5 Enter specification for the output file, decimal places, significant digits, quality flag above which data are not listed, and transformation type if time series have intervals less than 1 day.
- 6 Repeat steps 4 and 5 for each data set selected.

The example tabled data-set numbers 5 and 6 for the water year 1956. The tabled values were output with 2 decimal places and 5 significant digits. Any values with a quality code of 30 or less were printed. If the actual time step of the data was other than daily, the transformation TOTAL was used for data set 5 and RATE for data set 6. RATE uses average and TOTAL uses sum.

Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE?
(Use return for DONE)

TABLE

NO data sets are currently in the buffer. You are now in the SELECT option.

FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers? (Use return for DONE)

ADD

WDM file data-set number?

```
FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
ADD
    WDM file data-set number?
FIND, ADD, LIST, SORT, REMOVE or CLEAR data-set numbers?
     (Use return for DONE)
DONE
    Name of file for printout?
TESTO7.OUT
    Enter number of months for table.
     (Use return for 12)
12
    For dataset 5,
    Enter beginning and ending dates
    <= STARTING DATE => <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
    1492 1 1 0 0 0 1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                      2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                       none 12 31 0 0 0 DEFAULT
    1956 1 1 0 0 0 1957 12 31 24 0 0 CURRENT
    1956, 10, 1, 0, 0, 0, 1957, 9, 30, 24
    1956 10 1 0 0 0 1957 9 30 24 0 0 CURRENT
For the output values
     <-- output format -->
                               trans-
      decimal significant quality formation
       places
               digits flag if needed
     <----><---->
           -1
                     1
                            0
                                   none MINIMUM
            5
                      5
                             30
                                   none MAXIMUM
                      5
            0
                             30
                                   RATE DEFAULT
                      5
            2
                             30
                                   TOTAL CURRENT
    2,5,0,TOTAL
                           30
                                 TOTAL CURRENT
Tabling year 1957.
    For dataset 6,
    Enter beginning and ending dates
    <= STARTING DATE => <= ENDING DATE =>
                      year mo dy hr mi sc
    year mo dy hr mi sc
    1492 1 1 0 0 0
                       1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                       2020 12 31 24 59 59 MAXIMUM
    none 1
           1 0 0 0
                       none 12 31 0 0 0 DEFAULT
    1956 1 1 0 0 0
                       1957 12 31 24 0 0 CURRENT
    1956, 10, 1, 0, 0, 0, 1957, 9, 30, 24
    1956 10 1 0 0 0 1957 9 30 24 0 0 CURRENT
```

TABLE time-series data TABLE

For the output values <-- output format --> transdecimal significant quality formation places digits flag if needed <----><----> 1 0 none MINIMUM -1 5 30 5 30 5 30 none MAXIMUM 5 0 RATE DEFAULT 2 TOTAL CURRENT 2,5,0,RATE 5 30 RATE CURRENT Tabling year 1957. Enter LIST, TABLE, MODIFY, ADD, COPY, DELETE, or GENERATE? (Use return for DONE) DONE

Listing of output file TEST07.OUT:

Station number 365205084265702

Table of daily values for the year ending September 1957

Precipitation, in inches

Drainage area 0.67

Day	October	November	December	January	February	March	April	May	June	July	August	September
1				_	0.67		0.66					
2	0.02	_	_	_		_	0.04	_	0.29	_	_	_
3	0.38	_	_	_	0.01	_	_	_	0.13	_	_	_
4	0.30	_	_	0.90	0.01	_	0.75	_	_	_	0.23	_
5	0.02	-	_	0.02	0.62	-	0.31	-	0.90	-	_	_
6	0.03	_	_	0.01	0.11	0.56	0.01	-	_	-	_	-
7	_	-	0.02	0.02	0.16	0.51	-	-	-	_	-	_
8	-	-	0.24	0.25	0.29	0.02	1.50	_	0.39	_	-	_
9	-	-	0.11	0.76	0.01	0.63	-	-	0.58	0.25	-	0.32
10	-	-	-	0.44	0.39	-	-	0.11	0.22	-	_	0.84
11	-	-	0.25	_	-	0.01	-	0.18	0.17	_	-	-
12	-	-	2.08	-	-	0.10	-	-	-	-	0.02	0.15
13	_	-	1.98	-	-	-	-	-	0.31	-	-	2.14
14	-	-	0.85	-	-	-	-	0.80	-	0.08	0.33	1.42
15	-	0.38	-	-	0.17	0.11	-	-	0.15	0.30	0.17	0.06
16	-	0.26	-	-	0.02	-	0.41	-	0.09	-	-	0.37
17	0.01	-	0.03	0.01	-	-	-	-	-	-	-	-
18	0.09	-	0.16	0.11	-	0.04	-	0.55	0.07	0.33	_	-
19	-	_	-	-	1.21	0.02	-	0.80	-	-	-	0.08
20	-	0.01	0.26	0.30	0.20	-	-	0.09	-	-	-	0.07
21	0.13	0.55	1.84	0.13	-	0.20	0.13	-	-	-	-	-
22	0.42	-	0.24	1.61	-	0.16	0.33	1.15	0.02	-	-	0.26
23	-	-	0.41	0.05	-	-	0.07	-	1.10	0.95	-	0.01
24	-	-	0.20	-	-	0.04	0.09	-	0.71	0.04	-	-
25	-	0.02	-	0.03	-	0.20	-	-	-	-	0.18	-
26	0.51	0.03	-	- - -	0.32	0.13	-	0.12		-	-	-
27	-	- - .	- - -	0.71	0.05	-	. . .	-	0.21	-	-	. . .
28	-	0.04	0.12	1.18	0.49	-	0.17	-	0.49	-	-	0.21
29	-			4.83		-	-	-	0.03	-	-	0.37
30		-	0.02	0.04		-	-	-	-	-	-	-
31	1.16			0.36								
Total	3.07	1.29	8.81	11.76	4.73	2.73	4.47	3.80	5.86	1.95	0.93	6.30
Mean	0.28	0.18	0.55	0.62	0.30	0.19	0.37	0.47	0.34	0.32	0.19	0.48
Minimum	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.09	0.02	0.04	0.02	0.01
Maximum	1.16	0.55	2.08	4.83	1.21	0.63	1.50	1.15	1.10	0.95	0.33	2.14

TABLE time-series data TABLE

Station number 3407100
Table of daily values for the year ending September 1957
Discharge, in cubic feet per second

Drainage area 0.67

Day	October	November	December	January	February	March	April	May	June	July	August	September
1	0.04	0.15	0.04	0.26	8.30	1.80	0.75	0.24	0.06	0.12	0.03	0.01
2	0.04	0.05	0.04	0.20	4.90	1.60	1.10	0.20	0.12	0.10	0.03	0.01
3	0.09	0.05	0.04	0.18	2.80	1.30	1.10	0.16	0.13	0.08	0.03	0.01
4	0.11	0.04	0.04	0.82	1.90	1.10	3.40	0.15	0.10	0.06	0.08	0.01
5	0.04	0.04	0.04	1.70	2.80	0.94	3.50	0.13	0.44	0.06	0.04	0.01
6	0.04	0.04	0.04	1.20	2.70	1.00	2.70	0.12	0.24	0.05	0.03	0.01
7	0.04	0.05	0.04	0.94	2.50	3.10	1.80	0.10	0.12	0.05	0.03	0.01
8	0.03	0.05	0.06	0.78	2.50	4.00	10.00	0.09	0.29	0.05	0.03	0.01
9	0.03	0.05	0.05	5.50	2.70	2.70	4.50	0.09	0.85	0.08	0.03	0.02
10	0.03	0.05	0.04	6.50	3.70	2.60	2.50	0.09	0.55	0.06	0.03	0.38
11	0.04	0.04	0.05	2.60	2.40	2.50	1.70	0.16	0.33	0.05	0.03	0.03
12	0.04	0.04	1.30	1.70	1.90	2.00	1.20	0.09	0.26	0.05	0.03	0.05
13	0.04	0.04	7.30	1.20	1.50	1.60	0.94	0.06	0.23	0.05	0.03	1.20
14	0.04	0.03	6.60	0.88	1.10	1.30	0.78	0.37	0.18	0.06	0.03	1.90
15	0.04	0.04	1.50	0.78	0.88	1.20	0.64	0.16	0.15	0.13	0.07	0.42
16	0.04	0.19	0.68	0.60	0.83	0.94	0.88	0.09	0.13	0.06	0.03	0.34
17	0.04	0.04	0.42	0.49	0.68	0.83	0.64	0.08	0.13	0.05	0.03	0.22
18	0.06	0.04	0.43	0.42	0.64	0.78	0.52	0.36	0.10	0.16	0.03	0.16
19	0.05	0.03	0.31	0.39	3.00	0.68	0.45	0.82	0.10	0.06	0.03	0.13
20	0.05	0.03	0.38	0.48	3.50	0.60	0.42	0.30	0.09	0.04	0.02	0.15
21	0.05	0.21	4.90	0.94	2.40	0.56	0.55	0.16	0.08	0.04	0.02	0.12
22	0.19	0.06	12.00	11.00	2.00	0.72	0.81	1.80	0.06	0.04	0.01	0.17
23	0.09	0.04	5.10	8.50	1.70	0.56	0.68	0.83	0.66	0.37	0.01	0.10
24	0.08	0.04	2.50	2.90	1.50	0.49	0.68	0.40	0.75	0.08	0.01	0.09
25	0.09	0.04	1.40	1.90	1.20	0.66	0.56	0.24	0.79	0.04	0.02	0.08
26	0.19	0.04	0.94	1.30	1.40	0.56	0.49	0.15	0.28	0.04	0.02	0.08
27	0.06	0.04	0.68	2.20	1.10	0.56	0.42	0.10	0.31	0.04	0.01	0.08
28	0.06	0.04	0.56	12.00	1.70	0.49	0.48	0.10	0.48	0.04	0.01	0.09
29	0.06	0.04	0.49	84.00	1.70	0.49	0.36	0.10	0.32	0.04	0.01	0.29
30	0.05	0.04	0.36	6.10		0.49	0.28	0.10	0.18	0.04	0.01	0.12
31	0.44	0.04	0.31	3.70		0.45	0.20	0.09	0.10	0.04	0.01	0.12
31	U.44		0.31	3.70		U.45		0.09		0.04	0.01	
Total	2.29	1.68	48.64	162.16	64.23	38.60	44.83	7.92	8.51	2.23	0.83	6.30
Mean	0.07	0.06	1.57	5.23	2.29	1.25	1.49	0.26	0.28	0.07	0.03	0.21
Minimum	0.03	0.03	0.04	0.18	0.64	0.45	0.28	0.06	0.06	0.04	0.01	0.01
Maximum	0.44	0.21	12.00	84.00	8.30	4.00	10.00	1.80	0.85	0.37	0.08	1.90
Inches	0.06	0.05	1.36	4.54	1.80	1.08	1.26	0.22	0.24	0.06	0.02	0,18

REFERENCES

- Alley, W.M., and Smith, P.E., 1982, Distributed Routing Rainfall-Runoff Model--Version II: U.S. Geological Survey Open-File Report 82-344, 201 p.
- American National Standards, Inc, 1985, Computer Graphics Graphical Kernel System (GKS) Functional Description, ANSI X3.124-1985, 268 p.
- Carringan, P.H., Jr., Dempster, G.R., and Bower, D.E., 1977, User's Guide for U.S. Geological Survey Rainfall-Runoff Models--Revision of Open-File Report 74-33: U.S. Geological Survey Open-File Report 77-884, section 13, 46 p.
- Hutchinson, N.E., 1975, WATSTORE User's Guide, Volume I: U.S. Geological Survey Open-File Report 75-426.
- Hutchinson, N.E., Stuthmann, N.G., Merk, C.F., and Isherwood, W.L., Jr., 1977, WATSTORE User's Guide, Volume 5: U.S. Geological Survey Open-File Report 77-729-I.
- Johanson, R.C., Imhoff, J.C., Kittle, J.L., Jr., and Donigian, A.S., 1984, Hydrological Simulation Program Fortran (HSPF): Users Manual for Release 8.0: U.S. Environmental Protection Agency, EPA-600/3-84-066, 767 p.
- Leavesley, G.H., Lichty, R.W., Troutman, B.M., and Saindon, L.G., 1983,
 Precipitation-runoff modeling system; user's manual: U.S. Geological
 Survey Water-Resources Investigations 83-4238, 207 p.
- Lepkin, W.D., DeLapp, M.M., Kirby, W.H., and Wilson, T.A., 1979, WATSTORE User's Guide, Volume 4: U.S. Geological Survey Open-File Report 79-1336-I.
- Lumb, A.M., Carsel, R.F., and Kittle, J.L., Jr., 1988, Data Management for Water-Quality Modeling Development and Use: Proceedings of the International Symposium on Water Quality Modeling of Agricultural Non-Point Sources, 14 p.
- Lumb, A.M., and Kittle, J.L., Jr., 1985, ANNIE Interactive Processing of Data Bases for Hydrologic Models: Proceedings of the International Conference on Interactive Information and Processing Systems for Meteorology, Oceanography, and Hydrology.
- U.S. Geological Survey, 1982, Guidelines for determining flood flow frequency, Bulletin 17B: Interagency Advisory Committee on Water Data, 28 p.

APPENDIX A--IOWDM

INTRODUCTION

The program IOWDM is used to enter data in selected file formats into a WDM file and to output data from a WDM file to selected file formats. IOWDM also can be used to create a new WDM file. Once data have been entered into a WDM file, ANNIE can be used for plotting, listing, and analyzing. Data in a WDM file is available for use by a number of models, including the Distributed-Routing Rainfall-Runoff Model (DR3M) (Alley, 1982), Generalized Least Squares (GLS), Hydrological Simulation Program-Fortran (HSPF) (Johanson, 1984), and Precipitation Runoff Modeling System (PRMS) (Leavesley, 1983). User written programs that call the ANNIE library of routines also can use data in a WDM file. Figure A.1 shows the IOWDM The allowable input and output formats program options. can be found in table A.1. A reference for each of the formats can be found in table A.2. This Appendix ends with a description and sample session for each of the program options.




Figure A.1.--Upper-level branches of the IOWDM option tree.

INPUT

Time-series data of 1 year, 1 month, 1 day, and smaller time steps can be input to WDM files as TIMESERIES data WATSTORE basin characteristics can be stored as attributes in TIMESERIES or TABLE data sets. peaks can be stored as TIMESERIES or TABLE data sets. For each input file processed using IOWDM, you will be asked to enter information and attributes required to describe and store the data in WDM file data sets. values you enter will depend on the type of data and its expected uses and applications. A general discussion of these inputs follows. Additional information can be found in the sample sessions for each input format. have the option of writing a summary of the processed input files to either the terminal or a file. When the summary is written to a file, an abbreviated summary is also written to the terminal. For the sample sessions, all summary information was written to a file. unexpected record is encountered in an input file, a warning message and the record will be written to the terminal. The record will not be processed.

DSN

An input file can contain data from one or more observation stations and one or more sets of data for each For all input file formats, you observation station. will be asked for a starting data-set number (DSN). For each set of data in the input file, a new data set will be added to the WDM file. IOWDM will attempt to assign the initial DSN you supply. If the requested DSN already exists in the WDM file, the first unused DSN will be assigned. For each subsequent set of data in the input file, the next available DSN will be assigned. actual DSN used and attributes describing the data sets are written in the summary. If different data-set numbers are needed, the RENUMBER option in ANNIE can be used to make the changes.

Table A.1. -- Allowable input and output formats for IOWDM

Data type	Input	Output	Time-series data set	Table data set
Carter	x		x	
HSPF	X		X	
PLTGEN	X		x	
Flat WATSTORE	х		x	
DAILY	X	x	x	
UNIT	X	x	X	
BASIN	X		X	X
PEAK	X		x	X
N-DAY	X		x	

TSFILL

You are asked to enter a value to be used for missing data. This value is stored as the attribute TSFILL. value to be used for TSFILL is dependent on the type of data and the expected application of the data. TSFILL is often a large negative number or zero. As IOWDM processes the input file, missing values are replaced with TSFILL. A time step is considered missing if it falls between the first and last time steps of a set of data, but the record or field that should have contained the time step is missing or blank. The TSFILL value will be used for every set of data in a file. If this is not appropriate, you must separate the input file into two or TSFILL cannot be changed once time-series more files. data are entered into a data set. A value of zero is often used for precipitation data since a missing record usually means no recorded precipitation.

TSTYPE

TSTYPE is a four-character alpha-numeric descriptor used to identify the type of data stored in a data set. The CARTER and WATSTORE DAILY, N-DAY, and UNIT input options will supply a standard TSTYPE based on the input data, if it can be determined. The user is asked to supply a TSTYPE for the remainder of the input options.

TGROUP and TSBYR

The length of record that can be stored in a data set will be determined by the data set group pointers (TGROUP) and the base year (TSBYR). TGROUP is the time units of the groups for pointer to the data; hours, days, months, years, or centuries. TSBYR is the year of the first group. By default, there is space for 100 group pointers in each time series data set. With a year group pointer and a base year of 1900, a WDM data set could contain a time series at a time step of 1 month or smaller between 1900 and 1999. With a month group pointer and a base year of 1980, a WDM data set could contain a time series at a time step of 1 day or smaller between January 1980 and April 1988. Together, these two attributes determine the period of record that can be stored in a data set and how fast a subset of the record

Table A.2. -- References for input and output formats for IOWDM

Data type	Reference
CARTER	Users Guide for U.S. Geological Survey Rainfall-Runoff Models-Revision of Open-File Report 74-33, by P.H. Carrigan, Jr., G.R. Dempster, Jr., and D.E. Bower, U.S. Geological Survey Open-File Report 77-884, 1977.
HSPF, PLTGEN	Hydrological Simulation Program-Fortran (HSPF): Users Manual for Release 8.0, by R.C. Johanson, J.C. Imhoff, J.L. Kittle, Jr., A.S. Donigian, Jr., June 1984.
WATSTORE	WATSTORE Users Guide, Volumes 1, 4, and 5.
FLAT	none

can be retrieved. After time-series data have been added to a data set, TGROUP and TSBYR cannot be changed. Refer to the section on time-series attributes in the Overview for additional discussion.

COMPFG and VBTIME

The compression flag (COMPFG) and the variable-time-step option (VBTIME) affect how the time series is physically stored in the data set. Compressed data with a constant time step is the most efficient storage method. stored with a constant time step can be retrieved several times faster than data stored with a variable time step. Data stored in a compressed form will usually take up less disk space than data stored in an uncompressed form. For time series that have lots of like values (such as rainfall) or periods of missing record, the space savings can be as much as 80 percent or more. The principle reason for storing time series in an uncompressed form is so that it is easier to make corrections to the data. Data that is stored compressed may require an ANNIE COPY/UPDATE operation to be modified; data that is stored uncompressed may be modified using the ANNIE MODIFY option.

TSFORM

The form of the time series (TSFORM) describes whether the data are a mean or total over the time interval or an instantaneous measurement at the end of the time interval (actual time of measurement).

STAID and ISTAID

One of two attributes is used for a data set's station identification. A station identification can be up to 16 alphanumeric characters. Any station identification that is a valid integer number will be stored as the attribute ISTAID. Any station identification that contains non-numeric characters, is not a valid integer number, or is an integer greater than 9 digits will be stored as the attribute STAID. There is one major difference between these two attributes. Using the ANNIE SELECT options, a range of stations can be selected using ISTAID. With STAID, a data set can be found only by supplying the exact value of STAID.

OUTPUT

Time-series data with time steps of 1 day and smaller can be output from a WDM file in WATSTORE daily and unit values 80-character record formats. For each data set in the WDM file to be written, you will be asked to enter information describing the desired output.

RATE or TOTAL

A time series can be written at a time step other than the data's actual time step. A time series is considered to be a RATE if the data values should be averaged to obtain a larger time step or the same value should be used to obtain a smaller time step. A time series is a TOTAL if the data values should be summed to obtain a larger time step or divided to obtain a smaller time step. Discharge is usually considered to be a RATE and precipitation is usually considered to be a TOTAL.

QUALITY CODE

Each value in a time-series data set has a quality code associated with it. The quality code is an integer value from 0 to 30 that describes the quality of the data. may be application specific or user defined. values in a data set do not necessarily have the same quality code. With the exception of WATSTORE PEAK input, all data input to a WDM file using IOWDM, has a quality code of 0. Time series that have been modified, added, or copied using ANNIE may have a user-specified quality code from 0 to 30. When time-series data are retrieved from a WDM file data set, only data values with a quality code less than or equal to the requested quality code will be retrieved. Data values with a quality code greater than requested will be replaced with the data sets missing value filler, TSFILL.

DECIMAL PLACES and SIGNIFICANT DIGITS

You will be asked to specify the number of decimal places and significant digits for the data values to be written. You can specify from 0 to 5 decimal places or, by choosing -1, allow the program to determine the output format for each data value. Data values that cannot be output as requested will be output using exponential notation.

INPUT WATSTORE BASIN

You use the BASIN option to process data files in the standard WATSTORE basin characteristics 80-character record format. The input file may contain data for one or more stations. The basin characteristics are stored as attributes in the data sets. The data can be put into WDM time series or table data sets, depending on the expected uses and applications. Annual peak flows can be added to the data sets in a subsequent step using the PEAK option. N-day high and low flows can be added to the data sets using the N-DAY option. See table A.3 for the relationship between the WATSTORE basin and streamflow characteristics and the WDM attributes.

For each station found in the input file, the data-set number assigned, station number (ISTAID or STAID), and the station name (STANAM) are written in tabular form to the terminal and, if you request, to the output summary file. A summary of the storage specific attributes and the basin characteristics added to the data set as attributes will be written to the summary file or the terminal if no summary file was requested. An "####" in the summary table indicates that the value for an expected basin characteristic was missing from the input file.

- 1 Specify the WATSTORE input format, starting DSN and the value to use for missing record (TSFILL).
- 2 Enter the name of the input file.
- 3 Enter the data-set descriptor (TSTYPE) and the type of data set to be added. If you will be adding annual peaks to the data sets, TSTYPE here will have to agree with the TSTYPE you use in the PEAK option. If you will be adding n-day high and/or low flows, TSTYPE must be "NDAY." For all other cases, TSTYPE is user defined. The data-set type will depend on your intended uses of the data sets.
- 4 Enter the time step (TSSTEP) and units (TCODE) for the data sets.
- 5 For TIME series type data sets, enter the storage specific attributes TGROUP, TSFORM, VBTIME, and COMPFG.

In the example, BASIN characteristics are added to the WDM file starting at data-set number 12. The missing value filler is -999999. The input file is BULT17B.BCD. A TSTYPE of PEAK was used for TABLE type data sets. The data sets contain annual data. The summary written to the terminal indicates four data sets, 12 thru 15, were added to the WDM file. The summary information written to the file includes the names and values of the attributes added to each of the data sets.

```
<----><---->
                1
                         none MINIMUM
         none
                32000
                          none MAXIMUM
         none
         DONE.
                  1
                           O. DEFAULT
         DONE
                   12 -10.E+5 CURRENT
BASIN
                      -999999
        BASIN
                   12 -10.E+5 CURRENT
    Name of input file?
BULT17B.BCD
    Enter general information about datasets:
     TS- data-set
     TYPE type
     <--><--->
            none MINIMUM
            none MAXIMUM
            TIME DEFAULT
           TABLE CURRENT
PEAK TABLE
     PEAK TABLE CURRENT
Enter time step and time units
    TIME TIME
    STEP UNITS
    <--><--->
       1 none MINIMUM
    3600
         none MAXIMUM
           DAY DEFAULT
          YEAR CURRENT
1
         YEAR
          YEAR CURRENT
       1
STATION NAME / ATTRIBUTES
       DSN STATION NUMBER
        12
            01373500
                          FISHKILL CR AT BEACON NY
           06600500
        13
                          FLOYD RIVER AT JAMES, IOWA
        14
            01614000
                         BACK CREEK NEAR JONES SPRINGS, W.VA.
        15 11274500
                         ORESTIMBA CREEK NEAR NEWMAN CALIF
```

For the WATSTORE input file:

dsn

WATSTORE starting

format

missing

filler

BASIN BASIN

```
Listing of summary output file:
  DSN STATION NUMBER STATION NAME / ATTRIBUTES
 _____
   12 01373500
                    FISHKILL CR AT BEACON NY
                                  DSCODE = 36
                     STFIPS = 36
                     TSTYPE = PEAK
                                    TSSTEP = 1
                                                    TCODE = 6
                     TSFILL =-.1000E+07
                     CONTDA = 190.0 SLOPE = 10.70
                                                    LATDEG = 41.51
                     LNGDEG = 73.95
                                   PRECIP = 42.80
                                                    WRCSKW =0.7480
                     WRCMN = 3.376
                                  WRCSD =0.2520
   13 06600500
                     FLOYD RIVER AT JAMES, IOWA
                     STFIPS = 19
                                    DSCODE = 19
                     TSTYPE = PEAK
                                    TSSTEP = 1
                                                    TCODE = 6
                     TSFILL =-.1000E+07
                     CONTDA = 882.0
                                  SLOPE = 4.380
                                                    LATDEG = 42.58
                     LNGDEG = 96.31
                                    PRECIP = 26.60
                                                    WRCSKW =0.4800E-01
                     WRCMN = 3.538
                                    WRCSD =0.4300
   14 01614000
                     BACK CREEK NEAR JONES SPRINGS, W. VA.
                     STFIPS = 54
                                   DSCODE = 54
                     TSTYPE = PEAK
                                    TSSTEP = 1
                                                    TCODE = 6
                     TSFILL =-.1000E+07
                     CONTDA = 243.0 SLOPE = 9.200
                                                    LATDEG = 39.51
                     LNGDEG = 78.04
                                  PRECIP = 39.00
                                                    WRCSKW =0.6150
                     WRCMN = 3.747 WRCSD = 0.2380
   15 11274500
                     ORESTIMBA CREEK NEAR NEWMAN CALIF
                     STFIPS = 6
                                  DSCODE = 6
                     TSTYPE = PEAK
                                    TSSTEP = 1
                                                    TCODE = 6
                     TSFILL =-.1000E+07
                     CONTDA = 134.0
                                   SLOPE = 43.00
                                                    LATDEG = 37.32
                     LNGDEG = 121.1
                                    PRECIP = 16.00
                                                    WRCSKW =-.5000
                     WRCMN = 2.975 WRCSD = 0.6380
```

Listing of	INPUT file BULT17B.BCD:	
1 01373500	3636FISHKILL CR AT BEACON NY	
2 01373500	2190.000 3 10.700 22 41.510 23 73.950 32 42.800179 0.7480	1
2 01373500	180 3.3760181 0.2520	2
1 06600500	1919FLOYD RIVER AT JAMES, IOWA	
2 06600500	2882.000 3 4.3800 22 42.580 23 96.310 32 26.600179 0.0480	1
2 06600500	180 3.5380181 0.4300	2
1 01614000	5454BACK CREEK NEAR JONES SPRINGS, W.VA.	
2 01614000	2243.000 3 9.2000 22 39.510 23 78.040 32 39.000179 0.6150	1
2 01614000	180 3.7470181 0.2380	2
1 11274500	6 60RESTIMBA CREEK NEAR NEWMAN CALIF	
2 11274500	2134.000 3 43.000 22 37.320 23121.130 32 16.000179-0.5000	1
2 11274500	180 2.9750181 0.6380	2

Table A.3.--The relationship between WATSTORE basin and streamflow characteristics and WDM attributes.

Basin and	
streamflow characteristics	WDM attributes

Variable	File	Name of	
number	code	attribute	
1	AREA	DAREA	
2	CONTDA	CONTDA	
3	SLOPE	SLOPE	
4	BSLOPE	BSLOPE	
	LENGTH	LENGTH	
5 6	BLENGTH	BLNGTH	
7	VALLGH	VALLGH	
8	ELEV	ELEV	
9	ELV10,85	EL1085	
10	EL5000	EL5000	
11	EL6000	EL6000	
12	STORAGE	STORAG	
13	LAKEAREA	LAKE	
14	FOREST	FOREST	
15	GLACIER	GLACER	
16	SOIL INF	SOILIN	
17	LOESS	LOESS	
18	AZIMUTH	AZMUTH	
19	LAT	LATCTR	
20	LONG	LNGCTR	
21	TIMETOPK	TMTOPK	
22	LAT GAGE	LATDEG	
23	LNG GAGE	LNGDEG	
24	undefined	UBC024	
25	undefined	UBC025	
26	undefined	UBC026	
27	undefined	UBC027	
28	undefined	UBC028	
29	undefined	UBC029	
30	undefined	UBC030	
31	undefined	UBC031	
32	PRECIP	PRECIP	
33	124,2	124-2.	
34	124,10	124010	
35	I24,25	124025	
36	124,50	124050	
37	124,100	124100	
38	undefined	UBC038	
39	undefined	UBC039	
40	undefined	UBC040	
41	PRC10	PRCOCT	
42	PRC11	PRCNOV	
43	PRC12	PRCDEC	

Table A.3.--The relationship between WATSTORE basin and streamflow characteristics and WDM attributes (continued).

Basin	n and		
streamflow ch	aracteristics	WDM attributes	
Variable	File	Name of	
number	code	attribute	
44	PRC1	PRCJAN	
45	PRC2	PRCFEB	
46	PRC3	PRCMAR	
47	PRC4	PRCAPR	
48	PRC5	PRCMAY	
49	PRC6	PRCJUN	
50	PRC7	PRCJUL	
51	PRC8	PRCAUG	
52	PRC9	PRCSEP	
53	SNOFALL	SNOVAL	
54	SNOMAR	SNOMAR	
55	SNOAPR	SNOAPR	
5 6	SN2	SN002	
5 7	SN10	SN010	
58	SN25	SN025	
59	SN100	SN100	
60	NIMNAL	JANMIN	
61	JANAV	JANAVE	
62	MARMAX	MARMAX	
63	JULYMAX	JULMAX	
64	JULYAV	JULAVE	
65	WE MAR2	WEMAR2	
66	undefined	UBC066	
67	undefined	UBC067	
68	undefined	UBC068	
69	undefined	UBC069	
70	EVAP	LKEVAP	
71	EVAPAN	PNEVAP	
72	FROST	FROST	
73	undefined	UBC073	
74	undefined	UBC074	
75	P1,25	P1.25	
76	P2	P2.	
77	P5	P5.	
78	P10	P10.	
79	P25	P25.	
80	P50	P50.	
81	P100	P100.	
82	P200	P200.	
83	MEANPK	MEANPK	
84	SDPK	SDPK	
85	SKEWPK	SKWPK	
86	QA	QANN	
87	SDQA	QSDANN	

Table A.3.--The relationship between WATSTORE basin and streamflow characteristics and WDM attributes (continued).

	n and <u>naracteristics</u>	WDM attributes	
Variable	File	Name of	
number	code	attribute	
11011001			
88	Q10	QOCT	
89	Q11	QNOV	
90	Q12	QDEC	
91	Q1	QJAN	
92	Q2	QFEB	
93	Q3	QMAR	
94	Q4	QAPR	
95	Q5	QMAY	
96	Q6	QJUN	
97	Q7	QJUL	
98	Q8	QAUG	
99	Q9	QSEP	
100	SDQ10	QSDOCT	
101	SDQ11	QSDNOV	
102	SDQ12	QSDDEC	
103	SDQ1	QSCJAN	
104	SDQ2	QSDFEB	
105	SDQ3	QSDMAR	
106	SDQ4	QSDAPR	
107	SDQ5	QSDMAY	
108	SDQ6	QSDJUN	
109	SDQ7	QSDJUL	
110	SDQ8	QSDAUG	
111	SDQ9	QSDSEP	
112	M1,2	L1D02	
113	M1,10	L1D10	
114	M1,20	L1D20	
115	M3,2	L3D02	
116	M3,10	L3D10	
117	M3,20	L3D20	
118	M7,2	L7D02	
119	M7,5	L7D05	
120 121	M7,10	L7D10	
121	M7,20 M14,2	L7D20 L14D02	
123	M14,2 M14,10	L14D02 L14D10	
124	M14,10	L14D20	
125	M14,20 M30,2	L30D02	
126	M30,10	L30D02	
127	M30,20	L30D20	
128	M90,2	L90D02	
129	M90,10	L90D02	
130	M90,20	L90D20	
131	V1,100	H01100	

Table A.3.--The relationship between WATSTORE basin and streamflow characteristics and WDM attributes (continued).

Basir			
streamflow ch	aracteristics	WDM attributes	
Variable	File	Name of	
number	code	attribute	
132	V15,5	н15005	
133	V30,5	н30005	
134	V30,20	н30020	
135	V30,100	н30100	
136	V1,2	н01002	
137	V1,5	н01005	
138	V1,10	н01010	
139	V1,20	н01020	
140	V1,25	н01025	
141	V1,50	н01050	
142	V3,2	н03002	
143	V3,5	н03005	
144	V3,10	н03010	
145	V3,20	н03020	
146	V3,25	н03025	
147	V3,50	н03050	
148	V3,100	н03100	
149	٧7 , 2	н07002	
150	V7, 5	н07005	
151	V7,10	н07010	
152	V7,20	н07020	
153	V7,2 5	н07025	
154	V7,50	н07050	
155	V7,100	н07100	
156	V15,2	н15002	
157	V15,10	н15010	
158	V15,20	н15020	
159	V15,25	н15025	
160	V15,50	н15050	
161	V15,100	н15100	
162	V30,2	н30002	
163	V30,10	н30010	
164	V30,25	н30025	
165	V30,50	н30050	
166	undefined	UBC166	
167	undefined	UBC167	
168	DEPH25	DEPH25	
169	undefined	UBC169	
170	undefined	UBC170	
171	D95	QEX95P	
172	D90	QEX90P	
173	D 7 5	QEX75P	
174	D70	QEX70P	
175	D50	QEX50P	

Table A.3.--The relationship between WATSTORE basin and streamflow characteristics and WDM attributes (continued).

Basin and streamflow characteristics WDM attributes Variable File Name of number code attribute 176 D25 QEX25P 177 D10 QEX10P 178 P500 P500. 179 WRC SKEW WRCSKW 180 WRC MEAN WRCMN 181 WRC SD WRCSD 182 undefined **UBC182** 183 undefined **UBC183** 184 undefined **UBC184** 185 undefined **UBC185** undefined **UBC186** 186 undefined 187 **UBC187** 188 undefined **UBC188** undefined 189 **UBC189** 190 undefined **UBC190** undefined 191 **UBC191** 192 undefined **UBC192** 193 undefined **UBC193** 194 undefined **UBC194** undefined 195 **UBC195** 196 YRSPK YRSPK 197 YRSHISPK YRSHPK 198 YRSDAY YRSDAY 199 YRSLOW YRSLOW 200 undefined **UBC200**

NOTE: See Appendix B for attribute definitions.

CARTER

INPUT CARTER

Use the CARTER option to process files in the standard Carter 80-character format. The input file may contain one or more stations and one or more data types. Daily time steps and storm event periods with time steps of less than 1 day cannot be input in the same file. However, a file of storm events may contain records with different time steps. For storm event periods, the attributes TSSTEP and TCODE are for the primary time step. The base year (TSBYR) will be set to the starting year of the data. The four-character data set descriptor (TSTYPE) will be determined from the input file with FLOW, PREC, EVAP, and CRTR for discharge, precipitation, evaporation, and unknown, respectively.

For each set of data found in the input file, the dataset number assigned, station number (ISTAID or STAID), and period of record will be written in tabular form to the terminal, and, if you request, to the output summary file. A summary of the attributes added to the data set will be written to the summary file or the terminal if no summary file is requested. Long periods of missing record will be noted in the summary; shorter periods will not be noted.

- 1 Enter the name of the input file.
- 2 Specify the starting DSN. The time step and units (TSSTEP, TCODE) to be used, and the value to be used for missing record.

In the example, the input file SAND.CTU is processed. The default starting data-set number of 70 is used. A 5-minute time step and a missing value filler of 0.0 are selected. The summary written to the terminal indicates that two data sets, 70 and 71, were added to the WDM file. The period of record is July 12, 1973, to July 30, 1974. Both data sets have missing data from August 7, 1973, to July 22, 1974. The attributes relating to data storage are included in the summary file. The attribute TSTYPE was determined from the input, the first data set is PREC and the second is FLOW.

CARTER

```
Input file format (WATSTORE, HSPF, CARTER, PLTGEN, FLAT)
    (Use return for DONE)
    CARTER
Name of input file?
SAND.CTU
    For the new data-set(s):
     starting
                      missing
     data-set time time
                       value
      number step units filler
     <---->
          1 1 none
                          none MINIMUM
       200000 1400 none
                           none MAXIMUM
          1 1 DAY
                             O. DEFAULT
          70
               1 DAY
                         -10.E+5 CURRENT
                        0.0
5
                  MIN
          70
               5 MINUTE
                              O. CURRENT
DSN STATION NUMBER STATION NAME / ATTRIBUTES
       70
                 06714310
                         1973/7/12 18:0
               *** missing 1973/8/7 18:0:0 to 1974/7/22 0:0:0.
                         1974/7/30 6:20
        71
                 06714310
                         1973/7/12 18:0
               *** missing 1973/8/7 19:0:0 to 1974/7/22 0:0:0.
                         1974/7/30 8:0
```

```
Listing of summary output file:
  DSN STATION NUMBER STATION NAME / ATTRIBUTES
   70
              06714310
                       TSTYPE = PREC
                                         TSFILL =
                                                       0.00TSSTEP = 5
                                         TGROUP = 6
                       TCODE = 2
                                                           TSFORM = 1
                       VBTIME = 2
                                         COMPFG = 1
                                                           TSBYR = 1973
                       1973/7/12 18:0
           *** missing 1973/8/7 18:0:0 to 1974/7/22 0:0:0.
                       1974/7/30 6:20
   71
              06714310
                       TSTYPE = FLOW
                                         TSFILL =
                                                       0.00TSSTEP = 5
                       TCODE = 2
                                         TGROUP = 6
                                                           TSFORM = 1
                       VBTIME = 2
                                         COMPFG = 1
                                                           TSBYR = 1973
                       1973/7/12 18:0
           *** missing 1973/8/7 19:0:0 to 1974/7/22 0:0:0.
                       1974/7/30 8:0
```

CARTER	CARTER
--------	--------

Listing of file S	SAND.CTU:											
0671431073071205	19								7	5	1	1
0671431073071205	20 4	9 4	2	1								1
0671431073071905	21 0	0 0		0	0	28	23	4	2	1	2	1
0671431073071905		1 1		0	0	0	0	0	0	0		1
0671431073072205	14					-			_		11	
0671431073072205		2 1										1
0671431073072405	19 7	25 2 8		1	7	3	1	0	0	0	1	1
0671431073072405		2 1		0	0	1	2	2	1	2		1
06714310730724052	21 2	0 0	0	0	0	0	0	0	0	0	0	1
0671431073073005	19		4	1								1
0671431073073005		9 4										1
0671431073080705	17 0	0 10	47	33	36	26	2 5	3	2	8	3	1
0671431073080705	18 1	0 0	0	0	0	0	0	0	0	0		1
06714310740722050				2	2	1	1	1	5	23	19	1
06714310740722050		12 5	5 5	3	3	1	1	1	1			1
06714310740730050	06						4	26	33	33	22	1
06714310740730050	07 10	6 3	1									1
0671431073 712 5	19 0.00 0.	00 0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.20	9.50	2
0671431073 712 52												
0671431073 712 52	21 2.50 2.	00 1.50	1.00	0.80	0.40	0.10	0.00	0.00	0.00	0.00	0.00	2
0671431073 719 52	21 0.00 0.	00 0.00	0.00	0.00	0.00	5.005	52.00	68.00	56.00	33.00	24.00	2
0671431073 719 52	2217.0014.	0014.00	13.00	11.00	9.00	7.00	6.00	5.00	4.50	4.00	3.00	2
0671431073 719 52												
0671431073 722 53	14 0.00 0.	00 0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2
0671431073 722 53	1517.0022.	0013.00	9.40	7.50	12.00	9.40	5.50	4.50	4.00	3.00	2.30	2
0671431073 722 5	16 1.80 1.	20 0.80	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2
0671431073 724 53	19 0.0026.	0092.00	104	84.005	54.004	18.003	3.002	26.002	20.00	16.00	14.00	2
0671431073 724 52	2011.0011.	0011.00	12.00	10.00	8.00	6.20	6.10	8.00	9.60	12.00	13.00	2
0671431073 724 52	2114.0013.	0011.00	9.00	7.60	6.00	5.00	4.50	4.00	3.00	2.00	1.80	2
0671431073 724 52	22 1.50 1.	00.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2
0671431073 730 53	19 0.00 0.	00 0.00	2.00	3.70	5.20	7.30	4.10	3.50	2.50	1.80	1.60	2
0671431073 730 52	20 3.5032.	0029.00	18.00	12.00	6.80	3.50	2.80	2.00	1.60	1.00	0.50	2
0671431073 730 52	21 0.20 0.	00 0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2
0671431073 8 7 53	17 0.00 0.	00 0.00	33.00	155	236	230	215	206	1689	98.005	58.00	2
0671431073 8 7 51	1842.0027.	0020.00	15.00	13.00	11.00	9.00	7.00	6.00	4.00	3.00	2.00	2
0671431073 8 7 53	19 1.00 0.	00 0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2
0671431074 722 5	1 0.00 0.	00 0.00	0.00	0.00	9.201	10.001	1.00	8.90	7.501	8.004	19.00	2
0671431074 722 5	242.0098.	0053.00	27.00	19.001	16.001	15.00	9.20	7.80	6.50	5.80	5.10	2
0671431074 722 5	3 4.10 2.	90 2.00	1.20	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2
0671431074 730 5	6 0.00 0.	00.00	0.00	0.00	0.00	0.00	0.00	0.003	36.00	233	251	2
0671431074 730 5	7 183 1	52 113	75.00	44.002	23.001	15.001	2.00	7.50	6.50	5.30	4.70	2
0671431074 730 5	8 3.00 2.	00 1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2

CREATE

CREATE

Use the CREATE processing option to create a new WDM file. The file will be initialized and available for further processing. This CREATE is identical to the CREATE option in ANNIE. Any file name that is valid on the computer being used is acceptable to the program. To make the files easy to identify, it is recommended that all WDM files have the suffix WDM. It is important to remember that WDM files cannot be used with an editor. In most cases, the editor will not be able to make sense of the file and no harm will be done. Some editors have been known to corrupt WDM files, making them unreadable to ANNIE and IOWDM.

1 Enter the name for your WDM file.

In the example, a WDM file named DAVID.WDM is created.

Processing option (INPUT, OUTPUT, CREATE, or LOGGER) (Use return for DONE)

Name for your WDM file?

DAVID.WDM

INPUT WATSTORE DAILY

Use the DAILY option to process data files in the standard WATSTORE daily values format. The input file may contain daily values, with or without station header records, for one or more stations with one or more parameter and statistics codes. The data for each time series must be contiguous in the input file. The time step (TSSTEP, TCODE) and base year (TSBYR) are determined from the input time series. The attributes entered will be used for all time series found in the input file. you cannot change these attributes once time-series data have been added to a data set, each input file should contain time series with like attributes. TSTYPE is determined from the parameter code.

For each station found in the input file, the data-set number assigned, station number (ISTAID or STAID), and station name are written in tabular form to the terminal and, if you request, the summary file. A summary of the storage specific and additional descriptive attributes is written to the summary file, or to the terminal if no file is requested. The period of record processed and any long periods of missing record are written to the terminal and, if requested, the summary file.

- 1 Specify the WATSTORE input format, the desired starting data-set number, and the value to use for missing record (TSFILL).
- 2 Enter the name of the input file.
- 3 Enter the time-series specific attributes (TGROUP, TSFORM, VBTIME, COMPFG).

In the example, five time series starting with data-set number 5 are added to the WDM file. A missing value filler of 0.0 is used. The defaults for group pointers, form of data, time-step option, and compression flag are used. The summary written to the terminal and the summary file indicate that data-sets 5 thru 9 were added to the WDM file. The station numbers, station names, and periods of record are included. Additional attributes that were added to the data set are tabled in the summary file.

```
For the WATSTORE input file:
                      missing
     WATSTORE starting
                       value
      format dsn
                       filler
     <----><---->
               1
                         none MINIMUM
        none
                         none MAXIMUM
                32000
        none
               1
        DONE
                          O. DEFAULT
        DONE
                   5
                       -10.E+5 CURRENT
DAILY
                        0.0
              5
                           0. CURRENT
        DAILY
Name of input file?
    CANE.GSD
    Enter time-series specific attributes:
            form of time-step compression
     pointers data
                   option
      TGROUP TSFORM VBTIME
                              COMPFG
     <--<del>----</del>><----->
             none none
                                none MINIMUM
        none
               none
                                  none MAXIMUM
        none
                       none
               MEAN VARIABLE
         YEAR
                                   YES DEFAULT
               MEAN CONSTANT
        YEAR
                                   YES CURRENT
   YEAR, MEAN, CONST, YES
        YEAR MEAN CONSTANT
                                   YES CURRENT
DSN STATION NUMBER STATION NAME / ATTRIBUTES
     ---- -------
        5 365205084265702 Cane Branch, KY--precipitation
                         1956/1/1
                         1957/12/31
         6 03407100
                         Cane Branch, KY--discharge
                         1956/1/1
                         1957/12/31
        7 365200085090000 Cane Branch, KY--pan evaporation
                         1956/1/1
                         1957/12/31
        8 370700084370000 Cane Branch, KY--minimum air temperature
                         1956/1/1
                         1957/12/31
        9 370700084370000 Cane Branch, KY--maximum air temperature
                         1956/1/1
                         1957/12/31
```

```
Listing of summary output file:
  DSN STATION NUMBER STATION NAME / ATTRIBUTES
 _____
    5 365205084265702 Cane Branch, KY--precipitation
                    TSTYPE = PREC TSFILL = 0.00AGENCY = USGS
TSSTEP = 1 TCODE = 4 TGROUP = 6
                                              TGROUP = 6
                    TSFORM = 1
                                  VBTIME = 1
                                                  COMPFG = 1
                    TSBYR = 1956 PARMCD = 45
                                                 STATCD = 6
                    DAREA = 0.67
                    1956/1/1
                    1957/12/31
    6 03407100
                    Cane Branch, KY--discharge
                    TSTYPE = FLOW TSFILL =
                                              0.00AGENCY = USGS
                    TGROUP = 6
                                                  COMPFG = 1
                                                  STATCD = 3
                              0.67
                    DAREA =
                    1956/1/1
                    1957/12/31
    7 365200085090000 Cane Branch, KY--pan evaporation
                    TSTYPE = EVAP TSFILL = 0.00AGENCY = USGS
                                              TGROUP = 6
                    TSSTEP = 1
TSFORM = 1
                                  TCODE = 4
                    TSFORM = 1 VBTIME = 1
TSBYR = 1956 PARMCD = 50
                                                 COMPFG = 1
                                                 STATCD = 6
                    DAREA = 0.67
                    1956/1/1
                    1957/12/31
    8 370700084370000 Cane Branch, KY--minimum air temperature
                    TSTYPE = TEMP TSFILL = 0.00AGENCY = USGS
                                              TGROUP = 6
                    TSSTEP = 1
                                   TCODE = 4
                    TSFORM = 1
                                   VBTIME = 1
                                                  COMPFG = 1
                    TSBYR = 1956 PARMCD = 20
                                                 STATCD = 2
                    DAREA = 0.67
                    1956/1/1
                    1957/12/31
    9 370700084370000 Cane Branch, KY--maximum air temperature
                    TSTYPE = TEMP TSFILL = 0.00AGENCY = USGS
                                              TGROUP = 6
                    TSSTEP = 1
                                  TCODE = 4
                    COMPFG = 1
                                                 STATCD = 1
                    DAREA = 0.67
                    1956/1/1
                    1957/12/31
```

Z USGS H365205084265702 .67 N365205084265702Cane Branch, KYprecipitation	
HOUSE COURT AND INCIDENCE IN A DECOMPARED TO THE PROPERTY OF T	
2365205084265702 0004500006 ENT	
	0.00
	0.00
	0.00
33652050842657021956 1 4 0.00 0.00 0.00 0.00 0.00 0.00 0.00	••••
	0.00
	0.27
	0.73
33652050842657021956 2 4 0.52 0.00 0.35 0.00 0.00	0.75
	0 00
	0.08
	0.65
	0.50
33652050842657021956 3 4 0.00 0.00 0.00 0.20 0.03 0.00 0.00	0 00
	0.00
	0.12
	0.09
33652050842657021956 4 4 0.00 0.00 0.00 0.00 0.07 0.20	
	0.00
	0.00
	0.00
33652050842657021956 5 4 0.00 0.45 0.08 0.08 0.02 0.00 0.36	
	0.00
	0.00
	0.00
33652050842657021956 6 4 0.78 0.00 0.00 0.00 0.00 0.30	
	0.33
	0.98
	0.56
33652050842657021956 7 4 0.00 0.00 0.00 0.59 0.62 0.00 0.00	
	0.00
	0.00
33652050842657021956 8 3 0.00 0.00 1.43 0.29 0.01 0.00 0.00 0	0.00
33652050842657021956 8 4 0.00 0.00 0.00 0.42 0.00 0.02 0.00	
	0.00
33652050842657021956 9 2 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00
33652050842657021956 9 3 0.00 0.00 0.00 0.00 0.00 0.00 0.06 0	0.00
33652050842657021956 9 4 0.00 0.00 0.00 0.00 0.00 0.00	
3365205084265702195610 1 0.00 0.02 0.38 0.30 0.02 0.03 0.00 0	0.00
3365205084265702195610 2 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00
	0.00
3365205084265702195610 4 0.00 0.51 0.00 0.00 0.00 0.00 1.16	
3365205084265702195611 1 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00
	0.26
3365205084265702195611 3 0.00 0.00 0.00 0.01 0.55 0.00 0.00	0.00
3365205084265702195611 4 0.02 0.03 0.00 0.04 0.00 0.00	
3365205084265702195612 1 0.00 0.00 0.00 0.00 0.00 0.02 0	0.24
3365205084265702195612 2 0.11 0.00 0.25 2.08 1.98 0.85 0.00 0	0.00
	0.20
3365205084265702195612 4 0.00 0.00 0.00 0.12 0.00 0.02 0.00	
	0.25
	0.00
	0.00
33652050842657021957 1 4 0.03 0.00 0.71 1.18 4.83 0.04 0.36	

OUTPUT DAILY

Use the DAILY output option to write WDM time-series data sets to a file with the WATSTORE daily values 80-character record format. One or more data sets can be written to a single file. For missing time steps or time steps with a quality code greater than requested, the output field will be left blank. Only those records containing non-blank output fields will be written to the output file.

- 1 Enter the WATSTORE output format and the data-set number of the time series to be written.
- 2 Enter the name for the output file.
- 3 Use the CURRENT time span from the data set or subset the time span by entering a later starting date, an earlier ending date, or both.
- 4 Enter the type of time conversion, RATE or TOTAL, and the maximum acceptable quality code. Enter the number of decimal places and significant digits to be used on the output.

In the example, time-series data from data-set number 5 was written to file TEST01.GSD. Data for the entire period of record was selected. Since data set 5 contains precipitation, TOTAL was used. The quality code of 30 indicates that all of the data were requested. The data will be written to the output file with two decimal places and four significant digits.

```
Enter output format and source DSN;
     WATSTORE source
      format
                DSN
      <---->
                   O MINIMUM
         none
               32000 MAXIMUM
         none
                   O DEFAULT
         DONE
         DONE
                   0 CURRENT
DAILY
        DAILY
                   5 CURRENT
    Name of output file?
TEST01.GSD
```

```
Enter beginning and ending dates
    <= STARTING DATE =>
                      <= ENDING DATE =>
    year mo dy hr mi sc year mo dy hr mi sc
    1492 1 1 0 0 0
                       1492 1 1 0 0 0 MINIMUM
    2020 12 31 24 59 59
                       2020 12 31 24 59 59 MAXIMUM
    none 1 1 0 0 0
                       none 12 31 0 0 0 DEFAULT
    1956 1 1 0 0 0
                       1957 12 31 24 0 0 CURRENT
Enter information about output of requested data:
     RATE maximum
      or
          quality decimal significant
     TOTAL code places digits
     <----><---->
      none
               0
                    -1
                               1 MINIMUM
       none
              30
                     5
                                5 MAXIMUM
       RATE
              Ω
                      0
                                5 DEFAULT
              30
      RATE
                      2
                                4 CURRENT
    TOTAL, 30, 2, 4
      TOTAL
              30
                      2
                                4 CURRENT
Processing period beginning 1956/1/1
      Processing period beginning 1957/1/1
```

Partial listing of output file TEST01.GSD: 2365205084265702 33652050842657021956 2 2 0.27 33652050842657021956 2 3 0.57 0.58 2.71 0.73 33652050842657021956 2 4 0.52 0.35 33652050842657021956 3 1 0.20 0.25 0.47 1.14 0.08 0.05 33652050842657021956 3 2 0.63 0.84 0.94 0.05 0.65 33652050842657021956 3 3 0.13 0.50 33652050842657021956 3 4 0.20 0.03 3365205084265702195610 3 0.01 0.09 0.42 0.13 3365205084265702195610 4 0.51 1.16 3365205084265702195611 2 0.38 0.26 0.01 0.55 3365205084265702195611 3 0.02 3365205084265702195611 4 0.03 0.04 0.24 3365205084265702195612 1 0.02 3365205084265702195612 2 0.11 0.25 2.08 1.98 0.85 3365205084265702195612 3 0.03 0.16 0.26 1.84 0.24 0.41 0.20 3365205084265702195612 4 0.12 0.02 2365205084265702 45 6 33652050842657021957 1 1 0.90 0.02 0.01 0.02 0.25 0.76 33652050842657021957 1 2 0.44 33652050842657021957 1 3 0.01 0.11 0.30 0.13 0.05 1.61 33652050842657021957 1 4 0.03 0.71 1.18 4.83 0.04 0.36 33652050842657021957 2 1 0.67 0.01 0.01 0.62 0.16 0.29 0.11 33652050842657021957 2 2 0.39 0.01 0.17 0.02 33652050842657021957 9 3 0.08 0.07 0.26 0.01 33652050842657021957 9 4 0.21 0.37

INPUT FLAT

Use the FLAT input option to input time-series data in columnar format. The time step of the data can be any valid time step from 1 second to 1 year. Up to 18 time series can be input. The data can be input from a file or the terminal. Each input record will have the same format and will include the date/time of the record.

- 1 Specify how many time series are to be input.
- 2 For each of the input time series, enter the desired output DSN and TSTYPE, station identification (STAID or ISTAID), and station name (STANAM).
- 3 For each of the input time series, enter the time series and storage specific attributes TSSTEP, TCODE, TSFILL, TGROUP, TSBYR, TSFORM, VBTIME, and COMPFG.
- 4 Enter the time step and units to be used for the time series. If VBTIME (step 3) is constant, these must agree with the values in step 3.
- 5 Enter information describing the date fields in the input. A date consists of one to six numeric fields described in the order year, month, day, hour, minute, and second. You need to describe only as many fields as are required by the time step of the data. Indicate the included fields with a YES.
- Enter information describing the positions on the record for the variables. None of the fields for dates or variables can overlap.

In the example, a file containing three time series is processed. IOWDM prompted for data set number, TSTYPE, station id, and station name for all three time series, using a table menu. The default data-set numbers of 78 thru 80 and TSTYPE's of FLOW, RAIN, and SIMF, station identifications of 111111, 222222, and 333333, and stanames of AAAAAAAAAAA, BBBBBBBBBBBB, CCCCCCCCC, respectively, were selected. For all three data sets the 5-minute time step, -10.E+5 for missing value filler, month group pointers, base year of 1980, mean data at constant time step and compressed format were selected. The input file has a 5-minute time step, agreeing with what had been specified as an attribute, since the constant time step option had been selected. Then the length and locations of the date string in the input file was specified; year of length 4 starting in column 7, month, day, hour, and minute of length 3 each, starting in columns 11, 14, 17, and 20, respectively.

Next the length, 10, and locations, 23, 37, and 55, of each of the time series in the input file is specified. Finally the name of the input file, IN.FLAT, was entered.

```
Input file format (WATSTORE, HSPF, CARTER, PLTGEN, FLAT)
    (Use return for DONE)
FLAT
    How many variables from input file?
    (Use return for 1)
    General Description attributes:
        ts-
     dsn type station id station name and/or location
    <-1-><-2><-----
      78
      79
      80
       1
    99999
       1
    Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
    command? EG
```

```
General Description attributes:
ts-
dsn type station id station name and/or location
<-1-><-2><-----3-----><------->
78FLOW 111111 AAAAAAAAAA
79RAIN 222222 BBBBBBBBBB
80SIMF 333333 CCCCCCCCCCCC

1
99999
1
Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM
command? D
```

```
Enter time-specific attributes for the DSN:
  time
         missing
                               form time-
----- value group base of step step units filler pointer year data option
                                      step compress
                                             data
<-1><-2-><--3---><--4--><-5-><---6--><---7---><---8---> FIELD
  1 DAY -10.E+5 YEAR 1900 MEAN CONSTANT
                                                YES VAR 1
    DAY
           -10.E+5
  1
                     YEAR 1900
                                MEAN CONSTANT
                                                  YES VAR
                                                           2
  1 DAY
          -10.E+5
                                 MEAN CONSTANT
                     YEAR 1900
                                                  YES VAR
                                                           3
            none
 1 none
                   none 1
                               none
                                                 none MINIMUM
                                         none
             none none 1 none none none MAXIMUM
1440 none
              O. YEAR 1900 MEAN CONSTANT YES DEFAULT
  1 DAY
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? EG
```

```
Enter time-specific attributes for the DSN:
                                     time-
          missing
                                form
  time
----- value group base of step step units filler pointer year data option
                                              compress
data
<-1><--2-><---3---><---4--><-5-><---6--><---7--><---8---> FIELD
  5MINUTE -10.E+5 MONTH 1980
                                MEAN CONSTANT
                                                 YES VAR 1
          -10.E+5 MONTH 1980
                                MEAN CONSTANT
                                                  YES VAR
  5MINUTE
                                                           2
          -10.E+5 MONTH 1980 MEAN CONSTANT
  5MINUTE
                                                  YES VAR 3
            none
  1 none
                    none 1 none
                                          none none MINIMUM
                                 none
1440 none
              none none 2000
                                           none none MAXIMUM
               0.
                    YEAR 1900 MEAN CONSTANT
                                                  YES DEFAULT
  1 DAY
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
```

DSN STATION NUMBER	STATION NAME / ATTRIBUTES
78 111111	AAAAAAAAA
79 222222	BBBBBBBBBBB
80 333333	ccccccccc
Enter time step and time TIME TIME STEP UNITS <>-	e units
1 none MINIMUM 3600 none MAXIMUM	
1 DAY DEFAULT	
5 MINUTE CURRENT	
5,MIN	
 5 MINUTE CURRENT	

```
Enter locations of DATE fields selected.

1 - year 4 - hour
2 - month 5 - minute
3 - day 6 - second

included
on your starting
file? column length
<---1--><---2--><---3--> FIELD

NO 1 10 DATE 1

NO 1 10 DATE 2

NO 1 10 DATE 3

NO 1 10 DATE 3

NO 1 10 DATE 4

NO 1 10 DATE 5

YES 1 10 DATE 6

none 1 1 MINIMUM
none 132 132 MAXIMUM
YES 1 10 DEFAULT

Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM
command? EG
```

```
Enter locations of DATE fields selected.

1 - year 4 - hour
2 - month 5 - minute
3 - day 6 - second

included
on your starting
file? column length
<---1--><---2--><---3--> FIELD
YES 7 4 DATE 1
YES 11 3 DATE 2
YES 14 3 DATE 3
YES 14 3 DATE 3
YES 17 3 DATE 4
YES 20 3 DATE 5
NO 1 1 DATE 6

none 1 1 MINIMUM
none 132 132 MAXIMUM
YES 1 10 DEFAULT

Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM
command? D
```

```
Enter the positions on the record of the variables.
starting
 column
          length variable name
<----3----> FIELD
       1
              10
                                   VAR
                                       1
       11
               20
                                   VAR
                                       3
              30
       21
                                   VAR
               1
                                   MINIMUM
       1
             132
      132
                                   MAXIMUM
              10
                                   DEFAULT
      10
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? EG
```

```
Enter the positions on the record of the variables.
starting
 column
          length variable name
<----3----> FIELD
      23
              10XXXXXXXX
                                 VAR 1
      37
              10YYYYYYYY
                                  VAR 2
              1022222222
                                  VAR 3
      1
               1
                                   MINIMUM
      132
             132
                                   MAXIMUM
             10
                                   DEFAULT
      10
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? D
```

Input data from TERMINAL or FILE?
(Use return for TERMINAL)

FILE

Name of input file?

IN.FLT

Listing of summary output file: DSN STATION NUMBER STATION NAME / ATTRIBUTES 78 111111 AAAAAAAAAAA TSTYPE = FLOW TSFILL = -1.00E + 06TSSTEP = 5TCODE = 2TGROUP = 5 TSFORM = 1COMPFG = 1VBTIME = 1 TSBYR = 198079 222222 BBBBBBBBBBBB TSFILL = -1.00E + 06TSSTEP = 5TSTYPE = RAIN TCODE = 2TGROUP = 5TSFORM = 1VBTIME = 1COMPFG = 1TSBYR = 198080 333333 CCCCCCCCCC TSTYPE = SIMF TSFILL = -1.00E + 06TSSTEP = 5TCODE = 2TGROUP = 5 TSFORM = 1VBTIME = 1 COMPFG = 1TSBYR = 1980 FLAT FLAT

Parti	al li	sti	ng d	of :	input	file IN.FLT:	
UNIT	1982		15	0	5	0.29000 25.	30.0
UNIT	1982	12	15	0	10	0.29000 20.	35.0
UNIT	1982	12	15	0	15	0.29000 15.	40.0
UNIT	1982	12	15	0	20	0.29000 10.	45.0
UNIT	1982	12	15	0	25	0.29000 25.	30.0
UNIT		12	15	0	30	0.29000 20.	35.0
UNIT	1982	12	15	0	35	0.29000 15.	40.0
UNIT	1982	12	15	0	40	0.29000 10.	45.0
UNIT	1982	12	15	0	45	0.29000 25.	30.0
UNIT	1982	12	15	0	50	0.29000 20.	35.0
UNIT	1982		15	0	55	0.29000 15.	40.0
UNIT	1982	12	15	1	0	0.29000 10.	45.0
UNIT	1982	12	15	1	5	0.29000 25.	30.0
UNIT		12	15	1	10	0.29000 20.	35.0
UNIT	1982	12	15	1	15	0.29000 15.	40.0
UNIT	1982	12	15	1	20	0.29000 10.	45.0
UNIT	1982		15	1	25	0.29000 25.	30.0
UNIT	1982	12	15	1	30	0.29000 20.	35.0
UNIT	1982	12	15	1	35	0.29000 15.	40.0
UNIT		12	15	1	40	0.29000 10.	45.0
UNIT	1982	12	15	1	45	0.29000 25.	30.0
UNIT	1982	12	15	1	50	0.29000 20.	35.0
UNIT		12	15	1	55	0.29000 15.	40.0
UNIT	1982	12	15	2	0	0.29000 10.	45.0
UNIT	1982	12	15	2	5	0.29000 25.	30.0
UNIT	1982	12	15	2	10	0.29000 20.	35.0
UNIT	1982	12	15	2	15	0.29000 15.	40.0
UNIT	1982	12	15	2	20	0.29000 10.	45.0
UNIT	1982	12	15	2	25	0.29000 25.	30.0
UNIT	1982	12	15	2	30	0.29000 20.	35.0
UNIT	1982	12	15	2	35	0.29000 15.	40.0
UNIT		12	15	2	40	0.29000 10.	45.0
UNIT	1982	12	15	2	45	0.29000 25.	30.0
UNIT	1982	12	15	2	50	0.29000 20.	35.0
UNIT	1982	12	15	2	55	0.29000 15.	40.0
UNIT	1982	12	15	3	0	0.29000 10.	45.0
UNIT		12	15	3	5	0.29000 25.	30.0
UNIT	1982	12	15	3	10	0.29000 20.	35.0
UNIT		12	15	3	15	0.29000 15.	40.0
UNIT	1982	12	15	3	20	0.29000 10.	45.0
UNIT	1982	12	15	3	25	0.29000 25.	30.0
UNIT		12	15	3	30	0.29000 20.	35.0
UNIT	1982		15	3	35	0.29000 15.	40.0
UNIT	1982	12	15	3	40	0.29000 10.	45.0
UNIT	1982		15	3	45	0.29000 25.	30.0
UNIT	1982	12	15	3	50	0.29000 20.	35.0
UNIT	1982		15	3	55	0.29000 15.	40.0
UNIT	1982	12	15	4	0	0.29000 10.	45.0
UNIT	1982	12	15	4	5	0.29000 25.	30.0
UNIT	1982	12	15	4	10	0.29000 20.	35.0
UNIT	1982	12	15	4	15	0.29000 15.	40.0
UNIT	1982	12	15	4	20	0.29000 10.	45.0
UNIT	1982	12	15	4	25	0.29000 25.	30.0
UNIT	1982	12	15	4	30	0.29000 20.	35.0
UNIT	1982	12	15	4	35	0.29000 15.	40.0
UNIT	1982	12	15	4	40	0.29000 10.	45.0
UNIT	1982	12	15	4	45	0.29000 25.	30.0
UNIT	1982		15	4	50	0.29000 20.	35.0
UNIT	1982		15		55	0.29000 15.	40.0
. –						•	*

HSPF HSPF

INPUT HSPF

Use the HSPF option to read data in a standard HSPF card image format. The input file may contain only one time series. The allowable HSPF time steps are 5 minutes, 60 minutes, daily, and monthly. The semimonthly time step cannot be processed.

- 1 Enter the name of the input file.
- 2 Enter the DSN desired and the time step and units of the input file.
- 3 Enter a description of the time series (TSTYPE) and the station (STAID or ISTAID, STANAM).
- 4 Enter the time-series storage attributes TSSTEP, TCODE, TGROUP, TSBYR, TSFORM, VBTIME, and COMPFG. Note that if VBTIME is constant, the time step and units entered here must agree with those in step 3.

The actual data-set number assigned, station number, station name, and period of record are written to the terminal, and if requested, the summary file.

In the example, the input file IOWA.HYH containing hourly data is processed. The default data-set number of 73 was used and an input time step of 1 hour, with a missing value filler of -999999 were specified. The descriptive information, a TSTYPE of SOLR, STAID of IOWA RIVER, and STANAM of SOLAR RADIATION were entered. The storage specific attributes, time step of 1 hour, month group pointers, base year of 1976, mean form, constant time step, and compressed format were selected. As indicated in the summary file and the terminal interaction, the period of record was January 1, 1976, thru December 12, 1976.

```
Input file format (WATSTORE, HSPF, CARTER, PLTGEN, FLAT)
     (Use return for DONE)
    HSPF
    Name of input file?
IOWA.HYH
    For the new data set(s):
     starting
     data-set time time
                         value
      number step units filler
     <----><--->
               1
           1
                              none MINIMUM
                    none
       200000 1400
                              none MAXIMUM
                    none
           1
               1
                    DAY
                                O. DEFAULT
           73
                     DAY
                           -10.E+5 CURRENT
                1
               1
                    HOUR -999999
           73
               1
                    HOUR
                           -10.E+5 CURRENT
```

HSPF HSPF

```
General description attributes for data set
     TS- station id
     TYPE (ISTAID/STAID) station name and/or location (STANAM)
     CURRENT
SOLR, IOWA RIVER, SOLAR RADIATION
     SOLR IOWA RIVER SOLAR RADIATION
                                                               CURRENT
Modify time specification attributes as needed.
    time time group base form of time step compression
    step units pointer year data option flag
    <--><----><---->
      1 none none 1 none none none MINIMUM none none 2000 none none none MAXIMUM
               none 2000 none
    1440 none
                                             none MAXIMUM
                                             YES DEFAULT
               YEAR 1900 MEAN VARIABLE
YEAR 1900 MEAN CONSTANT
         DAY
      1
         HOUR
                                              YES CURRENT
    1, HOUR, MONTH, 1976, MEAN, CONSTANT, YES
                                         YES CURRENT
      1 HOUR MONTH 1976 MEAN CONSTANT
DSN STATION NUMBER STATION NAME / ATTRIBUTES
      73 IOWA RIVER
                      SOLAR RADIATION
                        1976/1/1
                        1976/12/31
```

Listing of summary output file:

DSN STATION NUMBER STATION NAME / ATTRIBUTES

73 IOWA RIVER SOLAR RADIATION 1976/1/1 1976/12/31

Partial listing of input file IOWA.HYH: 76 1 1 1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.4 1.2 1.8 1.8 1.8 76 1 1 2 1.8 1.8 1.2 0.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 76 1 2 1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 2.0 5.9 8.9 8.9 8.9 76 1 2 2 8.9 8.9 5.9 2.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 76 1 3 1 0.0 0.0 0.0 0.0 0.0 0.0 5.7 16.7 25.0 25.0 25.0 76 1 6 1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.7 2.1 3.1 3.1 76 1 6 2 3.1 3.1 2.1 0.7 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 76 1 7 1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 7.0 19.9 29.2 29.2 29.2 76 1 7 2 29.2 29.2 19.9 7.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 76 1 8 1 0.0 0.0 0.0 0.0 0.0 0.0 7.2 20.2 29.6 29.6 29.6 76 1 8 2 29.6 29.6 20.2 7.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 76 1 9 1 0.0 0.0 0.0 0.0 0.0 0.0 5.9 16.3 23.8 23.8 23.8 76 1 9 2 23.8 23.8 16.3 5.9 0.0 0.0 0.0 0.0 0.0 0.0 0.0

N-DAY N-DAY

INPUT WATSTORE N-DAY

Use the N-DAY option to process files in the standard WATSTORE N-DAY high- and low-flow format. The input file may contain high- and (or) low-flow values for any number of stations. The station number is read from the input TSTYPE is determined from the data and has the file. format annn where a is either H for high flow or L for low flow, and nnn indicates the number of days: 001 for 1 day, 003 for 3 days, 365 for 365 days, and so forth. A 7-day low flow would be indicated by L007. If basin characteristics data sets were added with a TSTYPE of "NDAY", then the N-day data sets will include those attributes. The begin and end months of the type of year (complete or partial) being processed are read from the input file and added to the data sets as attributes SEASBG and SEASND.

- Specify the WATSTORE input format, the starting DSN, and the value to use for missing record.
- 2 Enter the name of the input file.
- 3 Enter the time-series storage attributes TGROUP, TSFORM, VBTIME, and COMPFG.

A summary of the data processed is written in table format to the terminal and, if requested the summary file. The table includes the assigned data set number, station number, TSTYPE, number of years in the data set (from beginning to end, includes missing record within the record), and the start year of the data.

In the example, the default starting data-set number 48 and the missing value filler -999999 are used. The name of the input file is BIRD.NDY. The time-series storage attributes are century group pointers, mean data, a constant time step, and compressed data. The summary written to the terminal and the summary file indicate that 20 data sets, 48 thru 67, were added to the WDM file. The low-flow data sets contained 47 years of record, starting in 1940. The high-flow data sets contained 48 years of data, starting in 1939.

N-DAY N-DAY

```
For the WATSTORE input file:
     WATSTORE starting value
                     filler
     format dsn
     <----><---->
                      none MINIMUM none MAXIMUM
               1
        none
               32000
        none
        DONE
                         O. DEFAULT
                 1
                     -10.E+5 CURRENT
        DONE
                 48
-999999
      N-DAY
       N-DAY
                48 -10.E+5 CURRENT
Name of input file?
BIRD.NDY
    Enter time-series specific attributes:
     group form of time-step compression
     pointers data option flag
     TGROUP TSFORM
                   VBTIME
                            COMPFG
     <----><---->
        none
               none
                      none none MINIMUM
               none
                       none
                                 none MAXIMUM
        none
        YEAR
               MEAN VARIABLE
                                 YES DEFAULT
                                 YES CURRENT
               MEAN CONSTANT
      CENTURY
   CENTURY, MEAN, CONSTANT, YES
CENTURY
             MEAN CONSTANT
                                 YES CURRENT
Numb. Start
      DSN Station number TSTYPE years year
     48
          07177500
                       L001
                              47 1940 added
                              47 1940 copied
           07177500
       49
                         L003
       50
           07177500
                         L007
                               47 1940 copied
                               47 1940
       51
           07177500
                         L014
                                         copied
       52
           07177500
                         L030
                                47
                                   1940
                                         copied
                                47 1940
       53
           07177500
                         L060
                                         copied
                               47 1940 copied
       54
          07177500
                        L090
                               47 1940 copied
       55
          07177500
                        L120
                               47 1940 copied
       56
          07177500
                       L183
       57
          07177500
                        L365
                               47 1940 copied
       58
          07177500
                       H001
                               48 1939 copied
       59
          07177500
                       H003
                              48 1939 copied
                              48 1939 copied
       60
          07177500
                       H007
       61
                              48 1939 copied
           07177500
                       H015
           07177500
                        H030
                               48 1939 copied
       62
       63
           07177500
                        H060
                               48 1939
                                         copied
                                48 1939 copied
48 1939 copied
48 1939 copied
           07177500
                        H090
       64
       65
           07177500
                        H120
          07177500
       66
                        H183
                               48 1939 copied
                       H365
       67 07177500
```

N-DAY N-DAY

Listing of summary output file:

			Numb.	Start	
DSN	Station number	TSTYPE	years	year	
48	07177500	L001	47	1940	added
49	07177500	L003	47	1940	copied
50	07177500	L007	47	1940	copied
51	07177500	L014	47	1940	copied
52	07177500	L030	47	1940	copied
53	07177500	L060	47	1940	copied
54	07177500	L090	47	1940	copied
55	07177500	L120	47	1940	copied
56	07177500	L183	47	1940	copied
57	07177500	L365	47	1940	copied
58	07177500	H001	48	1939	copied
59	07177500	H003	48	1939	copied
60	07177500	H007	48	1939	copied
61	07177500	H015	48	1939	copied
62	07177500	H030	48	1939	copied
63	07177500	H060	48	1939	copied
64	07177500	H090	48	1939	copied
65	07177500	H120	48	1939	copied
66	07177500	H183	48	1939	copied
67	07177500	H365	48	1939	copied

2 07177500 9999999999999006000003 20011940 0403	
# 01T11000	
3 07177500 2 1 0.00 0.30 3.80 22.00 2.20 4.50 5.00	2.10
3 07177500 2 2 1.70 1.30 5.60 8.60 12.00 0.30 0.10	0.00
3 07177500 2 3 0.00 0.00 7.20 1.19 1.50 4.80 17.00	3.80
3 07177500 2 4 0.10 0.00 0.00 0.00 7.20 0.23 2.20	0.60
3 07177500 2 5 0.20 1.19 12.00 10.00 20.00 1.00 0.76	1.80
3 07177500 2 6 1.19 1.80 1.10 4.80 14.00 3.50 5.20	
2 07177500 999999999990006000003 20031940 0403	
	2.10
	0.00
	4.10
	0.63
	2.10
3 07177500 2 6 1.30 2.00 1.19 5.20 14.00 3.90 5.60	
•	
2 07177500 999999999990006000003 31831939 1009	
3 07177500 2 1 143.00 203.00 690.001680.002030.00 673.00 942.00 59	2.00
3 07177500 2 2 673.00 923.00 976.001050.00 797.00 615.00 284.00 24	2.00
3 07177500 2 3 328.00 26.002280.00 443.00 615.001340.001660.00 62	7.00
3 07177500 2 4 161.00 237.00 397.00 171.00 498.00 784.00 864.00 67	9.00
3 07177500 2 5 591.00 594.002120.001430.002230.00 457.00 443.00102	0.00
3 07177500 2 6 555.00 681.00 145.00 933.001060.001030.002850.00 61	1.00
2 07177500 999999999990006000003 33651939 1009	
3 07177500 2 1 76.00 102.00 436.001470.001070.00 448.00 716.00 35	9.00
3 07177500 2 2 397.00 466.00 500.00 544.00 445.00 370.00 151.00 12	4.00
3 07177500 2 3 168.00 15.001140.00 240.00 324.00 939.00 880.00 49	5.00
3 07177500 2 4 98.00 121.00 272.00 96.00 254.00 426.00 530.00 43	4.00
3 07177500 2 5 355.00 387.001290.001200.001480.00 249.00 241.00 54	3.00
3 07177500 2 6 291.00 389.00 78.00 522.00 577.00 604.001570.00 50	2.00

PEAK PEAK

INPUT WATSTORE PEAK

Use the PEAK option to process files in the standard WATSTORE peak flows 80-character record format. input file may contain annual peaks for one or more stations. The data can be put in time series or table type data sets, but only the table data sets store the qualification codes. The ANNIE frequency analysis option for Bulletin 17B uses the qualification codes in a tables data set. For each station found in the input file, the program will first attempt to find an existing data set in the WDM file containing the basin characteristics of the station. IOWDM searches for a unique data set with matching data set type, TSTYPE, station id, and time If the peaks are to be added to existing basin characteristics data sets, it is important that the same value be entered for TSTYPE and data-set type for both the basin characteristics and the peaks. If the program is unable to find an existing data set for a station, the station will be added to the WDM using your specified starting data-set number, and time-storage attributes.

- 1 Specify the WATSTORE input format, the starting DSN, and the value to be used for missing record. The DSN and TSFILL will be used only if an existing data set is not found.
- 2 Enter the name of the input file.
- 3 Enter the value for TSTYPE and select TABLE or TIME series type data sets. If the PEAK data are to be added to Basin Characteristics data sets, these must agree with the values entered in the BASIN option.

The program writes to the terminal and, if requested, a summary file, a table of the peaks processed. The table includes the data-set numbers, station numbers, starting year of the peaks, number of peaks and, for time-series data sets the quality code. For stations having different quality codes for different peaks, the starting year and number of years for each quality code are included. The table also indicates whether the peaks were added to a data set that was found or a new data set had to be added.

The WATSTORE peak flows format allows up to 12 qualification codes that can be associated with each peak. For table data sets, the exact string of qualification codes is stored in the data set for each peak. Qualification codes are not stored on time-series data sets.

PEAK PEAK

In the example, peaks for four stations are added to existing table type data sets. The first station, added to data set 12, has 32 peaks starting in 1956. The second station, added to data-set 13, has 53 peaks starting in 1935. The third station, added to data-set 14, has 39 peaks beginning in 1929. The fourth station, added to data-set 15, had 55 peaks with a quality code of 0, beginning in 1932.

```
For the WATSTORE input file:
                        missing
     WATSTORE starting
                        value
      format dsn
                        filler
     <----><---->
                1
                         none MINIMUM
         none
         none
                32000
                           none MAXIMUM
         DONE
                   1

    DEFAULT

                        -10.E+5 CURRENT
         DONE
                   48
                        -999999
PEAK
         PEAK
                        -10.E+5 CURRENT
                   48
Name of input file?
BULT17B.PKS
    Enter general information about datasets:
     TS- data set
     TYPE type
     <--><--->
            none MINIMUM
             none MAXIMUM
             TIME DEFAULT
            TABLE CURRENT
PEAK TABLE
           TABLE CURRENT
     PEAK
Numb. Start
       DSN Station number
                          TSTYPE years year
     ---- ----------- ----- -----
                                                   found
     12
             01373500
                           PEAK
                                  32
                                       1882
             06600500
                                  53
                                       1935
                                                   found
     13
                           PEAK
             01614000
                           PEAK
                                  39
                                       1929
                                                   found
     14
     15
            11274500
                           PEAK
                                55
                                       1932
                                                   found
```

Listing of summary output file:

			Numb.	Start	
DSN	Station number	TSTYPE	years	year	
12	01373500	PEAK	32	1882	found
13	06600500	PEAK	53	1935	found
14	01614000	PEAK	39	1929	found
15	11274500	PEAK	55	1932	found

PEAK PEAK

_						
	=	=	file BULT17B.BCD:			
	01373500	18820924	77007			
	01373500	18880322	52007			
	01373500	18881218	44007			
	01373500	18910123	88007			
	01373500	18930312	61007			
	01373500	18960207	83007			
	01373500	19020301	137007E		1882	
	01373500	19450305	2290	5.95		
	01373500	19451227	1470	4.76		
	01373500	19470315	2220	5.85		
	01373500	19480318	2970	6.96		
	01373500	19490101	3020	7.03		
	01373500	19500309	1210	4.33		
	01373500	19510401	2490	6.31		
	01373500	19520312	3170	7.21		
	01373500	19530125	3220	7.28		
	01373500	19540913	1760	5.24		
	01373500	19550820	8800	12.13		
	01373500	19551016	8280	11.78		
	01373500	19570410	1310	4.52		
	01373500	19571221	2500	6.42		
	01373500	19590211	1960	5.61		
	01373500	19600406	2140	5.89		
	01373500	19610226	4340	8.52		
	01373500	19620313	3060	7.15		
	01373500	19630328	1780	5.33		
	01373500	19640126	1380	4.66		
	01373500	19650209	980	3.90		
	01373500	19660215	1040	4.01		
	01373500	19670330	1580	4.97		
	01373500	19680319	3630	7.80		
	01373500	19840530	69607	10.80		
	06600500	19350628	1460	15.20		
	06600500	19360310	40502	18.101		
	06600500	19370527	3570	17.20		
	06600500	19380915	2060	16.50		
	06600500	19390312	13002	16.101		
	06600500	19400605	1390	15.40		
	06600500	19410311	1720	16.20		
	06600500	19420604	6280	18.80		
	06600500	19430617	1360	15.20		
	06600500	19440513	7440	18.80		
	06600500	19450312	5320	18.40		
	06600500	19460301	1400	15.30		
	06600500	19470625	3240	17.80		
	06600500	19480317	2710	17.10		
	06600500	19490305	4520	18.10		
	06600500	19500619	4840	19.20	0.01.0	40.001
	06600500	19510328	8320	19.942	0912	19.981
	06600500	19520331	13900	20.32	1000	
	06600500	19530608	71500	25.30	1892	
	06600500	19540622	6250	19.88		
	06600500	19550710	2260	16.25		
	06600500	19560713	318	8.60		
	06600500	19570705	1330	13.83		
	06600500	19580531	970	13.12		
	06600500	19590601	1920	17.59		
3		19600329	15100	21.93		
3	06600500	19610302	2870	18.00		

INPUT PLTGEN

The PLTGEN option is a special case of the FLAT file format and is used to input standard HSPF PLTGEN format files to WDM file data sets. IOWDM reads the header records from the input file to determine how many variables are in the input file.

- 1 Enter the name of the input file.
- 2 For each of the variables in the PLTGEN file, indicate whether or not it should be included, the desired output DSN, and the descriptors TSTYPE, station identification (STAID or ISTAID), and STANAM.
- 3 For each of the input variables, enter the timeseries and storage specific attributes TSSTEP, TCODE, TSFILL, TGROUP, TSBYR, TSFORM, VBTIME, and COMPFG.

For each data set added to the WDM file, the assigned data-set number, station identification, and station name are written in tabular form to the terminal and, if requested, the summary file. Additional attributes added will be written to the summary file or the terminal if no summary file is requested. Finally, the period of the record processed is written to the terminal and, if requested, the summary file.

In the example, the file IOWA.PLT is processed. All four variables contained in the file are added to the WDM file as data sets 74 thru 77. The TSTYPE GW, IF, STQ, and OTQ, the station identification, IOWA RIVER, and station name SIMULATED GROUNDWATER, SIMULATED INTERFLOW, SIMULATED TOTAL RUNOFF, and OBSERVED TOTAL RUNOFF were entered. A 1-day time step, missing value filler of -10.E+5, year group pointers, base year of 1900, mean, constant time-step data in a compressed format were specified. The summary indicates the requested data-set numbers were assigned and that the file contained data for the calendar year 1976.

Input file format (WATSTORE, HSPF, CARTER, PLTGEN, FLAT)
(Use return for DONE)

PLTGEN

Name of input file?

IOWA.PLT

```
For the following variables found in the PLTGEN file:

ts-
include dsn type station id station name
<--1--><-2-><-3><-----4
YES 74
YES 75
YES 76
YES 77

none 1
none99999
YES none

Commands:DONE,?,HELP,VIEW,EDIT,TRANSFORM
command? EG
```

```
Enter time-specific attributes for the DSN:
  time
         missing
                             form
                                    time-
                 group base
-----
         value
                             of
                                    step
                                           compress
          filler pointer year data
step units
                                   option
                                           data
<-1><-2-><----> FIELD
          -10.E+5 YEAR 1900 MEAN CONSTANT
  1 DAY
                                             YES VAR 1
           -10.E+5 YEAR 1900 MEAN CONSTANT
                                              YES VAR
  1 DAY
  1 DAY
          -10.E+5 YEAR 1900
                              MEAN CONSTANT
                                              YES VAR
          -10.E+5 YEAR 1900
  1 DAY
                              MEAN CONSTANT
                                              YES VAR
                  none
                                            none MINIMUM
  1 none
             none
                              none
                                      none
                         1
                  none 2000
1440 none
             none
                              none
                                      none
                                              none MAXIMUM
  1
     DAY
              0.
                    YEAR 1900
                              MEAN CONSTANT
                                              YES DEFAULT
Commands: DONE, ?, HELP, VIEW, EDIT, TRANSFORM
command? D
```

DSN	STATION NUMBER	STATION NAME / ATTRIBUTES
74	IOWA RIVER	SIMULATED GROUNDWATER
75	IOWA RIVER	SIMULATED INTERFLOW
76	IOWA RIVER	SIMULATED TOTAL RUNOFF
77	IOWA RIVER	OBSERVED TOTAL RUNOFF
		For this flat file:
		1975/12/31 24:0:0
		1976/12/31 24:0:0

```
Listing of summary output file:
  DSN STATION NUMBER STATION NAME / ATTRIBUTES
                      SIMULATED GROUNDWATER
   74 IOWA RIVER
                      TSTYPE = GW TSFILL = -1.00E+06TSSTEP = 1
                      TCODE = 4
                                      TGROUP = 6 TSFORM = 1
                      VBTIME = 1
                                      COMPFG = 1
                                                       TSBYR = 1900
   75 IOWA RIVER
                      SIMULATED INTERFLOW
                                 TSFILL = -1.00E + 06TSSTEP = 1
                      TSTYPE = IF
                      TCODE = 4
                                      TGROUP = 6 TSFORM = 1
                      VBTIME = 1
                                      COMPFG = 1
                                                       TSBYR = 1900
   76 IOWA RIVER
                      SIMULATED TOTAL RUNOFF
                                      TSFILL = -1.00E + 06TSSTEP = 1
                      TSTYPE - STQ
                      TCODE = 4
                                      TGROUP = 6
                                                       TSFORM = 1
                      VBTIME = 1
                                      COMPFG = 1
                                                       TSBYR = 1900
   77 IOWA RIVER
                     OBSERVED TOTAL RUNOFF
                     TSTYPE = OTQ TSFILL = -1.00E+06TSSTEP = 1
                                      TGROUP = 6 TSFORM = 1
                      TCODE = 4
                     VBTIME = 1
                                      COMPFG = 1
                                                       TSBYR = 1900
                     For this flat file:
                     1975/12/31 24:0:0
```

1976/12/31 24:0:0

```
Partial listing of input file IOWA.PLT:
SIMU HSPF FILE FOR DRIVING SEPARATE PLOT PROGRAM
SIMU Time interval: 1440 mins
                                      Last month in printout year: 9
SIMU No. of curves plotted: Point-valued: 0
                                               Mean-valued: 4
                                                                  Total 4
SIMU Label flag: 0
                             Pivl: 24
                                                 Idelt:
                                                          60
SIMU Plot title: SIMULATED FLOW
SIMU Y-axis label: CFS
SIMU Scale info: Ymin:
                        0.00000
                                               Threshold: -0.10000E+31
STMU
                  Ymax:
                          1500.0
SIMU
                  Time:
                          20.000
                                     intervals/inch
SIMU Data for each curve (Point-valued first, then mean-valued):
                             LINTYP
                                        INTEQ
                                                                    TRANCOD
SIMU Label
                                                 COLCOD
                                                             TRAN
SIMU SIM GROUNDWATER
                                  0
                                            5
                                                             AVER
                                                                          2
                                                     1
SIMU SIM INTERFLOW
                                  0
                                            4
                                                             AVER
                                                                          2
                                                      1
SIMU SIM TOTAL RUNOFF
                                            1
                                                             AVER
                                                                          2
                                  1
                                                     1
SIMU OBS TOTAL RUNOFF
                                  2
                                            8
                                                             AVER
                                                                          2
SIMU
SIMU
SIMU
STMU
STMU
SIMU
SIMU Time series (pt-valued, then mean-valued):
STMU
SIMU Date/time
                                    Values
SIMU
                       -0.10000E+31 -0.10000E+31 -0.10000E+31 -0.10000E+31
     1975 12 31 24 0
SIMU
SIMU 1976 1 1 24
                    0
                          22.694
                                       22.694
                                                     22.703
                                                                   15.000
SIMU 1976 1 2 24
                    0
                          22.205
                                        22.205
                                                      22.205
                                                                    15.000
SIMU 1976 1 3 24 0
                          21.725
                                        21.725
                                                      21.725
                                                                   15,000
SIMU
     1976 1 4 24 0
                          21.256
                                        21.256
                                                      21.256
                                                                    16.000
SIMU
     1976 1 5 24 0
                          20.799
                                        20.799
                                                      20.799
                                                                    16.000
STMU
      1976 1 6 24 0
                          20.352
                                        20.352
                                                      20.352
                                                                    17,000
           1 7 24 0
STMII
      1976
                          19.915
                                        19.915
                                                      19.915
                                                                    18.000
SIMU
      1976
            1 8 24
                    0
                          19.489
                                        19.489
                                                      19.489
                                                                    18,000
SIMU
      1976
            1 9 24
                     0
                          19.073
                                        19.073
                                                      19.073
                                                                    19,000
            1 10 24
SIMU
      1976
                     0
                          18.666
                                        18.666
                                                      18.666
                                                                    19.000
SIMU
      1976
            1 11 24
                     0
                          18.362
                                        18.362
                                                      18.374
                                                                    20.000
           1 12 24
SIMU
     1976
                     0
                          18.441
                                        18.441
                                                      18.581
                                                                    20.000
SIMU 1976 1 13 24
                     Ω
                          19.718
                                        19.718
                                                      20.276
                                                                    20,000
SIMU 1976 1 14 24
                     0
                          22.113
                                        22.147
                                                      22,936
                                                                    21,000
SIMU 1976 1 15 24
                     0
                          24.534
                                        24.598
                                                      25.499
                                                                   21,000
SIMU 1976 1 16 24
                    0
                          25.356
                                        25.408
                                                      25.408
                                                                    21.000
SIMU 1976 1 17 24
                    0
                          24.805
                                        24.846
                                                      24.846
                                                                    21.000
SIMU 1976 1 18 24 0
                          24.399
                                        24.435
                                                      24.464
                                                                    21.000
SIMU 1976 1 19 24
                    0
                          24.098
                                        24.130
                                                      24.136
                                                                    21.000
SIMU
     1976 1 20 24
                     0
                          23.892
                                                      24.006
                                        23.918
                                                                    20,000
SIMU
     1976
           1 21 24
                     0
                          23.732
                                        23.753
                                                      23.753
                                                                    20,000
           1 22 24
SIMU
     1976
                     0
                          25.105
                                        25.157
                                                      26.085
                                                                    20.000
SIMU
     1976
            1 23 24
                     0
                          29.967
                                        30.229
                                                      32.690
                                                                    20.000
SIMU
     1976
           1 24 24
                     0
                          34.126
                                        34.547
                                                      35.115
                                                                    20.000
STMII
     1976 1 25 24
                     ٥
                          34,539
                                                      34.865
                                        34.865
                                                                   20,000
SIMU 1976 1 26 24
                     ٥
                          35.984
                                                     38.039
                                                                   20.000
                                        36.376
SIMU 1976 1 27 24
                    0
                         39.426
                                       39.905
                                                     40.646
                                                                   20.000
SIMU 1976
           1 28 24
                    0
                          44.416
                                       45.162
                                                     48.623
                                                                   20.000
SIMU 1976
           1 29 24 0
                          54.184
                                        55.443
                                                     58.784
                                                                   20,000
SIMU 1976 1 30 24 0
                         59.228
                                        60.373
                                                      60.373
                                                                   20.000
SIMU 1976 1 31 24 0
                         57.806
                                       58.545
                                                     58.545
                                                                   19.000
SIMU 1976 2 1 24 0
                         56.748
                                       57.255
                                                     57.440
                                                                   19.000
SIMU 1976 2 2 24 0
                         55.845
                                       56.204
                                                     56.204
                                                                   19.000
```

INPUT WATSTORE UNIT

Use the UNIT input option to process data files in the standard WATSTORE unit values card image format. input file may contain unit values, with or without station header records, for one or more stations with one or more parameter and statistic codes. The time steps need not be the same for each time series, and the time step may vary within a time series. The data for each time series must be contiguous in the input file. attributes entered will be used for all the time series found in the input file. Since you cannot change those attributes once time-series data has been added to a data set, each input file should contain time series with like However, the time step (TSSTEP, TCODE) and base year (TSBYR) are determined from each time series in the input file. The TSTYPE is determined from the parameter code.

- Specify the WATSTORE input format, the desired starting data-set number, and the value to use for missing record (TSFILL).
- 2 Enter the name of the input file.
- Enter the time-series specific attributes TGROUP, TSFORM, VBTIME, and COMPFG.

For each station found in the input file, the data-set number assigned, station number (ISTAID or STAID), and station name are written in tabular form to the terminal and, if requested, the summary file. A summary of the storage specific and additional descriptive attributes is written to the summary file, or the terminal if no file is requested. The period of record processed and any long periods of missing record are written to the terminal and, if requested, the summary file.

In the example, two time series, starting with data-set number 10, are added to the WDM file. A missing value filler of 0.0 is used. The defaults for group pointers, form of data, time-step option, and compression flag were used. The summary written to the terminal and summary file indicate that data sets 10 and 11 were added to the WDM file. The station numbers, station names, and periods of record are included. Additional attributes that were added to the data set are tabled in the summary file.

```
For the WATSTORE input file:
                      missing
     WATSTORE starting
                       value
      format dsn
                      filler
     <---->
               1 none MINIMUM
        none
                        none MAXIMUM
               32000
        none
                 1
        DONE
                          O. DEFAULT
                      -10.E+5 CURRENT
        DONE
                  10
UNIT
                      0.0
        UNIT
                 10

    CURRENT

Name of input file?
CANE.GSU
    Enter time-series specific attributes:
      group form of time-step compression
     pointers data option
      TGROUP TSFORM VBTIME
                             COMPFG
     <----><---->
             none none
                                 none MINIMUM
        none
                                 none MAXIMUM
        none
               none
                       none
               MEAN VARIABLE MEAN CONSTANT
                                  YES DEFAULT
        YEAR
       MONTH
                                   YES CURRENT
    MONTH, MEAN, CONST, YES
             MEAN CONSTANT
                                  YES CURRENT
       MONTH
DSN STATION NUMBER STATION NAME / ATTRIBUTES
     ____
       10 365205084265702 Cane Branch, KY--storm precipitation
                        1956/2/17 1:30
              *** missing 1956/7/23 19:30:0 to 1956/12/21 0:0:0.
              *** missing 1957/1/29 19:30:0 to 1957/4/8 1:30:0.
                         1957/4/8 16:30
       11 03407100
                         Cane Branch, KY--storm discharge
                         1956/2/3 0:0
              *** missing 1956/7/23 24:0:0 to 1956/12/21 0:0:0.
              *** missing 1957/1/29 24:0:0 to 1957/4/8 0:0:0.
                        1957/4/8 24:0
```

```
Listing of summary output file:
 DSN STATION NUMBER STATION NAME / ATTRIBUTES
_____
   10 365205084265702 Cane Branch, KY--storm precipitation
                    TSTYPE = PREC
                                 TSFILL =
                                               0.00AGENCY = USGS
                                    TCODE = 2
                    TSSTEP = 15
                                                    TGROUP = 5
                    TSFORM = 1
                                   VBTIME = 1
                                                    COMPFG = 1
                                  PARMCD = 45
                    TSBYR = 1956
                                                    STATCD = 6
                    DAREA = 0.67
                    1956/2/17 1:30
          *** missing 1956/7/23 19:30:0 to 1956/12/21 0:0:0.
          *** missing 1957/1/29 19:30:0 to 1957/4/8 1:30:0.
                    1957/4/8 16:30
   11 03407100
                    Cane Branch, KY--storm discharge
                    TSTYPE = FLOW
                                   TSFILL = 0.00AGENCY = USGS
                    TSSTEP = 15
                                    TCODE = 2
                                                    TGROUP = 5
                    TSFORM = 1
                                    VBTIME = 1
                                                    COMPFG = 1
                    TSBYR = 1956
                                  PARMCD = 60
                                                    STATCD = 11
                    DAREA = 0.67
                    1956/2/3 0:0
          *** missing 1956/7/23 24:0:0 to 1956/12/21 0:0:0.
          *** missing 1957/1/29 24:0:0 to 1957/4/8 0:0:0.
                    1957/4/8 24:0
```

Partial listing of in	•				
Z	Ü	JSGS			
H365205084265702			. 67		
N365205084265702Cane	Branch, KY	-storm precipi	tation		
2365205084265702	00045	500006	ENT		
B3652050842657021956	217 145 0	96 0.00	0.00 0.00	0.00 0.09	0.09
B3652050842657021956	217 315 0	96 0.09	0.09 0.09	0.09 0.09	0.09
B3652050842657021956	217 445 0	96 0.09	0.09 0.06	0.05 0.05	0.05
B3652050842657021956	217 615 0	96 0.06	0.06 0.01	0.01 0.00	0.00
B3652050842657021956	217 745 0	96 0.00	0.00 0.01	0.02 0.02	0.02
B3652050842657021956	217 915 0	96 0.05	0.05 0.06	0.05 0.05	0.00
B3652050842657021956	2171215 0	96 0.00	0.00 0.00	0.00 0.05	0.05
B3652050842657021956	2171345 0	96 0.01	0.02 0.02	0.02 0.02	0.02
B3652050842657021956	2171515 0	96 0.04	0.04 0.05	0.05 0.02	0.01
B3652050842657021956	2171645 0	96 0.01	0.01 0.01	0.00 0.00	0.00
B3652050842657021956	2172245 0	96 0.02	0.01 0.02	0.21 0.21	0.21
B3652050842657021956	218 015 0	96 0.06	0.06 0.05	0.02 0.02	0.01
B3652050842657021956	218 145 0	96 0.05	0.05 0.02	0.02 0.02	0.02
B3652050842657021956	218 315 0	96 0.01	0.02 0.02	0.02 0.02	0.02
B3652050842657021956	218 445 0	96 0.02	0.02 0.02	0.00 0.00	0.00
•					
•					
•					
B3652050842657021957		96 0.00	0.00 0.00	0.00 0.01	0.02
B3652050842657021957		96 0.02	0.09 0.01	0.00 0.00	0.00
B3652050842657021957		96 0.13	0.00 0.00	0.00 0.06	0.06
B3652050842657021957	4 8 745 0	96 0.06	0.05 0.00	0.00 0.00	0.00
B3652050842657021957	4 8 915 0	96 0.00	0.00 0.10	0.10 0.09	0.01
B3652050842657021957	4 81045 0	96 0.05	0.03 0.07	0.09 0.09	0.05
B3652050842657021957	4 81215 0	96 0.04	0.04 0.03	0.03 0.03	0.00
B3652050842657021957	4 81345 0	96 0.00	0.00 0.00	0.10 0.01	0.01
B3652050842657021957	4 81515 0	96 0.01	0.00 0.01	0.00 0.00	0.00

UNIT	input	UNIT

N03407100	Cane	B			storm	dischar	:ge				
203407100			(000	6000011			ENT			
B03407100	1956	2	3 015	0	96	4.10	4.10	4.10	4.10	4.20	4.20
B03407100	1956	2	3 145	0	96	4.40	4.50	4.80	5.10	5.60	6.20
B03407100	1956	2	3 315	0	96	7.00	7.80	9.30	10.80	12.40	15.00
B03407100	1956	2	3 445	0	96	18.50	21.60	26.00	27.50	29.00	30.00
B03407100	1956	2	3 615	0	96	30.10	30.00	29.00	28.00	27.00	26.00
B03407100			3 745		96	25.00	24.00	23.10	22.30	21.50	20.70
B03407100			3 915		96	19.80	18.90	18.00	17.10	16.20	15.30
B03407100			31045		96	14.70	14.10	13.60	13.20	12.80	12.40
B03407100			31215		96	12.20	12.00	11.90	11.80	11.30	10.80
B03407100			31345		96	10.30	9.80	9.50	9.30	9.00	8.80
			31515								
B03407100					96	8,50	8.30	8.10	7.90	7.70	7.50
B03407100			31645		96	7.30	7.20	7.05	6.90	6.75	6.60
B03407100			31815		96	6.48	6.35	6.22	6.10	6.00	5.90
B03407100			31945		96	5.80	5.70	5.62	5.54	5.46	5.38
B03407100			32115		96	5.30	5.24	5.15	5.08	5.00	4.98
B03407100			32245		96	4.94	4.88	4.80	4.74	4.67	4.60
B03407100	1956	2	4 015	0	96	4.54	4.48	4.40	4.34	4.28	4.22
B03407100	1956	2	4 145	0	96	4.16	4.10	4.05	4.00	3.96	3.92
B03407100	1956	2	4 315	0	96	3.88	3.84	3.80	3.78	3.76	3.74
B03407100	1956	2	4 445	0	96	3.72	3.72	3.90	4.40	5.10	6.20
B03407100	1956	2	4 615	0	96	8.00	10.30	13.00	15.30	18.10	21.60
B03407100	1956	2	4 745	0	96	25.00	29.00	34.00	38.00	41.00	42.00
B03407100	1956	2	4 915	0	96	42.20	42.00	41.50	41.00	39.50	38.00
B03407100	1956	2	41045	0	96	36.20	34.50	32.80	31.00	29.20	27.50
B03407100	1956	2	41215	0	96	26.50	25.50	25.00	24.00	23.00	22.00
B03407100	1956	2	41345	0	96	20.80	20.20	19.00	18.50	18.50	17.30
B03407100			41515		96	16.50	15.70	15.30	14.80	14.30	13.80
B03407100			41645		96	13.40	13.00	12.60	12.20	11.80	11.50
B03407100			41815		96	11.30	11.00	10.80	10.50	10.30	10.00
B03407100			41945		96	9.80	9.55	9.30	9.10	8.90	8.70
B03407100			42115		96	8.50	8.30	8.10	7.95	7.80	7.60
B03407100			42245		96	7.40	7.20	7.05	6.90	6.75	6.60
	2300	_		•					0,50	••••	0.00
•											
B03407100	1957	4	8 015	n	96	1.46	1.46	1.46	1.46	1.46	1.46
B03407100			8 145		96	1.46	1.46	1.46	1.46	1.46	1.46
B03407100			8 315		96	1.46	1.51	1.57	1.63	1.74	2.12
B03407100			8 445	-	96	2.04	1.96	1.92	1.92	1.92	1.96
B03407100			8 615		96	2.00	2.04	2.40	2.80		2.50
B03407100			8 745		96					2.60	
B03407100			8 915			2.60	3.20	4.10	4.40	3.80	3.50
					96	3.40	3.80	4.40	8.50	7.80	7.80
B03407100			81045		96			16.90			22.50
B03407100			81215		96	26.50	30.50	30.50	30.00	29.00	28.00
B03407100			81345		96	27.00	26.00	25.50	25.00	24.50	24.00
B03407100			81515		96	24.50	23.50	22.50	21.30	20.10	19.90
B03407100			81645		96	18.10	17.30	16.70	16.10	15.50	14.90
B03407100			81815		96	14.30	13.80	13.40	13.00	12.40	11.80
B03407100			81945		96	11.40	11.10	10.80	10.40	10.00	9.60
B03407100			82115		96	9.44	9.28	9.12	8.96	8.80	8.60
B03407100	1957	4	82245	0	96	8.40	8.20	8.00	7.80	7.70	7.60

OUTPUT UNIT

Use the UNIT output option to write WDM time-series data sets to WATSTORE unit values 80-character record format. One or more data sets can be written to a single file.

- 1 Enter the WATSTORE output format and the DSN of the time series to be written.
- 2 Enter the name for the output file.
- 3 Use the CURRENT time span from the data set or subset the time span by entering a later starting date, an earlier ending date, or both.
- 4 Enter the type of time conversion, RATE or TOTAL, and the maximum acceptable quality code. Enter the number of decimal places and significant digits to be used on the output.

For missing time steps or time steps with a quality code greater than requested, the output field will be left blank. Only those records containing non-blank output fields will be written to the output file.

In the example, time-series data from data-set number 10 was written to file TEST01.GSU. Data for the entire period of record was selected. Since data-set 10 contains precipitation, TOTAL was used. The quality code of 30 indicates that all of the data were requested. The data were written to the output file with two decimal places and four significant digits.

```
Enter output format and source DSN;
 WATSTORE source
 format
          DSN
 <---->
             O MINIMUM
    none
         32000 MAXIMUM
    none
    DONE
             O DEFAULT
    DONE
             0 CURRENT
   TINU
           10
            10 CURRENT
    UNIT
Name of output file?
TEST01.GSU
Enter beginning and ending dates
<= STARTING DATE =>
                 <= ENDING DATE =>
year mo dy hr mi sc
                  year mo dy hr mi sc
1492 1 1 0 0 0
                   1492 1 1 0 0 0 MINIMUM
2020 12 31 24 59 59
                   2020 12 31 24 59 59 MAXIMUM
none 1 1 0 0 0
                  none 12 31 0 0 0 DEFAULT
1956 2 17 1 30 0
                  1957 4 8 16 30 0 CURRENT
```

```
Enter time step and time units
      TIME TIME
      STEP UNITS
      <--><--->
        1 none MINIMUM
      3600 none MAXIMUM
         1 DAY DEFAULT
        15 MINUTE CURRENT
15,MIN
        15 MINUTE CURRENT
Enter information about output of requested data:
       RATE maximum
        or quality decimal significant
       TOTAL flag places digits
       <---><---->

        none
        0
        -1
        1
        MINIMUM

        none
        30
        5
        5
        MAXIMUM

        RATE
        0
        0
        5
        DEFAULT

        RATE
        30
        2
        4
        CURRENT

                               2
TOTAL, 30, 2, 4
         TOTAL
                                               4 CURRENT
Processing period beginning 1956/2/17
        Processing period beginning 1956/3/16
        Processing period beginning 1956/5/16
        Processing period beginning 1956/7/16
        Processing period beginning 1956/9/16
        Processing period beginning 1956/11/16
        Processing period beginning 1957/1/16
        Processing period beginning 1957/3/16
```

Listing of output file TEST01	.GSU:							
2365205084265702	45	6						
B3652050842657021956 3291815	96				0.03	0.03	0.04	0.04
B3652050842657021956 3291945	96		0.03	0.03	0.03	0.03	0.03	0.03
B3652050842657021956 3292115	96		0.04	0.04	0.04	0.04	0.04	0.04
B3652050842657021956 3292245	96		0.04	0.04	0.05	0.05	0.05	0.05
B3652050842657021956 330 015	96		0.05	0.05	0.05	0.05	0.05	
B3652050842657021956 330 315	96					0.02	0.02	0.02
B3652050842657021956 330 445	96		0.02	0.17	0.18	0.18	0.03	0.02
B3652050842657021956 330 615	96		0.02					0.01
B3652050842657021956 422 015	96		0.01	0.01	0.01	0.01	0.01	0.02
B3652050842657021956 422 145	96		0.01	0.01	0.01	0.01	0.01	0.01
B3652050842657021956 422 315	96		0.03	0.03	0.03	0.02	0.02	0.02
B3652050842657021956 422 445	96		0.03	0.03	0.05	0.05	0.05	0.05
B3652050842657021956 422 615	96		0.06	0.06	0.06	0.06	0.11	0.11
B3652050842657021956 422 745	96		0.11	0.11	0.11	0.11	0.11	0.10
B3652050842657021956 422 915	96		0.06	0.06				
B3652050842657021956 4221215	96				0.01	0.01	0.01	0.01
B3652050842657021956 4221345	96		0.01	0.01				0.01
B3652050842657021956 6111045	96			0.06	0.07	0.07	0.06	0.06
B3652050842657021956 6111215	96							0.01
B3652050842657021956 6111345	96		0.02	0.10				
B3652050842657021956 6292245	96		0.23	0.15			0.01	0.01
B3652050842657021956 6301645	96					0.08	0.06	0.01
B3652050842657021956 6301815	96		0.01					

UNIT		out	put			_	
D3653050043657031056 731 635	06		0.00	0.00	0.07	0.07	0.03
B3652050842657021956 711 015 B3652050842657021956 711 145	96 96	0 07	0.08 0.07	0.08	0.07 0.04	0.07	0.07 0.03
B3652050842657021956 711 145	96 96	0.07 0.03		0.04	0.04	0.04	0.03
B3652050842657021956 711 315 B3652050842657021956 7181215	96 96	0.03	0.03	0.03	0.03	0.21	0.20
B3652050842657021956 7181215	96	0.18	0.01	0.01		0.21	0.20
B3652050842657021956 8 81045	96	0.10	0.01	0.01	0.04	0.01	
B3652050842657021956 8 81345	96	0.28	0.20	0.04	0.02	0.01	0.08
B3652050842657021956 8 81515	96	0.07	0.10		****	****	
B3652050842657021956 8 81815	96		0.24	0.21	0.01		
2365205084265702	45 6						
B3652050842657021957 1 6 015	96		0.01				
B3652050842657021957 1 6 145	96		0.01				
B3652050842657021957 1 61945	96			0.30	0.26	0.30	0.07
B3652050842657021957 1 62115	96	0.07	0.07	0.07	0.07	0.05	0.05
B3652050842657021957 1 62245	96	0.05	0.05	0.13	0.13	0.12	0.03
B3652050842657021957 1 7 015	96	0.01		0.02	0.02	0.02	0.02
B3652050842657021957 1 7 145	96	0.02	0.02		0.01		
B3652050842657021957 1 71945 B3652050842657021957 1 72115	96	0.01		0.01	0.01		0.01
	96 06	0.01		0.01	0.01	0 01	0.01
B3652050842657021957 1 72245 B3652050842657021957 2 7 915	96 96	0.01		0.01		0.01 0.03	0.04
B3652050842657021957 2 7 915	96	0.01	0.01	0.01	0.01	0.03	0.01
B3652050842657021957 2 71045	96	0.01	0.01	0.01	0.01	0.01	0.01
B3652050842657021957 2 71345	96	0.07	0.07	0.07	0.04	0.02	0.02
B3652050842657021957 2 71515	96	0.02	0.02	0.02	0.01	0.01	0.01
B3652050842657021957 2 71645	96	0.01	0.01	••••		• • • •	****
B3652050842657021957 2 71815	96			0.07	0.08	0.08	0.08
B3652050842657021957 2 71945	96	0.08	0.08	0.08	0.08	0.23	0.01
B3652050842657021957 2 72115	96	0.01	0.01	0.01			0.01
B3652050842657021957 2 72245	96						0.01
B3652050842657021957 2 8 015	96			0.01			
B3652050842657021957 2 8 145	96		0.01				
B3652050842657021957 2 8 315	96 06	0.01	0 01				
B3652050842657021957 2 8 445 B3652050842657021957 212 145	96 96		0.01			0.01	0.03
B3652050842657021957 212 145	96	0.03	0.01		0.01	0.01	0.03
B3652050842657021957 212 445	96	0.02	0.03	0.03	0.03	0.03	0.03
B3652050842657021957 212 615	96	****		0.01			*****
B3652050842657021957 212 745	96					0.01	
B3652050842657021957 2121045	96				0.01	0.01	0.04
B3652050842657021957 2121215	96	0.04	0.04	0.04	0.01		0.01
B3652050842657021957 2121345	96		0.01		0.01		0.02
B3652050842657021957 2121515	96	0.03	0.01				
B3652050842657021957 2121645	96	0.01	0.01			0.01	
B3652050842657021957 2121815	96			0.01	0.01		
B3652050842657021957 2121945	96					0.01	0.01
B3652050842657021957 2122115	96	0.01	0.01	0.01		0.01	0.01
B3652050842657021957 2122245	96 06	0.01		0 01		0 01	0 01
B3652050842657021957 213 015 B3652050842657021957 213 145	96 96	0.01 0.01	0.01	0.01 0.02	0.01	0.01 0.02	0.01 0.01
B3652050842657021957 213 145	96	0.01	0.01	0.02	0.01	0.02	0.01
B3652050842657021957 213 445	96	0.01	0.01	0.01	0.01	0.01	0.01
B3652050842657021957 213 615	96	J. J.	0.01		- • • •	0.01	
B3652050842657021957 213 745	96		0.01		0.01		0.01
B3652050842657021957 213 915	96		0.01	0.01	0.01	0.01	0.01
B3652050842657021957 2131045	96	0.01	0.02	0.06	0.06	0.06	0.07
B3652050842657021957 2131215	96	0.06	0.05	0.05	0.05	0.01	0.01
B3652050842657021957 2131345	96	0.01				0.01	
B3652050842657021957 2131515	96	0.01			0.01		0.01
B3652050842657021957 2131645	96		0.01		0.01	0.01	0.01

UNIT

B3652050842657021957	2131815	96	0.02	0.01	0.02	0.01	0.02	0.01
B3652050842657021957	2131945	96	0.01	0.01		0.01		0.01
B3652050842657021957	2132115	96		0.01	0.01	0.01	0.01	0.01
B3652050842657021957	2132245	96	0.01	0.01	0.01	0.01	0.01	0.02
B3652050842657021957	214 015	96		0.01	0.01	0.28	0.28	0.22
B3652050842657021957	214 145	96	0.05	0.05	0.05	0.05	0.05	0.16
B3652050842657021957	214 315	96	0.02	0.02	0.23	0.17	0.34	0.34
B3652050842657021957	214 445	96	0.06	0.06	0.03	0.03	0.03	0.03
B3652050842657021957	214 615	96	0.03	0.10	0.05	0.38	0.14	0.01
B3652050842657021957	214 745	96	0.03	0.14	0.14	0.13	0.13	0.07
B3652050842657021957	214 915	96	0.07	0.07	0.07	0.04	0.04	0.04
B3652050842657021957	2141045	96	0.01	0.01	0.04	0.04	0.05	0.05
B3652050842657021957	2141215	96	0.05	0.04	0.04	0.04	0.04	0.04
B3652050842657021957	2141345	96	0.04	0.04				0.01
B3652050842657021957	2141515	96				0.01		
B3652050842657021957	2141645	96		0.01				0.01
B3652050842657021957	2141815	96			0.01			

APPENDIX B--ANNIE attributes

			Up-	Data-set type						
Name	Туре	Length	date	Time	Table	Description				
ACODE	Int	1	Yes	Opt	Opt	Area units code, user defined.				
AGENCY	Char	8	Yes	Opt	Opt	Agency code. See WATSTORE users manual, volume 1, chapter 3.				
AQTYPE	Char	4	Yes	Opt	Opt	Aquifer type. See WATSTORE users manual, volume 1, chapter 3. U - unconfined single aquifer N - unconfined multiple aquifers C - confined single aquifer M - confined multiple aquifers X - mixed multiple aquifers				
AZMUTH	Real	1	Yes	Opt	Opt	Azimuth, in decimal degrees from north of a straight line connecting points 85- and 10-percent of distance from gage to divide.				
BASEQ	Real	1	Yes	Opt	Opt	Base discharge, in cubic feet per second. See WATSTORE users manual, volume 1, chapter 3.				
BLNGTH	Real	1	Yes	Opt	Opt	Stream length, in miles, from gage to end of defined channel, blue line on topographic map.				
BRANCH	Real	1	Yes	Opt	Opt	Integer id number of a channel segment.				
BSLOPE	Real	1	Yes	Opt	Opt	Average basin slope, in feet per mile.				
CHEAT	Int	1	Yes	Opt	Opt	Pointer to an associated data set.				
COCODE	Int	1	Yes	Opt	Opt	County or parish code. See WATSTORE users manual, Appendix C.				
COMPFG	Int	1	No	Opt	No	Compression flag 1 - yes, data are compressed (default) 2 - no, data are not compressed compressed data will take up less space in the WDM file, but may require a COPY operation to update data values.				
CONTDA	Real	1	Yes	Opt	Opt	Drainage area, in square miles, that contributes to surface runoff.				
DAREA	Real	1	Yes	Opt	Opt	Total drainage area, in square miles, including non-contributing areas.				
DATUM	Real	1	Yes	Opt	Opt	Reference elevation, to mean sea level.				
DCODE	Int	1	Yes	Opt	Opt	Attribute DCODE.				
DEPH25	Real	1	Yes	Opt	Opt	Flow depth, in feet. Corresponding to the difference between the 25 percent flow duration gage height and point of zero flow.				

			Up-	Data-s	set type	
Name	Type	Length	date	Time	Table	Description
DEPTH	Real	1	Yes	Opt	Opt	Sampling depth, in feet, at which observation was made.
DESCRP	Char	80	Yes	Opt	Opt	Data-set description. Might include name and/or location, or some anecdotal information.
DSCODE	Int	1	Yes	Opt	Opt	State code of the Geological Survey office that operates the station. Usually the same as the state code (STPIPS). See WATSTORE users manual, Appendix B.
EL1085	Real	1	Yes	Opt	Opt	Average of channel elevations, in feet above mean sea level, at points 10- and 85-percent of stream length upstream from gage.
EL5000	Real	1	Yes	Opt	Opt	Percent of basin above elevation 5,000 feet, mean sea level.
EL6000	Real	1	Yes	Opt	Opt	Percent of basin above elevation 6,000 feet, mean sea level.
ELEV	Real	1	Yes	Opt	Opt	Elevation (mean sea level).
FOREST	Real	1	Yes	Opt	Opt	Forested area, in percent of contributing drainage area, measured by the grid sampling methods.
FROST	Real	1	Yes	Opt	Opt	Mean frost depth on February 28, in inches.
GCODE	Int	1	Yes	Opt	Opt	Angle (slope) code, user defined.
GLACER	Real	1	Yes	Opt	Opt	Area of glaciers, in percent of contributing drainage area.
GUCODE	Char	12	Yes	Opt	Opt	Geologic unit code. See WATSTORE users manual, Appendix F.
H01002	Real	1	Yes	Opt	Opt	Annual maximum 1-day mean discharge, in cubic feet per second for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
H01005	Real	1	Yes	Opt	Opt	Annual maximum 1-day mean discharge, in cubic feet per second for 5-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н01010	Real	1	Yes	Opt	Opt	Annual maximum 1-day mean discharge, in cubic feet per second for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.

			Up-	Data-	set type	
Name	Type	Length	date	Time	Table	Description
но1020	Real	1	Yes	Opt	Opt	Annual maximum 1-day mean discharge, in cubic feet per second for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н01025	Real	1	Yes	Opt	Opt	Annual maximum 1-day mean discharge, in cubic feet per second for 25-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
но1050	Real	1	Yes	Opt	Opt	Annual maximum 1-day mean discharge, in cubic feet per second for 50-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н01100	Real	1	Yes	Opt	Opt	Annual maximum 1-day mean discharge, in cubic feet per second for 100-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н03002	Real	1	Yes	Opt	Opt	Annual maximum 3-day mean discharge, in cubic feet per second for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н03005	Real	1	Yes	Opt	Opt	Annual maximum 3-day mean discharge, in cubic feet per second for 5-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
нозо10	Real	1	Yes	Opt	Opt	Annual maximum 3-day mean discharge, in cubic feet per second for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н03020	Real	1	Yes	Opt	Opt	Annual maximum 3-day mean discharge, in cubic feet per second for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н03025	Real	1	Yes	Opt	Opt	Annual maximum 3-day mean discharge, in cubic feet per second for 25-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
но3050	Real	1	Yes	Opt	Opt	Annual maximum 3-day mean discharge, in cubic feet per second for 50-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
но3100	Real	1	Yes	Opt	Opt	Annual maximum 3-day mean discharge, in cubic feet per second for 100-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.

Name	Type	Length	Up- date	<u>Data-s</u> Time	set type Table	Description
Н07002	Real	1	Yes	Opt	Opt	Annual maximum 7-day mean discharge, in cubic feet per second for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н07005	Real	1	Yes	Opt	Opt	Annual maximum 7-day mean discharge, in cubic feet per second for 5-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н07010	Real	1	Yes	Opt	Opt	Annual maximum 7-day mean discharge, in cubic feet per second for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н07020	Real	1	Yes	Opt	Opt	Annual maximum 7-day mean discharge, in cubic feet per second for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н07025	Real	1	Yes	Opt	Opt	Annual maximum 7-day mean discharge, in cubic feet per second for 25-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н07050	Real	1	Yes	Opt	Opt	Annual maximum 7-day mean discharge, in cubic feet per second for 50-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н07100	Real	1	Yes	Opt	Opt	Annual maximum 7-day mean discharge, in cubic feet per second for 100-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н15002	Real	1	Yes	Opt	Opt	Annual maximum 15-day mean discharge, in cubic feet per second for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н15005	Real	1	Yes	Opt	Opt	Annual maximum 15-day mean discharge, in cubic feet per second for 5-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н15010	Real	1	Yes	Opt	Opt	Annual maximum 15-day mean discharge, in cubic feet per second for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н15020	Real	1	Yes	Opt	Opt	Annual maximum 15-day mean discharge, in cubic feet per second for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.

	-		Up-	Dat a-c		
Name	Type	Length	date	Time	<u>set type</u> Table	Description
н15025		1	Yes	Opt	Opt	Annual maximum 15-day mean discharge, in cubic feet per second for 25-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н15050	Real	1	Yes	Opt	Opt	Annual maximum 15-day mean discharge, in cubic feet per second for 50-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н15100	Real	1	Yes	Opt	Opt	Annual maximum 15-day mean discharge, in cubic feet per second for 100-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н30002	Real	1	Yes	Opt	Opt	Annual maximum 30-day mean discharge, in cubic feet per second for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н30005	Real	1	Yes	Opt	Opt	Annual maximum 30-day mean discharge, in cubic feet per second for 5-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н30010	Real	1	Yes	Opt	Opt	Annual maximum 30-day mean discharge, in cubic feet per second for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н30020	Real	1	Yes	Opt	Opt	Annual maximum 30-day mean discharge, in cubic feet per second for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н30025	Real	1	Yes	Opt	Opt	Annual maximum 30-day mean discharge, in cubic feet per second for 25-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
Н30050	Real	1	Yes	Opt	Opt	Annual maximum 30-day mean discharge, in cubic feet per second for 50-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
н30100	Real	1	Yes	Opt	Opt	Annual maximum 30-day mean discharge, in cubic feet per second for 100-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
HUCODE	Int	1	Yes	Opt	Opt	Hydrologic unit code (8 digits). These codes are given in the U.S. Geological Survey map series "State Hydrologic Unit Maps," Open File Report 84-708.

			Up-	Data-s	et type	
Name	Туре	Length	date	Time	Table	Description
124-2.	Real	1	Yes	Opt	Opt	Precipitation intensity, 24-hour rainfall, in inches, expected on the average of once each 2 years.
124010	Real	1	Yes	Opt	Opt	Precipitation intensity, 24-hour rainfall, in inches, expected on the average of once each 10 years.
124025	Real	1	Yes	Opt	Opt	Precipitation intensity, 24-hour rainfall, in inches, expected on the average of once each 25 years.
124050	Real	1	Yes	Opt	Opt	Precipitation intensity, 24-hour rainfall, in inches, expected on the average of once each 50 years.
I24100	Real	1	Yes	Opt	Opt	Precipitation intensity, 24-hour rainfall, in inches, expected on the average of once each 100 years.
ISTAID	Int	1	Yes	Opt	Opt	Station identification number, as an integer.
J407BQ	Real	1	Yes	Opt	Opt	Base gage discharge, Bulletin 17B frequency analysis.
J407BY	Int	1	Yes	Opt	Opt	Year to begin analysis, used to identify subset of available record, Bulletin 17B frequency analysis.
J407EY	Int	1	Yes	Opt	Opt	Year to end analysis, used to identify subset of available record, Bulletin 17B frequency analysis.
J407GS	Real	1	Yes	Opt	Opt	Generalized skew, Bulletin 17B frequency analysis.
J407HO	Real	1	Yes	Opt	Opt	High outlier discharge criterion, Bulletin 17B frequency analysis.
J407HP	Int	1	Yes	Opt	Opt	Historic peak option (Bulletin 17B frequency analysis): 1 - include historic peaks 2 - exclude historic peaks
J407LO	Real	1	Yes	Opt	Opt	Low outlier discharge criterion (Bulletin 17B frequency analysis).
J407NH	Int	1	Yes	Opt	Opt	Number of historic peaks (Bulletin 17B frequency analysis).
J407SE	Real	1	Yes	Opt	Opt	Root mean square error of generalized skew (Bulletin 17B frequency analysis).

			Up-	Data-s	set type	
Name	Type	Length	date	Time	Table	Description
J407SO	Int	1	Yes	Opt	Opt	Generalized skew option (Bulletin 17B frequency analysis): -1 - station skew 0 - weighted skew 1 - generalized skew
J407UR	Int	1	Yes	Opt	Opt	<pre>Include urban regulated peaks (Bulletin 17B frequency analysis): 1 - no 2 - yes</pre>
JANAVE	Real	1	Yes	Opt	Opt	Mean monthly temperature for January, in degrees F.
JANMIN	Real	1	Yes	Opt	Opt	Mean mini.mum January temperature, in degrees F
JULAVE	Real	1	Yes	Opt	Opt	Mean monthly temperature for July, in degrees F.
JULMAX	Real	1	Yes	Opt	Opt	Mean maximum July temperature, in degrees F.
KENPLV	Real	1	Yes	Opt	Opt	P-level for Kendall Tau statistic.
KENSLP	Real	1	Yes	Opt	Opt	Median slope of time-series trend.
KENTAU	Real	1	Yes	Opt	Opt	Kendall Tau statistic for time-series data.
L01002	Real	1	Yes	Opt	Opt	Annual minimum 1-day mean discharge, in cubic feet per second, for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L01010	Real	1	Yes	Opt	Opt	Annual minimum 1-day mean discharge, in cubic feet per second, for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L01020	Real	1	Yes	Opt	Opt	Annual minimum 1-day mean discharge, in cubic feet per second, for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L03002	Real	1	Yes	Opt	Opt	Annual minimum 3-day mean discharge, in cubic feet per second, for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L03010	Real	1	Yes	Opt	Opt	Annual minimum 3-day mean discharge, in cubic feet per second, for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.

.,	m	.	Up-		set type	
Name	Туре	Length	date	Time_	Table	Description
L03020	Real	1	Yes	Opt	Opt	Annual minimum 3-day mean discharge, in cubic feet per second, for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L07002	Real	1	Yes	Opt	Opt	Annual minimum 7-day mean discharge, in cubic feet per second, for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L07005	Real	1	Yes	Opt	Opt	Annual minimum 7-day mean discharge, in cubic feet per second, for 5-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L07010	Real	1	Yes	Opt	Opt	Annual minimum 7-day mean discharge, in cubic feet per second, for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L07020	Real	1	Yes	Opt	Opt	Annual minimum 7-day mean discharge, in cubic feet per second, for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L14002	Real	1	Yes	Opt	Opt	Annual minimum 14-day mean discharge, in cubic feet per second, for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L14010	Real	1	Yes	Opt	Opt	Annual minimum 14-day mean discharge, in cubic feet per second, for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L14020	Real	1	Yes	Opt	Opt	Annual minimum 14-day mean discharge, in cubic feet per second, for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L30002	Real	1	Yes	Opt	Opt	Annual minimum 30-day mean discharge, in cubic feet per second, for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L30010	Real	1	Yes	Opt	Opt	Annual minimum 30-day mean discharge, in cubic feet per second, for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L30020	Real	1	Yes	Opt	Opt	Annual minimum 30-day mean discharge, in cubic feet per second, for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.

			Up-	Data-s	set type	
Name	Type	Length	date	Time	Table	Description
L90002	Real	1	Yes	Opt	Opt	Annual minimum 90-day mean discharge, in cubic feet per second, for 2-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L90010	Real	1	Yes	Opt	Opt	Annual minimum 90-day mean discharge, in cubic feet per second, for 10-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
L90020	Real	1	Yes	Opt	Opt	Annual minimum 90-day mean discharge, in cubic feet per second, for 20-year recurrence interval, defined by log-Pearson Type III fitting in ANNIE or WATSTORE program A969.
LAKE	Real	1	Yes	Opt	Opt	Area of lakes and ponds in percent of contributing drainage area.
LATCTR	Real	1	Yes	Opt	Opt	Latitude of center of basin, decimal degrees.
LATDEG	Real	1	Yes	Opt	Opt	Latitude in decimal degrees.
LATDMS	Int	1	Yes	Opt	Opt	Latitude in degrees, minutes, seconds (dddmmss).
LCODE	Int	1	Yes	Opt	Opt	Length units code, user defined.
LENGTH	Real	1	Yes	Opt	Opt	Channel length, units user defined.
LKEVAP	Real	1	Yes	Opt	Opt	Mean annual lake evaporation, in inches.
LNGCTR	Real	1	Yes	Opt	Opt	Longitude of center of basin, decimal degrees.
LNGDEG	Real	1	Yes	Opt	Opt	Longitude in decimal degrees.
LNGDMS	Int	1	Yes	Opt	Opt	Longitude in degrees, minutes, seconds (dddmmss).
LOESS	Real	1	Yes	Opt	Opt	Depth of surficial loess, in feet.
MARMAX	Real	1	Yes	Opt	Opt	Mean maximum March temperature, in degrees F.
MAXVAL	Real	1	Yes	Opt	No	Maximum value in data set, general use.
MEANND	Real	1	Yes	Opt	Opt	Mean of the logarithms, base 10, of annual n-day high-flow or low-flow statistic.
MEANPK	Real	1	Yes	Opt	Opt	Mean of the logarithms, base 10, of systematic annual peak discharges from Bulletin 17B frequency analysis or WATSTORE program J407.
MEANVL	Real	1	Yes	Opt	No	Mean of values in data set, general use.
MINVAL	Real	1	Yes	Opt	No	Minimum value in data set, general use.

Name	Type	Length	Up- date	<u>Data-s</u> Time	set type Table	Description
NONZRO	Int	1	Yes	Opt	No	Number of non-zero values in the time series.
NUMZRO	Int	1	Yes	Opt	No	Number of zero values in the time series.
	1110		ies	Opt	NO	
P1.25	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 1.25-year recurrence interval.
P10.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 10-year recurrence interval.
P100.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 100- year recurrence interval.
P2.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 2-year recurrence interval.
P200.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 200- year recurrence interval.
P25.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 25-year recurrence interval.
P5.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 5- year recurrence interval.
P50.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 50-year recurrence interval.
P500.	Real	1	Yes	Opt	Opt	Annual flood peak, in cubic feet per second, 500-year recurrence interval.
PARMCD	Int	1	Yes	Opt	Opt	Parameter code, see WATSTORE users manual, Appendix D.
PNEVAP	Real	1	Yes	Opt	Opt	Mean annual Class A pan evaporation, in inches.
PRCAPR	Real	1	Yes	Opt	Opt	April mean monthly precipitation, in inches.
PRCAUG	Real	1	Yes	Opt	Opt	August mean monthly precipitation, in inches.
PRCDEC	Real	1	Yes	Opt	Opt	December mean monthly precipitation, in inches.
PRCFEB	Real	1	Yes	Opt	Opt	February mean monthly precipitation, in inches.
PRCJAN	Real	1	Yes	Opt	Opt	January mean monthly precipitation, in inches.
PRCJUL	Real	1	Yes	Opt	Opt	July mean monthly precipitation, in inches.
PRCJUN	Real	1	Yes	Opt	Opt	June mean monthly precipitation, in inches.
PRCMAR	Real	1	Yes	Opt	Opt	March mean monthly precipitation, in inches.

Name	Type	Length	Up- date	Data-s Time	set type Table	Description
	-71-5					
PRCMAY	Real	1	Yes	Opt	Opt	May mean monthly precipitation, in inches.
PRCNOV	Real	1	Yes	Opt	Opt	November mean monthly precipitation, in inches.
PRCOCT	Real	1	Yes	Opt	Opt	October mean monthly precipitation, in inches.
PRCSEP	Real	1	Yes	Opt	Opt	September mean monthly precipitation, in inches.
PRECIP	Real	1	Yes	Opt	Opt	Mean annual precipitation, in inches, from U.S. Weather Bureau Series "Climates of States;" grid sampling methods used if isohyetal map is available, otherwise anomaly map constructed (Water-Supply Paper 1580-D).
QANN	Real	1	Yes	Opt	Opt	Mean annual discharge, in cubic feet per second, from WATSTORE flow variability program W4422.
QAPR	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for April, from WATSTORE flow variability program W4422.
QAUG	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for August, from WATSTORE flow variability program W4422.
QDEC	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for December, from WATSTORE flow variability program W4422.
QEX10P	Real	1	Yes	Opt	Opt	Discharge, in cubic feet per second, exceeded 10 percent of the time, defined by daily flow duration, WATSTORE program A969.
QEX25P	Real	1	Yes	Opt	Opt	Discharge, in cubic feet per second, exceeded 25 percent of the time, defined by daily flow duration, WATSTORE program A969.
QEX50P	Real	1	Yes	Opt	Opt	Discharge, in cubic feet per second, exceeded 50 percent of the time, defined by daily flow duration, WATSTORE program A969.
QEX70P	Real	1	Yes	Opt	Opt	Discharge, in cubic feet per second, exceeded 70 percent of the time, defined by daily flow duration, WATSTORE program A969.
QEX75P	Real	1	Yes	Opt	Opt	Discharge, in cubic feet per second, exceeded 75 percent of the time, defined by daily flow duration, WATSTORE program A969.
QEX90P	Real	1	Yes	Opt	Opt	Discharge, in cubic feet per second, exceeded 90 percent of the time, defined by daily flow duration, WATSTORE program A969.

Name	Туре	Length	Up- date	<u>Data-s</u> Time	et type Table	Description
QEX95P	Real	1	Yes	Opt	Opt	Discharge, in cubic feet per second, exceeded 95 percent of the time, defined by daily flow duration, WATSTORE program A969.
QFEB	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for February, from WATSTORE flow variability program W4422.
QJAN	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for January, from WATSTORE flow variability program W4422.
Õlnr	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for July, from WATSTORE flow variability program W4422.
QJUN	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for June, from WATSTORE flow variability program W4422.
QMAR	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for March, from WATSTORE flow variability program W4422.
QMAY	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for May, from WATSTORE flow variability program W4422.
QNOV	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for November, from WATSTORE flow variability program W4422.
QOCT	Real	1	Yes	Opt	Opt	Mean discharge, in cubic feet per second, for October, from WATSTORE flow variability program W4422.
QSDANN	Real	1	Yes	Opt	Opt	Standard deviation of mean annual discharge, in cubic feet per second, from WATSTORE flow variability program W4422.
QSDAPR	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for April, from WATSTORE flow variability program W4422.
QSDAUG	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for August, from WATSTORE flow variability program W4422.
QSDDEC	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for December, from WATSTORE flow variability program W4422.
QSDFEB	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for February, from WATSTORE flow variability program W4422.

N		T + }	Up-		set type	Paradakia
Name	Type	Length	date	Time	Table	Description
QSDJAN	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for January, from WATSTORE flow variability program W4422.
QSDJUL	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for July, from WATSTORE flow variability program W4422.
QSDJUN	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for June, from WATSTORE flow variability program W4422.
QSDMAR	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for March, from WATSTORE flow variability program W4422.
QSDMAY	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for May, from WATSTORE flow variability program W4422.
QSDNOV	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for November, from WATSTORE flow variability program W4422.
QSDOCT	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for October, from WATSTORE flow variability program W4422.
QSDSEP	Real	1	Yes	Opt	Opt	Standard deviation, in cubic feet per second, of mean discharge for September, from WATSTORE flow variability program W4422.
QSEP	Real	1	Yes	Opt	0pt	Mean discharge, in cubic feet per second, for September, from WATSTORE flow variability program W4422.
RFOOT	Real	1	Yes	Opt	Opt	Distance from mouth of river, in feet.
RMILE	Real	1	Yes	Opt	Opt	Distance from basin outlet, in miles.
RWFLAG	Int	1	Yes	Opt	Opt	Read/Write flag: 0 - read and write 1 - read only
SDND	Real	1	Yes	Opt	Opt	Standard deviation of logarithms, base 10, of annual n-day high- or low-flow statistic.
SDPK	Real	1	Yes	Opt	Opt	Standard deviation of logarithms, base 10, of systematic annual peak discharges, from Bulletin 17B frequency analysis or WATSTORE program J407.

			Up-	Data-s	set type	
Name	Туре	Length	date	Time	Table	Description
SEASBG	Int	1	Yes	Opt	Opt	Beginning month of a user defined season. Will start on first day of the month. Used with attribute SEASND to define a specific time period, usually a year. January is month 1 and December is month 12.
SEASND	Int	1	Yes	Opt	Opt	Ending month of a user defined season. Will end on the last day of the month. Used with attribute SEASBG to define a specific time period, usually a year. January is month 1 and December is month 12.
SITECO	Char	4	Yes	Opt	Opt	Site Code, see WATSTORE users manual, volume 1, chapter 3. SW - stream SP - spring ES - estuary GW - well LK - lake or reservoir ME - meteorological
SKEWCF	Real	1	Yes	Opt	No	Skew coefficient of values in data set, general use.
SKWND	Real	1	Yes	Opt	Opt	Skew of logarithm, base 10, of annual n-day high- or low-flow statistic.
SKWPK	Real	1	Yes	Opt	Opt	Skew of logarithms, base 10, of systematic annual peak discharges, from Bulletin 17B frequency analysis or WATSTORE program J407.
SLOPE	Real	1	Yes	Opt	Opt	Slope, units are user defined.
SN002	Real	1	Yes	Opt	Opt	Maximum water equivalent, in inches, of snow cover as of March 15, 2-year recurrence interval.
SN010	Real	1	Yes	Opt	Opt	Maximum water equivalent, in inches, of snow cover as of March 15, 10-year recurrence interval.
SN025	Real	1	Yes	Opt	Opt	Maximum water equivalent, in inches, of snow cover as of March 15, 25-year recurrence interval.
SN100	Real	1	Yes	Opt	Opt	Maximum water equivalent, in inches, of snow cover as of March 15, 100-year recurrence interval.
SNOAPR	Real	1	Yes	Opt	Opt	Mean water equivalent, in inches, of snow cover as of April 30.
SNOFAL	Real	1	Yes	Opt	Opt	Mean annual snowfall, in inches.
SNOMAR	Real	1	Yes	Opt	Opt	Mean water equivalent, in inches, of snow cover as of March 1.

			Up-	Data-s	et type	
Name	Туре	Length	date	Time	Table	Description
SOILIN	Real	1	Yes	Opt	Opt	Soils index, in inches, a relative measure of potential infiltration (soil water storage), from Soil Conservation Service.
STAID	Char	16	Yes	Opt	Opt	Station identification, up to 16 alpha-numeric characters.
STANAM	Char	48	Yes	Opt	Opt	Station name or description of the data set.
STATCD	Int	1	Yes	Opt	Opt	Statistics code, see WATSTORE users manual, Appendix E.
STCODE	Char	4	Yes	Opt	Opt	Standard 2-character post office state abbreviation, includes DC - District of Columbia PR - Puerto Rico VI - Virgin Islands GU - Guam PI - Pacific Trust Territories Use NON for no state abbreviation.
STDDEV	Real	1	Yes	Opt	No	Standard deviation of values in data set, general use.
STFIPS	Int	1	Yes	Opt	Opt	State FIPS code, see WATSTORE users manual, Appendix B.
STORAG	Real	1	Yes	Opt	Opt	Area of lakes, ponds, and swamps in percent of contributing drainage area, measured by the grid sampling methods.
SUBHUC	Int	1	Yes	Opt	0pt	Extension to hydrologic unit code (HUCODE). See the U.S. Geological Survey map series "State Hydrologic Unit Maps," Open File Report 84-708.
TCODE	Int	1	No	Reqd	Opt	Time units code. 1 - seconds
TGROUP	Int	1	No	Reqd	No	Unit for group pointers, depending on the time step of the data, may effect the speed of data retrievals. The default group pointer is 6 (years). See table 1 in users manual for recommended values. 3 - hours 6 - years 4 - days 7 - centuries 5 - months
TMTOPK	Real	1	Yes	Opt	Opt	Time, in hours, measured as time difference between center of mass of total rainfall and peak discharge.

			Up-	Data-s	et type	
Name	Type	Length	date	Time	Table	Description
TMZONE	Int	1	Yes	Opt	Opt	Time zone. Each time zone is represented as the number of hours to be added to, or subtracted from, Greenwich time: -4 - Atlantic Standard -8 - Pacific Standard -5 - Eastern Standard -9 - Yukon Standard -6 - Central Standard -10 - Alaska-Hawaii Standard -7 - Mountain Standard
TOLR	Real	1	No	Opt	No	Data compression tolerance. Data values within +- of TOLR will be considered the same value and compressed in the data set. Once data has been compressed, the original values cannot be retrieved.
TSBDY	Int	1	No	Opt	No	Starting day for time-series data in a data set. Defaults to day 1.
TSBHR	Int	1	No	Opt	No	Starting hour for time-series data in a data set. Defaults to hour 1
TSBMO	Int	1	No	Opt	No	Starting month for time-series data in a data set. Defaults to month 1 (January).
TSBYR	Int	1	No	Reqd	No	Starting year for time-series data in a data set. Defaults to year 1900.
TSFILL	Real	1	No	Opt	Opt	Time-series filler value. This value will be used for missing values. The default is 0.0.
TSFORM	Int	1	No	Reqd	No	Form of data: 1 - mean over the time step (default) 2 - total over the time step 3 - instantaneous @ time (end of time step) 4 - minimum over the time step 5 - maximum over the time step
TSPREC	Int	1	No	Opt	No	New group, new record flag: 0 - start new group at the end of the last group (default) 1 - start new group at the beginning of a record
TSPTAD	Int	1	Yes	Opt	No	Time series put aggregation/disaggregation code
TSSTEP	Int	1	No	Reqd	Opt	Time step, in TCODE units (used in combination with TCODE).

			Up-	Data-s	set type	
Name	Type	Length	date	Time	Table	Description
TSTYPE	Char	4	Yes	Opt	Opt	User-defined four-character descriptor. Used to describe the contents of the data set, for example: PRCP, RAIN, SNOW - precipitation FLOW, DISC, PEAK - discharges TEMP, TMIN, TMAX - temperature EVAP, PET - evapotranspiration Some models and application programs may require a specific TSTYPE for data sets they use.
UBC024	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC025	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC026	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC027	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC028	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC029	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC030	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC031	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC038	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC039	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC040	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC066	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC067	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC068	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC069	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC073	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC074	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC166	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC167	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC169	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC170	Real	1	Yes	Opt	Opt	Defined by user or application.

Name	Type	Length	Up- date	<u>Data-s</u> Time	set type Table	Description
UBC182	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC183	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC184	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC185	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC186	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC187	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC188	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC189	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC190	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC191	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC192	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC193	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC194	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC195	Real	1	Yes	Opt	Opt	Defined by user or application.
UBC200	Real	1	Yes	Opt	Opt	Defined by user or application.
VALLGH	Real	1	Yes	Opt	Opt	Valley length, in miles, measured along general path of flood plain from gage to basin divide.
VBTIME	Int	1	No	Reqd	No	Variable time-step option for the data set 1 - all data are at the same time step 2 - time step may vary (default)
VCODE	Int	1	Yes	Opt	Opt	Volume units code, user defined.
VLCODE	Int	1	Yes	Opt	Opt	Velocity units code, user defined.
WELLDP	Real	1	Yes	Opt	Opt	Depth of well, in feet. The greatest depth at which water can enter the well. See WATSTORE users manual, volume 1, chapter 3.
WEMAR2	Real	1	Yes	Opt	Opt	Water equivalent, in inches, of snow cover as of the first week in March, 2-year recurrence interval.

			Up-	Data-	set type	
Name	Type	Length	date	Time	Table	Description
WRCMN	Real	1	Yes	Opt	Opt	WRC mean of logarithms, base 10, of annual peak discharges after outlier and historic-peak adjustments, from Bulletin 17B frequency analysis or WATSTORE program J407.
WRCSD	Real	1	Yes	Opt	Opt	WRC standard deviation of logarithms, base 10, of annual peak discharges after outlier and historic-peak adjustments, from from Bulletin 17B frequency analysis or WATSTORE program J407.
WRCSKW	Real	1	Yes	Opt	Opt	WRC skew of logarithms, base 10, of annual peak discharge after outlier and historic-peak adjustments and generalized skew weighting, from Bulletin 17B frequency analysis or WATSTORE program J407.
XSECLC	Real	1	Yes	Opt	Opt	Cross-section locater, distance in feet from left bank (as determined by facing downstream).
YRSDAY	Int	1	Yes	Opt	Opt	Number of years of daily-flow record, from WATSTORE flow variability program W4422.
YRSLOW	Int	1	Yes	Opt	Opt	Number of years of low-flow record.
YRSHPK	Int	1	Yes	Opt	Opt	Number of consecutive years used for historic-peak adjustment to flood-frequency data used in Bulletin 17B frequency analysis or WATSTORE program J407.
YRSPK	Int	1	Yes	Opt	Opt	Number of years of systematic peak flow record, used in Bulletin 17B frequency analysis or WATSTORE program J407.

APPENDIX C--User system specifications file

TERM.DAT

The ANNIE/WDM system contains a number of parameters that define the configuration of the user's computer system and the user's preferences. All of these parameters have default values. Any number of these defaults can be overridden by adding a TERM.DAT file to the directory where ANNIE is being run. The first time ANNIE needs any one of these parameters, they are read from the main mes-Then the user's TERM.DAT file is read, if it sage file. exists, and the parameters found replace the defaults from the message file. All of the parameters are saved for the duration of the run. Table C.1 lists the keyword, default value, allowable values, and the definition for each parameter. Table C.2 shows a TERM.DAT file for a PRIME with a terminal that emulates Tektronics 4014 and an HP7475 plotter. The keyword must start in column 1 and the value must start in column 7.

It is essential to correctly set the computer type, CMPTYP, and the Fortran unit numbers for terminals, TRMINP and TRMOUT.

Many of the parameters depend on the implementation of GKS and give the user the opportunity to change or correct colors, line types, symbol types, symbol sizes, background color, text fonts, and graphics devices. With most implementations of GKS, text may be modified with the parameters GKPREC, GKSCFT, GKPRFT, GKPLFT, TXTEXF, and TXTCHS. Background color on color monitors can be changed using parameters BCOLOR or BGRED, BGREEN, and BGBLUE. Symbol size can be modified with the parameter SYSSIZ. Eight parameters are available to reset the default code numbers for each of the curve specification, line type, symbol, color, and pattern. All code numbers should be available in the GKS documentation for workstations or device drivers.

Reference to trade names, commercial products, manufacturers, or distributors in this manual is for identification purposes only and does not constitute endorsement by the U.S. Geological Survey nor recommendation for use.

Table C.1.--TERM.DAT Parameters

Parameter keyword	Default value	Allowable values	Definition
CMPTYP	PC	PC PRIME VAX UNIX DG	type of computer, use PC for IBM clones
TRMTYP	PC	PC VT100	Terminal type
TRMINP	1	0 to 5	Fortran unit number for reading from the terminal (1 for PRIME, 5 for DEC VAX, 1 for PC, 0 for Data General)
TRMOUT	1	0 to 6	Fortran unit number for writing to the terminal (1 for PRIME, 6 for DEC VAX, 1 for PC, 0 for Data General)
GRAPHS	NO	NO YES	are GKS library and drivers available?
SCRWID	80	40 to 256	number of columns on the terminal
SCRLEN	24	10 to 100	number of lines shown on the terminal
FILUNI	30	7 to 99	starting Fortran unit number used by ANNIE for user's files
RECTYP	WORD	WORD HWORD BYTE UNKNOWN	units for specifying record lengths on OPEN statements for unformatted direct access files
The following	g 13 items	are for MS-DOS	PC with color display only.
CLRFRM	15	0 to 15	color of text for messages related to parameter input
CLRFRT	11	0 to 15	color of titles and headers for full screen
CLRFRL	13	0 to 15	color of limits for parameters
CLRFRE	4	0 to 15	color for error messages
CLRFRC	14	0 to 15	color for user input on command line
CLRFRP	7	0 to 15	color for protected data values
CLRFRD	15	0 to 15	color of data to be modified
CLRFRN	14	0 to 15	color of data to be modified when currently none
CLRFRS	7	0 to 15	standard color except for full screen
CLRBKO	2	0 to 15	color of border

Table C.1.--TERM.DAT Parameters--continued

Parameter keyword	Default value	Allowable values	Definition
CLRBKB	1	0 to 15	color of background for full screen
CLRBKS	0	0 to 15	standard background color
CLRBKD	0	0 to 15	color of background block for data to be modified
WEIBA	0	0 to 10000	Weiba plotting position for Bulletin 17B flood-frequency analysis in thousandths
USRLEV	0	0 to 2	User experience level 0-lots, 2=none
			KS implementation manual for your system ist of supported codes.
GKSDIS	4107	any	GKS code number for workstation type for display terminal (not used for PC)
GKSPRT	102	any	GKS code number for workstation type for printer device (not used for PC)
GKSPLT	9012	any	GKS code number for workstation type for pen plotter (not used for PC)
GKSMET	9005	any	GKS code number for Meta file (not used for PC)
GKSDSP	102	any	DISSPLA Meta file code number (only useful for DISSPLA implementations of GKS)
GKPREC	CHAR	STRING CHAR STROKE	Text precision, see GKS manual for computer system and device type
GKSCFT	1	-9999 to 9999	Text font for screen
GKPRFT	1	-9999 to 9999	Text font for printer
GKPLFT	1	-9999 to 9999	Text font for plotter
LSOLID	1	-9999 to 9999	code for solid line
LDASH	2	-9999 to 9999	code for dashed line
LDOT	3	-9999 to 9999	code for dotted line
LMIXED	4	-9999 to 9999	code for dot dashed line
1LUSER	1	-9999 to 9999	extra line type code
2LUSER	1	-9999 to 9999	extra line type code
3LUSER	1	-9999 to 9999	extra line type code
4LUSER	1	-9999 to 9999	extra line type code

Table C.1.--TERM.DAT Parameters--continued

Parameter keyword	Default value	Allowable values	Definition
CBLACK	1	-9999 to 9999	code for black
CWHITE	2	-9999 to 9999	code for white
CRED	3	-9999 to 9999	code for red
CGREEN	4	-9999 to 9999	code for green
CBLUE	5	-9999 to 9999	code for blue
CCYAN	6	-9999 to 9999	code for cyan
CMAGNT	7	-9999 to 9999	code for magenta
CYELLW	8	-9999 to 9999	code for yellow
CDOT	1	-9999 to 9999	symbol code for dot
CPLUS	2	-9999 to 9999	symbol code for plus
CSTAR	3	-9999 to 9999	symbol code for star
CZERO	4	-9999 to 9999	symbol code for circle
СХ	5	-9999 to 9999	symbol code for X
1SUSER	1	-9999 to 9999	extra symbol code
2SUSER	1	-9999 to 9999	extra symbol code
PSOLID	2	-9999 to 9999	code for solid fill area
PHORIZ	3	-9999 to 9999	code for horizontal fill area
PVERT	4	-9999 to 9999	code for vertical fill area
PDIAG	5	-9999 to 9999	code for diagonal fill area
1PUSER	1	-9999 to 9999	extra fill code
2PUSER	1	-9999 to 9999	extra fill code
3PUSER	1	-9999 to 9999	extra fill code
4PUSER	1	-9999 to 9999	extra fill code
SYMSIZ	100	1 to 10000	symbol size ratio in hundredths
TXTEXF	0	0 to 200	text expansion factor in hundredths
TXTCHS	0	0 to 200	text character spacing in hundredths
BCOLOR	BLACK	BLACK WHITE OTHER	background color
BGRED	0	0 to 100	percent red for background if BCOLOR=OTHER

Table C.1.--TERM.DAT Parameters--continued

Parameter keyword	Default value	Allowable values	Definition
BGREEN	0	0 to 100	percent green for background if BCOLOR=OTHER
BGBLUE	0	0 to 100	percent blue for background if BCOLOR=OTHER

Table C.2. Example TERM.DAT

FILE CONTENTS	DESCRIPTION (Note: description is not part of file)
CMPTYP PRIME GRAPHS YES GKSDIS 9001 GKSPLT 9012 GKSMET 1 USRLEV 0 FILUNI 60	computer type is PRIME graphics library is available work station code number GKS code number for pen plotter GKS code number for Meta file user experience is lots starting Fortran unit number

APPENDIX D--Glossary of terms

Attribute - a variable listed in Appendix B used to characterize and

identify a data set

Block - a string of data values in a time-series data set with a

header value indicating the date of the first value, number of values in the string, and quality code of the

string

Buffer - an array of data-set numbers

Command file - a sequential file of responses to ANNIE menus

Data compression - when a sequence of time-series values are the same, the

value and the number of those values are stored instead

of repeated storage of the same value

Data-set number - a number from 1 to 32,000 assigned to a data set on a

WDM file

Direct-access file - a file in which records can be randomly written and read

Flat file - sequential ASCII file of data

GKS - Graphical Kernal System, an ANSI and FIPS graphics stan-

dard implemented by many software vendors with a set of

Fortran callable subroutines

Log file - a file created by ANNIE to store the sequences of

responses to menus

Menu - text written to the terminal requesting input

Message file - direct access file that stores all the questions, help

information, and valid responses for menus as well as

the attribute names, definitions, and characteristics

Quality code - number from 0 to 30 to tag time-series data and used by

some of the data process options in ANNIE

TERM.DAT file - user's configuration file providing computer system

options to the ANNIE software